

Dated: 21.11.2024

The Director,
Ministry of Environment, Forest & Climate Change
Regional Office, West central Region
Ground Floor, East Wing, New Secretariat Building
Civil Line, Near Old VCA Stadium,
Nagpur, Maharashtra – 440001,

Sub: Submission of Six-Monthly self-compliance report for Environment Clearance of Gondkhari Underground Coal Mine (2MTPA) in the mine lease area of 862.00 Ha of M/s Adani Power Limited (APML) for the period April 2024 to September 2024

Reference:

- (i) Environment Clearance issued vide letter No. IA-J-11011/46/2022-IA.II(M), Dated 02.02.2024
(ii) EC Identification No. EC23A0102MH5769281N

Dear Sir,

Please find enclosed herewith six-monthly compliance report on status of compliance of stipulated Environmental Clearance Conditions of Gondkhari Underground Coal Mine (2 MTPA - Normative and 3 MTPA - Peak) in the mine lease area of 862.00 Ha of M/s Adani Power Limited (APL) at District-Nagpur in hard and soft copy through E-mail for the period from April 2024 to September 2024.

Thanking you

Yours Faithfully

For, **M/s. ADANI POWER LIMITED**


(Authorized Signatory)

Copy to:


1. The Director, Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, New Delhi - 110003.
2. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. PVR Cinema, Sion Circle, Mumbai-400 022.
3. The Regional Officer, Maharashtra Pollution Control Board, 6 Th Flr, Udyog Bhavan, Civil Lines, Nagpur, Maharashtra



SIX MONTHLY COMPLIANCE

Abstract

Submission of Six-Monthly self-compliance report for Environment Clearance of Gondkhari Underground Coal Mine (2MTPA) in the mine lease area of 862.00 Ha of M/s Adani Power Limited (APML) for the period April 2024 to September 2024



Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition No.	Condition	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
Sr. no.	Specific condition:	Status
1.1	Proponent shall appoint an Occupational Health Specialist for Regular and Periodical medical examination of the workers engaged in the Project and maintain records accordingly, also, Occupational health check-ups for workers having some ailments like BP, diabetes, habitual smoking, etc. shall be undertaken once in six months and necessary remedial/preventive measures taken accordingly. The Recommendations of National Institute for ensuring good occupational environment for mine workers shall be implemented. The prevention measure for burns, malaria and provision of anti-snake venom including all other paramedical safeguards may be ensured before initiating the mining activities.	Shall be complied. Compliance of the same shall be ensured during initiation of the mining activities and operation of the project. Since, no mining activity is being carried out at present.
1.2	PP should establish in house (at project site) environment laboratory for measurement of environment parameter with respect to air quality and water (surface and ground. A dedicated team to oversee environment management shall be setup which should comprise of Environment Engineers, Laboratory chemist and staff for monitoring of air, water quality parameters on routine basis. Any non-compliance or infringement should be reported to the concerned authority.	Shall be complied. Compliance of the same shall be ensured during operation of the mine. Since, no mining activity is being carried out at present.
1.3	PP to install solar lights along the road used for transportation of minerals to avoid accidents at night and also seek its maintenance. PP is asked to also identify the rural areas for installation of solar light with its maintenance within the study area of 10 km radius buffer zone within one year.	Installation of Solar Lights along the road used for transportation of minerals shall be carried out during operation of the mines. However, to ensure proper illumination at public places five (5) solar based high masts lights were installed in Waddhamna, Gondkhari, Sahuli and Alesur. Approx 2200

Handwritten signature in blue ink.

Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition No.	Condition	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
Sr. no.	Specific condition:	Status
		villagers benefited. (Photographs enclosed as Annexure-I) .
1.4	The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day light/night hours.	Shall be complied. Compliance of the same shall be ensured during operation of the mine. Since, no mining activity is being carried out at present.
1.5	PP must explore innovative technology to recover methane from gases extracted from underground mine while venting.	Noted. However, as the mine falls in the category of degree-I gassy coal mine, there will not be any possibility of gases extraction during operation.
1.6	PP to install 1 continuous ambient air quality monitoring stations at suitable locations preferably village side with consultation of SPCB. The real time data so generated shall be uploaded on the company website and linked it with website of CPCB & SPCB. In addition, data should also be displayed digitally at entry and exit gate of mine lease area for public display.	Shall be complied. Compliance of the same shall be ensured during operation of the mine. Since, no mining activity is being carried out yet.
1.7	PP to maintain the transportation road properly to minimize the dust emission. PP to also develop pucca/concrete roads by seeking consent from the panchayat with widening of roads especially roads inter linking the villages within the study area of 10 km radius buffer zone.	Shall be complied. Since, no mining activity is being carried out yet.

Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition No.	Condition	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
Sr. no.	Specific condition:	Status
1.8	PP to monitor the water quality of the ground water and surface water body located within the core zone and 5 km radius from the periphery of the mine boundary as per procedure laid down by CPCB.	Shall be complied. Since, no mining activity is being carried out
1.9	PP shall follow the recommendation of subsidence study and monitor the degree of subsidence regularly and shall be submitted to IRO, MoEF&CC.	Noted, Shall be complied. Since, no mining activity is being carried out yet.
1.10	PP shall implement Effluent Treatment Plant for wastewater generated from workshop and Sewage Treatment Plan for its colony. No untreated water shall be discharged from mine boundaries to ponds/nallah/river.	Shall be complied. Since no mining activity is being carried out yet.
1.11	PP to accomplish the recruitment of a full-fledged qualified manpower with Environmental Engineer/Environment Science degree background in Environment Management Cell etc. within six months and same shall be reported to IRO, MoEF&CC.	Qualified Manpower has been appointed. The chart for <i>Environment Management Cell</i> is enclosed as Annexure-2 .
1.12	PP shall transport the coal by trucks of fleet size 35-40 tons and no village road shall be used for transportation of coal. PP shall transport the coal by trucks of fleet size 35-40 tons and no village road shall be used for transportation of coal. Further, specific diesel consumption shall be reduced in a phased manner i.e from the 3rd year reduction in diesel consumption by 10% of present diesel consumption (1.1 lit/ton of coal), from the 5 th year reduction in diesel consumption by 30% of present diesel consumption (1.1 lit/ton of coal) and from the 7th year reduction in diesel consumption by 50% of present diesel consumption (1.1 lit/ton of coal).	Shall be complied. Since, no mining activity is being carried out yet.

Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition No.	Condition	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
Sr. no.	Specific condition:	Status
1.13	PP to plant additional 100,000 plants with three tier plantation along the transportation route, if not completed, and identified areas with consent to the gram panchayat within two year and plant for remaining within 2 years for their proper growth in additional already committed to plant to plantation in 11.0 ha project area.	Shall be complied. Since, no mining activity is being carried out yet.
1.14	PP shall maintain at least 10 mtrs width tree plantation of broad leaves and wind break/green shield of about 10 mts height along the boundary of coal storage yard.	Plantation of different saplings such as Ashoka, Neem, Palm etc. with drip irrigation facilities is being carried out in incline and shaft areas with proper maintenance for developing a green shield. (Photographs of Plantation is enclosed as Annexure-3).
1.15	PP should implement the village-wise water distribution pipeline system with their adequate budget as mentioned at above para no. 5.6.3 (x) of the Minutes.	Shall be complied. Since, no mining activity is being carried out yet.
1.16	PP should not affect the Forest area during the construction of infrastructure on the Mine lease.	Noted. As it is an underground mining project no forest land will be disturbed for any activity.
1.17	PP shall develop 6 nos. of rain water harvesting pond (not less than 100 m, width will be 10 m and the depth will be 3 m) as proposed by PP near the villages of stated area in consultation with Gram Panchayat within 1 year. Also, Indicator aquatic species shall be planted in this water bodies to see the environmental quality. PP shall explore to own water bodies/pond currently present in project area, maintain and regularly monitor the quality for its long term protection.	Shall be complied. Since, no mining activity is being carried out yet.
1.18	PP shall implement the activities-wise proposed	Different Socio Economic Development



Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition No.	Condition	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
Sr. no.	Specific condition:	Status
	budget for Public Hearing Budget (as recommended by the EAC, mentioned in Annexure 2) & EMP Capital cost of Rs. 34.32 Cr in time bound manner. The details of annual expenditure incurred shall be part of report to be submitted to IRO, MoEF&CC. PP needs to include the audited figures against the expenditure and activities to be monitored by through dedicated monitoring mechanism. The maintenance of all activities shall be covered through recurring cost of Public Hearing and continued as a part of CSR budget.	work such as organizing eye camp, distribution of medical equipment's to Primary Health Centre (PHC), Distribution of School Bags and Water Bottles, Organizing essay competitions among children, distribution of plant saplings, tree guards to villagers, Garbage collection vehicle, installation of solar lights and water coolers etc, were carried out. The Photographs are enclosed as Annexure-4.
1.19	PP to obtain the CTO for 2.0/3.0 MTPA (Normative/Peak) capacity after grant of EC.	Consent to Establish (CTE) has already been granted vide no. 0000193710/CE/2406000514 dtd. 06/06/2024 by Maharashtra Pollution Control Board. Copy enclosed as Annexure-5. CTO application shall be made in due time before commencement of Mining Operation.
1.20	PP should implement the recommendation of lake rejuvenation plan including sewage management, desilting, plantation with appropriate budgetary provisions.	Shall be complied. Since, no mining activity is being carried out yet.
1.21	PP shall obtain No Objection Certificate from Central Ground Water Authority for extraction of ground water within six months and submitted to IRO, MoEF&CC.	No Objection Certificate vide letter no. CGWA/NOC/MIN/ORIG/2023/19155 dated 01.09.2023 has been granted from Central Ground Water Authority for extraction of ground water. Copy enclosed as Annexure-6.
1.22	The grant of EC is subject to submission of the Stage-I Forest Clearance for 87.351 ha of forest land	Stage-I Forest Clearance for 87.351 ha forest land has been granted vide proposal

Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition No.	Condition	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
Sr. no.	Specific condition:	Status
	involved in the ML area of 862 ha.	no FP/MH/MIN/QRY/408247/2022 dated 02.01.2024 for Gondkhari UG Coal Mine and Copy of the same is enclosed as <i>Annexure-7</i> .
1.23	Persons of nearby villages shall be given training on livelihood and skill development to make them employable with its proper records.	Shall be complied. Since, no mining activity is being carried out yet.
1.24	PP shall pay to farmers of agricultural land if there is any loss due to pollution found by concerned District Commissioner as per extent rules or norms.	Noted.

Standard EC Conditions		
Condition No.	Condition	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
1.1	The Environmental clearance shall be subject to orders of Hon'ble Supreme Court of India, Hon'ble High Courts, NGT and any other Court of Law, from time to time, and as applicable to the project.	Noted.
1.2	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	Stage-I and Stage-II Forest Clearance for 87.351 ha forest land has been granted vide proposal no FP/MH/MIN/QRY/408247/2022 dated 02.01.2024 and dated 12.09.2024 for Gondkhari UG Coal Mine and Copy of the same is enclosed

Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Standard EC Conditions		
Condition No.	Condition	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
		as <i>Annexure-7 and Annexure-8</i> respectively.
1.3	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not Applicable
1.4	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of schedule-I species in the study area).	It is an underground mining project. Proposed ML area does not fall under any Eco-sensitive zone, no corridor of Elephants & Tigers reported within study area. The application along with map submitted to at forest department for authentication. The detailed correspondence with CWLW and Forest Department is enclosed in Annexure-9
1.5	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.	Consent to Establish (CTE) has already been granted vide no. 0000193710/CE/2406000514 dtd. 06/06/2024 by Maharashtra Pollution Control Board. Copy enclosed as Annexure-5 . CTO application shall be made in due time before commencement of Mining Operation.
1.6	The project proponent shall obtain the necessary permission from the Central Ground Water Authority	Complied. No Objection Certificate vide letter no. CGWA/NOC/MIN/ORIG/2023/19155 dated 01.09.2023 has been granted from Central Ground Water Authority for extraction of ground water. Copy attached as Annexure-6 .
1.7	Solid/hazardous waste generated in the mines needs to address in accordance to the Solid Waste Management Rules, 2016/Hazardous & Other Waste Management Rules, 2016.	Will be compiled. Since, no mining activity is being carried out yet.



Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Standard EC Conditions		
Condition No.	Condition	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
1.8	Permission of power supply to be taken from the concerned authority for meeting power demand of the project site.	Permission for power supply was obtained from MSEDCL vide letter nos. SE/NRC/T/LS/2019 and SE/NUC/Tech/5248. Approval copy is enclosed as <i>Annexure-10 and Annexure-11 respectively.</i>
1.9	The maximum production or peak production at any given time shall not exceed the limit as prescribed in the EC.	Agreed.
1.10	Validity of EC is as per life of the mine mentioned in EC letter or 30 years as per EIA Notification, 2006 and its amendments therein.	Noted.

2. Air Quality Monitoring and Mitigation Measure

Condition No.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
2.1	Adequate ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely particulates, SO ₂ and NO _x . Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive receptors in consultation with the State Pollution Control Board. Online ambient air quality monitoring station/stations may also be installed in addition to the regular air monitoring stations as per the requirement and/or in consultation with the SPCB.	Shall be complied. Since, no mining activity is being carried out yet.
2.2	The Ambient Air Quality monitoring in the core zone shall be carried out to ensure the Coal Industry Standards notified vide GSR 742 (E) dated 25th September, 2000 and as amended from time to time by the Central Pollution Control Board. Data on ambient air quality and heavy metals such	Shall be complied. Since, no mining activity is being carried out yet.

Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition No.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
	as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly reported to the Ministry/Regional Office and to the CPCB/SPCB.	
2.3	Transportation of coal, to the extent if permitted by road, shall be carried out by covered trucks/conveyors. Effective control measures such as regular water sprinkling/rain gun/ Fog cannon /mist sprinkling etc., shall be carried out in critical areas prone to air pollution with higher level of particulate matter all through the coal transport roads, loading/unloading and transfer points. Fugitive dust emissions from all sources shall be controlled regularly. It shall be ensured that the ambient air quality parameters conform to the norms prescribed by the Central/State Pollution Control Board.	Shall be complied. Since, no mining activity is being carried out yet.
2.4	Major approach roads shall be black topped and properly maintained.	Shall be complied. Since, no mining activity is being carried out
2.5	PP to install solar lights along the road used for transportation of coal to avoid the accidents at night and also seek its maintenance.	Shall be complied. Since, no mining activity is being carried out yet.
2.6	The transportation of coal shall be carried out as per the provisions and route proposed in the approved mining plan. Transportation of the coal through the existing road passing through any village shall be avoided. In case, it is proposed to construct a 'bypass' road, it should be so constructed that the impact of sound, dust and accidents could be appropriately mitigated.	Shall be complied. Since, no mining activity is being carried out yet.
2.7	Vehicular emissions shall be kept under control and regularly monitored. All the vehicles engaged in mining and allied activities shall operate only after obtaining 'PUC' certificate from the authorized pollution testing centres.	Shall be complied. Since, no mining activity is being carried out yet.
2.8	Coal stock pile/crusher/feeder and breaker material transfer points shall invariably be provided with dust suppression system. Belt-conveyors shall be fully covered to avoid air borne dust. Side cladding all along the conveyor gantry should be made to avoid air borne dust. Drills shall be wet operated or fitted with dust extractors.	Shall be complied. Since, no mining activity is being carried out yet.



Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition No.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
2.9	Coal handling plant shall be operated with effective control measures w.r.t. various environmental parameters. Environmental friendly sustainable technology should be implemented for mitigating such parameters.	Shall be complied. Since, no mining activity is being carried out yet.
2.10	Adequate number of Fog canon (mist sprayer) shall be installed to reduce the impact of air pollution at dust generating sources with time bound action plan.	Shall be complied. Since, no mining activity is being carried out
2.11	PP should Install Wind breaker/shield arrangement along the railway siding for reducing the dust propagation in upwind direction.	Shall be complied. Since, no mining activity is being carried out
2.12	Post environmental closure third party monitoring by reputed instituted in air quality, water, land & soil etc shall be carried out and analysed with EMP measures at regular interval. A suitable recommendation in this regard, shall be furnished to IRO, MoEF&CC for compliance. The data used for analysis shall be obtained from continuous AQMS, site specific water regime. Also, third party shall analyses the implementation of river diversion, meeting to the requirement of project report.	Shall be complied.

3. Water Quality Monitoring and Mitigation Measures

Condition No.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
3.1	The effluent discharge (mine waste water, workshop effluent) shall be monitored in terms of the parameters notified under the Water Act, 1974 Coal Industry Standards vide GSR 742 (E) dated 25th September, 2000 and as amended from time to time by the Central Pollution Control Board.	Shall be complied. Since, no mining activity is being carried out yet.
3.2	The monitoring data shall be uploaded on the company's website and displayed at the project site at a suitable location.	Shall be complied.

Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition No.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
	The circular No. J-20012/1/2006-IA.11 (M) dated 27th May 2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for its compliance.	Since, no mining activity is being carried out yet.
3.3	Regular monitoring of ground water level and quality shall be carried out in and around the mine lease area by establishing a network of existing wells and constructing new piezometers during the mining operations. The monitoring of ground water levels shall be carried out four times a year i.e. pre-monsoon, monsoon, post-monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to MOEFCC/RO.	Shall be complied. Since, no mining activity is being carried out
3,4	Monitoring of water quality upstream and downstream of river including ponds, lakes, tanks shall be carried out once in six months and record of monitoring data shall be maintained and submitted to the Ministry of Environment, Forest and Climate Change/Regional Office.	Shall be complied. Since, no mining activity is being carried out yet.
3.5	Ground water, excluding mine water, shall not be used for mining operations. Rainwater harvesting shall be implemented for conservation and augmentation of ground water resources.	Noted, shall be complied. Since, no mining activity is being carried out yet.
3.6	The project proponent shall not alter major water channels around the site. Appropriate embankment shall be provided along the side of the river/nallah flowing near or adjacent to the mine. The embankment constructed along the river/nallah boundary shall be of suitable dimensions and critical patches shall be strengthened by stone pitching on the river front side, stabilized with plantation so as to withstand the peak water pressure preventing any chance of mine inundation.	Noted.
3.7	Garland drains (of suitable size, gradient and length) around the critical areas i.e. mine shaft and low lying areas, shall be designed keeping at least 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine sites. The sump capacity shall also provide adequate retention period to allow proper settling of	Noted, shall be complied. Since, no mining activity is being carried out yet.

Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition No.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
	silt material of the surface runoff	
3.8	The water pumped out from the mine, after siltation, shall be utilized for industrial purpose viz. watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.	Noted, shall be complied. Since, no mining activity is being carried out yet.
3.9	Industrial waste water from coal handling plant and mine water shall be properly collected and treated so as to conform to the standards prescribed under the Environment (Protection) Act, 1986 and the Rules made thereunder, and as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluent. Sewage treatment plant of adequate capacity shall be installed for treatment of domestic waste water.	Noted, shall be complied. Since no mining activity is being carried out yet.
3.10	Adequate groundwater recharge measures shall be taken up for augmentation of ground water. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.	Noted, shall be complied. Since, no mining activity is being carried out yet.
3.11	The surface drainage plan including surface water conservation plan for the area of influence affected by the said mining operations shall be prepared, considering the presence of any river/rivulet/pond/lake etc., with impact of mining activities on it, and implemented by the project proponent. The surface drainage plan and/or any diversion of natural water courses shall be as per the provisions of the approved Mining Plan/ EIA-EMP submitted to this Ministry and the same should be done with due approval of the concerned State/GoI Authority. The construction of embankment to prevent any danger against inrush of surface water into the mine should be as per the approved mining plan and as per the permission of DGMS.	Noted, shall be complied. Since, no mining activity is being carried out yet.
3.12	The project proponent shall take all precautionary measures to ensure reverian/ riparian ecosystem in and around the coal mine up to a distance of 5 km. A reverian /riparian ecosystem conservation and management plan should be prepared and implemented in consultation with the irrigation / water resource department in the state government.	Noted, shall be complied.



Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition No.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
3.13	Domestic water shall be providing to the residents/villages which are coming under the zone of influence of the project due to ground water extraction by installing a RO plant with proper supply line and Taps within 2 years.	Noted, shall be complied. Since, no mining activity is being carried out yet.
3.14	No obsolete technologies for sewage treatment shall be implemented. Construction of Sewage Treatment Plant with latest technology should be completed within 2 years and treated water shall be reused for plantation. CTE and CTO of STP shall be obtained as per the norms.	Noted, shall be complied. Since, no mining activity is being carried out yet.

4. Noise and Vibration Monitoring and Prevention

Condition No.	Condition	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
4.1	Adequate measures shall be taken for control of noise levels as per Noise Pollution Rules, 2016 in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with personal protective equipment's (PPE) like ear plugs/muffs in conformity with the prescribed norms and guidelines in this regard. Adequate awareness programme for users to be conducted. Progress in usage of such accessories to be monitored.	Noted, shall be complied. Since no mining activity is being carried out yet.
4.2	The noise level survey shall be carried out as per the prescribed guidelines to assess noise exposure of the workmen at vulnerable points in the mine premises, and report in this regard shall be submitted to the Ministry/RO on six-monthly basis.	Noted, shall be complied. Since, no mining activity is being carried out yet.



Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

5. Mining Plan

Condition no.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
5.1	5- Star Rating is mandatory to obtain certification as per guidelines of Ministry of Coal.	Noted, shall be complied. Since, no mining activity is being carried out yet.
5.2	Mining shall be carried out under strict adherence to provisions of the Mines Act 1952 and subordinate legislations made there-under as applicable.	Noted, Mining will be carried out under strict adherence to provisions of the Mines Act 1952 and subordinate legislations made there-under as applicable.
5.3	No change in mining method i.e. UG to OC, calendar programme and scope of work shall be made without obtaining prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC).	Noted.
5.4	Mining shall be carried out as per the approved mining plan (including Mine Closure Plan) abiding by mining laws related to coal mining and the relevant circulars issued by Directorate General Mines Safety (DGMS).	Noted.
5.5	Underground work place environmental conditions shall be rendered ergonomic and air breathable with adequate illumination in conformance with DGMS standards.	Noted.
5.6	No mining shall be carried out in forest land without obtaining Forestry Clearance as per Forest (Conservation) Act, 1980 and also adhering to The Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 read with provisions of Indian Forest Act, 1927.	Noted, it is an underground mine no mining is proposed on forest land.
5.7	Efforts should be made to reduce energy and fuel consumption by conservation, efficiency improvements and use of renewable energy.	Noted, shall be complied.
5.8	Transportation by Railway Siding shall be developed to avoid transportation by Road.	Noted.



Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

6. Land Reclamation

Condition no	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
6.1	Digital Survey of entire lease hold area/core zone using Satellite Remote Sensing survey shall be carried out at least once in three years for monitoring land use pattern and report in 1:50,000 scale or as notified by Ministry of Environment, Forest and Climate Change (MOEFCC) from time to time shall be submitted to MOEFCC/Regional Office (RO).	Noted, shall be complied.
6.2	Post-mining land be rendered usable for agricultural/forestry purposes and shall be handed over to the respective State Government, as specified in the Guidelines for Preparation of Mine Closure Plan, issued by the Ministry of Coal dated 27th August, 2009 and subsequent amendments.	Noted.
6.3	Regular monitoring of subsidence movement on the surface over and around the working areas and its impact on natural drainage pattern, water bodies, vegetation, structure, roads and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence beyond the limit prescribed, appropriate effective mitigation measures shall be taken to avoid loss of life and materials. Cracks should be effectively plugged in with ballast and clay soil/suitable material.	Noted, shall be complied. Since, no mining activity is being carried out yet.
6.4	Fly ash shall be used for external dump of overburden, backfilling or stowing of mine as per provisions contained in clause (i) and (ii) of subparagraph (8) of fly ash notification issued vide SO 2804 (E) dated 3rd November, 2009 as amended from time to time. Efforts shall be made to utilize gypsum generated from Flue Gas Desulfurization (FGD), if any, along with fly ash for external dump of overburden, backfilling of mines. Compliance report shall be submitted to Regional Office of MoEF&CC, CPCB and SPCB.	Not applicable as it is an Underground mining project.
6.5	A separate team for subsidence monitoring and surface mitigation measures shall be constituted and continuous monitoring & implementation of mitigation measures be carried out.	Noted, shall be complied. Since, no mining activity is being carried out yet.



Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition no	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
6.6	Thorough inspection of the mine lease area for any cracks developed at the surface due to mining activities below ground shall be carried out to prevent inrush of water in the mine.	Noted, shall be complied. Since, no mining activity is being carried out yet.
6.7	Native tree species shall be selected and planted over areas affected by subsidence.	Noted.
6.8	The project proponent shall make necessary alternative arrangements, if grazing land is involved in core zone, in consultation with the State government to provide alternate areas for livestock grazing, if any. In this context, the project proponent shall implement the directions of Hon'ble Supreme Court with regard to acquiring grazing land.	Noted, as it is an underground mine there is no disturbance on the surface land. Private land will be used for Infrastructure, mine entry and incline etc.

7. Public Hearing and Human Health Issues

Condition no.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
7.1	Adequate illumination shall be ensured in all mine locations (as per DGMS standards) and monitored.	Noted, shall be complied. Since no mining activity is being carried out yet.
7.2	The project proponent shall undertake occupational health survey for initial and periodical medical examination of the personnel engaged in the project and maintain records accordingly as per the provisions of the Mines Rules, 1955 and DGMS circulars. Besides regular periodic health check-up, 20% of the personnel identified from workforce engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment, if any, as amended time to time.	Noted, shall be complied. Since, no mining activity is being carried out yet.
7.3	Personnel (including outsourced employees) working in core zone shall wear protective respiratory devices and shall also be provided with adequate training and information on safety and health aspects.	Noted, shall be complied. Since, no mining activity is being carried out yet.
7.4	Skill training as per safety norms specified by DGMS shall be provided to all workmen including the outsourcing	Noted and Shall be Complied.

Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition no.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
	employees to ensure high safety standards in mines.	
7.5	Effective arrangement shall be made to provide and maintain at suitable points conveniently situated, a sufficient supply of drinking water for all the persons employed.	Noted, shall be complied. Since, no mining activity is being carried out yet.
7.6	Implementation of the time bound action plan on the issues raised during the public hearing shall be ensured. The project proponent shall undertake all the tasks/measures as per the time bound action plan submitted with budgetary provisions during the public hearing. Land oustees shall be compensated as per the norms laid down in the R&R policy of the company/State Government/Central Government, as applicable.	Different Socio Economic Development work such as organizing eye camp, distribution of medical equipment's to Primary Health Centre (PHC), Distribution of School Bags and Water Bottles, Organizing essay competitions among children, distribution of plant saplings, tree guards to villagers, Garbage collection vehicle, installation of solar lights and water coolers etc, were carried out. The Photographs are enclosed as Annexure-4.
7.7	The project proponent shall follow the mitigation measures provided in this Ministry's OM No. Z-11013/5712014-IA. II (M) dated 29th October, 2014, titled 'Impact of mining activities on habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area'.	Noted, shall be complied. Since no mining activity is being carried out yet.
7.8	PP to conduct need based assessment survey of the area to for in order to decide the activities to be carried under the CSR and to provide detail of the activity carried out with adequate budgetary provision and time bound action plan.	Noted, shall be complied. Since, no mining activity is being carried out yet.
7.9	PP should conduct epidemiology study to (analysis of the distribution, patterns and determinants of health and disease conditions in defined populations).	Noted, shall be complied. Since, no mining activity is being carried out yet.
7.10	Permanent Health care facilities of Hospital should be established within 5 km of project boundary for the local people.	Noted.
7.11	PP must ensure an emergency action plan during pandemic in order to provide assistance to the nearby villages located	Noted, shall be complied.



Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition no.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
	within the 10 km radius buffer zone (If required).	Since, no mining activity is being carried out yet.
7.12	PP is asked to also identify the rural areas for installation of solar light with its maintenance within the study area of 10 km radius buffer zone with time bound action plan.	To ensure proper illumination at public places five (5) solar based high masts lights were installed in Waddhamna, Gondkhari, Sahuli and Alesur. Approx 2200 villagers were benefited from the said facility. (Photographs enclosed as Annexure-1).
7.13	PP to take measure for installation of Renewable Energy sources in nearby area falling within 10 km radius.	Noted, shall be complied. Since no mining activity is being carried out yet.

8. Corporate Environment Responsibility

Condition no.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
8.1	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders.	The environment policy of the company is attached as Annexure-12.
8.2	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Complied. The Environment management cell chart for the project site is enclosed as Annexure-2.
8.3	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not	Noted, shall be complied. Since, no mining activity is being carried out yet.

Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition no.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
	to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.	
8.4	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Noted, shall be complied. Since, no mining activity is being carried out yet.
8.5	PP should establish in house (at project site) environment laboratory for measurement of environment parameter with respect to air quality and water (surface and ground. A dedicated team to oversee environment management shall be setup which should comprise of Environment Engineers, Laboratory chemist and staff for monitoring of air, water quality parameters on routine basis. Any non- compliance or infringement should be reported to the concerned authority.	Noted, shall be complied. Since, no mining activity is being carried out yet.

9. Miscellaneous

Condition no.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
9.1	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	Environment Clearance letter was published in local newspaper namely, The Hitavada, Vaidarbh (Mahasagar) & Timesgroup, and copy of the same is enclosed as <i>Annexure-13</i> .
9.2	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Copy of Environmental clearance letter have been submitted on 08.02.2024 to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government to display the same for 30 days from the date of receipt.



Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition no.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
		Acknowledgment copy is enclosed as <i>Annexure-14</i>
9.3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Noted, shall be complied
9.4	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the Ministry of Environment, Forest and Climate Change at environment clearance portal.	Noted.
9.5	The project proponent shall submit the environmental statement for each financial year in Form- V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted, shall be complied. Since, no mining activity is being carried out yet.
9.6	The project authorities shall inform to the Regional Office of the MOEFCC regarding commencement of mining operations.	Noted, We will inform to the Regional office of MOEF & CC regarding commencement of mining operations.
9.7	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted.
9.8	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted.
9.9	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted.
9.10	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.
9.11	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.

Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition no.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
9.12	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted.
9.13	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Agreed.
9.14	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India High Courts and any other Court of Law relating to the subject matter.	Noted.
9.15	The proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during presentation to the EAC. All the commitments made on the issues raised during public hearing shall also be implemented in letter and spirit.	Noted, shall be complied.
9.16	Compensation of the land acquired for the project shall be settled as per the R&R Policy. Adequate facility of drinking water, plantation and other social amenities should be provided to established R&R villages.	No R&R involved as this is an underground mining project.
9.17	Persons of nearby villages shall be given training on livelihood and skill development to make them employable with its proper records.	Noted and Shall be Complied.
9.18	The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well	Noted, shall be complied. Since, no mining activity is being carried out yet.




Proposed Gondkhari Underground Coal Mine (Kamptee Coalfield) of area 862.00 Ha, Targeted capacity – 2.0 MTPA, at Village – Gondkhari, Tehsil – Kalmeshwar, Dist. – Nagpur, State – Maharashtra - 440023 by Adani Power Limited located at Nagpur, Maharashtra

Condition no.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
	within the prescribed limits for day light/night hours	

Additional EC Conditions

Condition no.	Conditions	Status (April 2024 to September 2024)
Conditions of Environment Clearance issued vide letter No IA-J-11011/46/2022-IA. II(M) Dated 02.02.2024.		
10.1	“Wildlife conservation plan for the presence of all schedule-I to be implemented with budgetary provision as approved by the Chief Wildlife Warden”	It is an underground mining project. Proposed ML area does not fall under any Eco-sensitive zone, no corridor of Elephants & Tigers reported within study area. The application along with map submitted to at forest department for authentication. The detailed correspondence with CWLW and Forest Department is enclosed in Annexure-9
10.2	Project Proponent shall implement the rejuvenation plan with budgetary provision as submitted for protection of reservoirs present in the mine lease area”.	Shall be complied. Since, no mining activity is being carried out yet.



Photographs of Solar Based High Mast Lights
Annexure-1



Gondkhari

Handwritten signature

Photographs of Solar Based High Mast Lights
Annexure-1



Alesur



Sahuli

Handwritten signature in blue ink.

Photographs of Solar Based High Mast Lights
Annexure-1




Waddhamna

Handwritten signature in blue ink.

Annexure-2


Organization Chart for Environment Management Cell



Handwritten signature

Plantation Photographs

Annexure-3



Handwritten signature

Annexure-4 Socio-economic Development Work



Eye Camp



**Exposure Visit of
Farmers**



**Organizing Games and
Cultural Activities**



**Water Cooler
Installation**

Handwritten signature

Annexure-4 Socio-economic Development Work



Distribution of Tree Saplings and Tree Guards



Installation of High Mast Solar Light



Distribution of Garbage Collection Vehicle

A. S. Mohankar

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
 and 4th floor, Opp. Cine
 Planet Cinema, Near Sion
 Circle, Sion (E),
 Mumbai-400022

RED/L.S.I (R35)
 No:- Format1.0/CAC/UAN
 No.0000193710/CE/2406000514

Date: 06/06/2024

To,
 M/s. ADANI POWER MAHARASHTRA LIMITED,
 Gondkhari Coal Mine,
 Gondkhari, Nanda (Risthi), Alesur, Kalambi, Karale,
 Surabardi, Pendhari and Wadhamna
 Tal. Kalmeshwar, Dist. -Nagpur



Sub: Grant of consent to establish for proposed Underground Coal Mine Activity under Red Category

Ref: 1. Environmental Clearance granted by MOEFCC, GoI vide File No.: IA-J-11011/46/2022-IA. II(M) dtd.02.02.2024
 2. Minutes of Consent Appraisal Committee Meeting held on 17.05.2024

Your application No.MPCB-CONSENT-0000193710 Dated 10.01.2024

For: Grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier.**
- The capital investment of the project is Rs.1303.0 Crs. (As per C.A Certificate submitted by industry Proposed Capital Investment of Rs. 1303.0 Crs)**
- Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Coal	2	MTPA

(Underground Coal Mine -Through excavation by mechanized Longwall (Retreating) with caving method as per Block allotment of the mining lease area (MLA) of 862.0 Ha.)

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	9.0	As per Schedule-I	Recycle & Reuse 100% for washing process
2.	Domestic effluent	36.0	As per Schedule-I	On land for gardening



5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	1	DG Set 500 KVA	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Municipal waste	51	Ton/Y	--	Sale to authorized party and composting of biodegradable waste
2	Solid Waste	127000	Ton/Y	--	Backfilling and Reclamation of Land within mine lease area


7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	5000	Ltr/A	Recycle	Sale to authorised party
2	35.3 Chemical sludge from waste water treatment	0.1	Ton/Y	Landfill	CHWTSDF

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. PP shall comply with the conditions stipulated in the Environmental Clearance granted by MoEFCC, GoI vide NO. IA-J-11011/46/2022-IA. II(M) dtd. 2.02.2024.
11. PP shall obtain the approval for the mining lease from the competent authority and till that PP shall not take any effective steps towards establishment of the project.
12. PP shall obtain the final approval of Forest clearance for 87.351 Ha for the forest land involved in the mining lease area from the competent authority. Till to obtain the final forest clearance, PP shall not take any effective steps towards the Project execution.
13. PP shall install an online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board server.
14. PP shall obtain necessary NOCs/permissions from the other departments before starting the Project work of the mine
15. PP shall submit the land possession record to the Regional Office, Nagpur and till to submission of the same, PP shall not take any effective steps towards establishment of the project.
16. PP shall carry out over burden dump management as per CPCB guidelines.
17. PP shall carry out plantation as per Environmental Clearance conditions before ensuing monsoon.
18. PP shall provide tar road in mining area to achieve ambient air quality standards.

19. PP shall submit the BG's as per BG regime of mining and towards installation of Pollution control systems and towards compliance of the consent and Environmental clearance as per schedule III.
20. PP shall comply conditions of NOC granted by Central Ground Water Authority and same shall be renewed in advance before expiry of its validity period.
21. The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/Activity. (Establish)
23. The industry shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	2606000.00	MPCB-DR-23897	29/01/2024	RTGS
2	800000.00	MPCB-DR-25708	04/06/2024	NEFT

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have proposed to provide Effluent Treatment Plant (ETP) of designed capacity of 10.00 CMD consisting of Primary (Collection tank, Neutralization tank, Equalization tank, Primary Clarifier/Primary Settling Tank), Tertiary (Pressure sand filter, Dual media filter) for the treatment of 9.0 CMD of trade effluent.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	6.0 -8.5
(2)	BOD (3 days 27°C)	30
(3)	COD	250
(4)	TSS	100
(5)	Oil & Grease	10
(6)	Total Dissolved solids	2100
(7)	Chloride	600
(8)	Sulphate	1000

- C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
- D] The treated effluent shall be recycled 100% and shall be reused back for the washing purposes after confirming the above standards. In no case, effluent shall find its way for gardening / outside factory premises.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 50 CMD for the treatment of 36.0 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	Suspended Solids	Not to exceed	50
2	BOD 3 days 27°C	Not to exceed	30
3	COD	Not to exceed	100

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way for gardening / outside factory premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	142.00
2.	Domestic purpose	40.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	10.00
5.	Gardening	300

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to provide the Air pollution control (APC) system and also to erect following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
1	DG set 500 KVA	Acoustic Enclosure Stack	5.00	HSD 548 Kg/Day	1	SO ₂	10.96 Kg/Day

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Control Equipments

- a. Coal handling plant provided with dust collector & automatic water sprinkler shall be operated
- b. Scientific spraying of water on all working area, dump area, stock piles with the help of appropriate dust suppression system.
- c. Minerals shall be properly covered during transportation.
- d. The applicant shall carry out tree plantation along road side, around dumps or compulsory afforestation as per proposal approved by Forest Department. The tree plantation programme shall be taken up well in advance of the actual mining activity, so that green belt of sufficient width & height is developed between mining area/road and surrounding environment.
- e. Black topped metal roads provided shall be well maintained to prevent dust formation.
- f. Overloading of dumpers shall be avoided to prevent spillages.
- g. Correct type & quantity of explosive shall be used to avoid excess dust formation & vibration in the surrounding area.
- h. The slope of the over burden shall have slope not more than 28° to the horizontal. The overburden shall be properly covered by vegetation for stabilization.
- i. Minerals transportation shall be done by installing conveyors wherever possible & mechanically covered closed trucks shall be used for transportation.

6. Standards for Ambient Air Pollutants:

The Suspended Particulate Matter (SPM), Respirable Particulate Matter (RPM), Sulphur dioxide (SO₂) and Oxides of Nitrogen (NO_x) concentration in downwind direction considering predominant wind direction, at a distance of 500 metres from the following dust generating sources shall not exceed the standards specified in the table given below:

Dust Generating Sources:

Loading or unloading, Haul Road, coal transportation road, Coal handling plant (CHP), Railway Sliding, Blasting, Drilling, Overburden dumps, or any other dust generating external sources like coke ovens (hard as well as soft), briquette industry, nearby road etc.

Pollutant	Time weighted average	Concentration in Ambient Air
Suspended Particulates Matter (SPM)	Annual Average	360 µg/m ³
	24 hours	500 µg/m ³
Respirable Particulate Matter (size less than 10 µm) (RPM)	Annual Average	180 µg/m ³
	24 hours	250 µg/m ³
Sulphur Dioxide (SO ₂)	Annual Average	80 µg/m ³
	24 hours	120 µg/m ³
Oxides of Nitrogen as NO _x	Annual Average	80 µg/m ³
	24 hours	120 µg/m ³

- i. In case of any residential or commercial or industrial place falls within 500 metres of any dust generating sources, the National Ambient Air Quality Standards notified vide MOEFCC GOI notification dtd 16.11.2009 as ammended shall be made applicable.
- ii. The applicant shall provide minimum three ambient air quality monitoring stations within mining area which should be monitored for SPM, RSPM, SO₂, NO_x, HC, CO etc. The Annual Arithmetic Mean of minimum 104 measurements in a year taken twice a week 24 hourly at uniform interval shall conform to the National Ambient Air Quality Standards prescribed under Air (Prevention and Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986. The records of results of monitoring done shall be made available for inspection to the officers of the Board.

7. The applicant shall take adequate measures for control of noise levels from its own sources as follows:

Sr. No	Location	Permissible Norms [in dB (A)]	Desired minimum thickness of green belt (m)
1.	Along Road side	65 (Commercial Area)	20
2.	In colonies	55 (Residential Area)	20
3.	Near Opencast Mines	75 (Industrial Area)	10
4.	Near CHPs	75	30
5.	Near Shaft	75	20
6.	Near Mine exhaust fan	75	> 50

8. Other conditions:

- i Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess standards laid down, such information shall be forthwith reported to Board, concerned Police station, office of Directorate of Health services, Dept. of explosives, Inspectorate of Factories & Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent (C2E/ C2O /C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Establish	Rs. 10.0 Lakh	15 days	Provision of Sewage Treatment Plant (STP) for the treatment of domestic effluent and reuse of water in gardening	COU	30.11.2029
2	Consent to Establish	Rs. 5.0 Lakh	15 days	Provision of Effluent Treatment Plant (ETP) for effluent generated from workshops / vehicle washing activity & reuse of effluent in the process.	COU	30.11.2029
3	Consent to Establish	Rs.25.0 Lakh	15 days	Provision of Coal transportation shall be done by mechanically closed trucks. Overloading of shall be avoided to prevent spillages. 10% of total fleet available to be replaced every six month.	COU	30.11.2029
4	Consent to Establish	Rs.5.0 Lakh	15 days	Provision of Coal Handling Plant (CHP) & loading / unloading area will be provided with Dust Collector and Automatic Water Sprinkler	COU	30.11.2029
5	Consent to Establish	Rs.5.0 Lakh	15 days	Provision of Scientific spraying of water (Fixed & movable sprayers) on all working area, dump area, stock piles with the help of appropriate dust suppression system.	COU	30.11.2029

Sr. No	Consent (C2E/ C2O /C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
6	Consent to Establish	Rs.10.0 Lakh	15 days	Provision of Black topped mettled roads shall be provided and well maintained to prevent dust formation	COU	30.11.2029
7	Consent to Establish	Rs.5.0 Lakh	15 days	Provision for Deploying mechanized sweepers which are automated suction sweeper for cleaning the coal dust from road.	COU	30.11.2029
8	Consent to Establish	Rs.5.0 Lakh	15 days	Provision of Adoption and installation of tyre wash system to mining transportation trucks at the entry / exit points of mining area.	COU	30.11.2029
9	Consent to Establish	Rs.5.0 Lakh	15 days	Provision for Use of toppers/ binders / surfactants on the top surface of coal pile on trucks carrying coal on roads to minimize spillage during transportation.	COU	30.11.2029
10	Consent to Establish	Rs.5.0 Lakh	15 days	Provision of continuous ambient air quality monitoring stations (CAAQMS) within mining area for AAQM monitoring as per MOEF notification dt: 16/11/2009 & further amendments	COU	30.11.2029
11	Consent to Establish	Rs.5.0 Lakh	15 days	Provision of Over burden (OB) should be stacked at earmarked dumpsites only and should not be kept active for long period. Proper terracing of OB should be carried out so that the overall slope will come down to 28 degrees. Over burden shall be disposed by way of backfilling.	COU	30.11.2029
12	Consent to Establish	Rs.5.0 Lakh	15 days	Provision of sedimentation tanks of appropriate size for the mine discharge treatment with stone pitching lining / lined sedimentation tank.	COU	30.11.2029

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
13	Consent to Establish	Rs.25.0 Lakh	15 days	Compliance of consent and Environmental Clearance conditions	COU	30.11.2029

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.

4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
14. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.

20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
26. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
34. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
35. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
36. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
37. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.



Annexure-6



भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन, नदी विकास
और गंगा संरक्षण विभाग
केन्द्रीय भूमि जल प्राधिकरण
Government of India
Ministry of Jal Shakti
Department of Water Resources,
River Development & Ganga Rejuvenation
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:	Gondkhari Underground Coal Mine		
Project Address:	Villages - Gondkhairi, Nanda, Alesur, Kalambi, Karale, Surabardi, Pendhari, Waddhamna,, Tahsil - Kalmeshwar, Hingna And Nagpur (r), Dist - Nagpur		
Village:	Gondkhairi	Block:	Kalmeshwar
District:	Nagpur	State:	Maharashtra
Pin Code:			
Communication Address:	M/s Adani Power Maharashtra Limited, Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle,, S G Highway. Khodiyar, Ahmedabad,, , Ahmadabad, Gujarat - 382421		
Address of CGWB Regional Office :	Central Ground Water Board Central Region, N.s. Building, Civil Lines, Nagpur, Maharashtra - 440001		

1. NOC No.:	CGWA/NOC/MIN/ORIG/2023/19155	2. Date of Issuance	01/09/2023									
3. Application No.:	21-4/9935/MH/MIN/2023	4. Category: (GWRE 2022)	Safe									
5. Project Status:	New Project	6. NOC Type:	New									
7. Valid from:	01/09/2023	8. Valid up to:	31/08/2025									
9. Ground Water Abstraction Permitted:												
Fresh Water		Saline Water		Dewatering		Total						
m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year					
40.00	14600.00			452.00	164980.00							
10. Details of ground water abstraction /Dewatering structures												
Total Existing No.:0							Total Proposed No.:4					
	DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu
Abstraction Structure*	0	0	0	0	0	0	0	0	2	0	0	0
Dewatering Structure*	0	0	0	0	0	0	0	0	0	0	2	0
*DW- Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; MP-Mine Pit;MPu-Mine Pumps												
11. Ground Water Abstraction/Restoration Charges paid (Rs.):								359160.00				
12. Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.	No. of Piezometers						Monitoring Mechanism					
							Manual	DWLR**	DWLR With Telemetry			
**DWLR - Digital Water Level Recorder	1						0	1	0			

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011
Phone: (011) 23383561 Fax: 23382051, 23386743
Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

Validity of this NOC shall be subject to compliance of the following conditions:

Mandatory conditions:

- 1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
- 8) Industries abstracting ground water in excess of 100 m³/d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

General conditions:

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
- 24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.
- 25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.
- 26) In case of new infrastructure projects having ground water abstraction of more than 20 m³/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
- 27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- 28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.
- 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).
- 31) In the self-compliance report, the PP shall submit details of Drilling Agency/ Agencies, which has/ have constructed BW(s)/ TW(s) along with undertaking to the effect that all necessary measures have been taken as per directions of Hon'ble Supreme Court provided in Annexure-VII of guidelines dated 24.09.2020 in respect of abandoned/ failed BW(s)/ TW(s)/Piezometer(s), if any. The PP is advised to engage registered drilling agency/ agencies. In the event of any mishap/ unfortunate incident due to negligence in taking measures for prevention of accident due to falling in Bore Well, both PP and concerned drilling agency shall jointly be held responsible and penal action as per extant Government rules shall be taken.

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)

CENTRAL GROUND WATER AUTHORITY

Department of Water Resources, River Development and Ganga Rejuvenation
Ministry of Jal Shakti, Govt. of India

Receipt

(As per the MoJS guidelines dated 24.09.2020 vide SO No. 3289(E) and amendments dated 29.09.2023 vide SO No. 1509(E))
<https://cgwa-noc.gov.in>

Application No.:	21-4/9935/MH/MIN/2023	Date:01/09/2023
Name of Firm:	GONDKHARI UNDERGROUND COAL MINE	
AppType Category:	Coal	
Application Type:	Mining	
PAN/GSTIN No. of Firm/Individual:	NA / NA	

S N	Description	Amount (Rs.)
1.	Application Processing Fee	10000.00
2.	Ground Water Abstraction charges	359160.00
3.	Ground Water Restoration charges	0
4.	Environmental Compensation Charges (ECRGW) (Date From to) Days-	
5.	Penalty for non-Compliance of NOC conditions Condition to be mentioned	
6.	Adjustment Charges	
7.	Rebate	
8.	Charges for correction/modification in the existing issued No Objection Certificate	
S.No.	Description	Rate
(i)	Change in User ID	Rs. 5000
(ii)	Change in firm Name	Rs. 5000
(iii)	Extension of No Objection Certificate	Rs. 5000
(iv)	Issuance of duplicate No Objection Certificate	Rs. 5000
(v)	Issuance of corrigendum to No Objection Certificate	Rs. 5000
(vi)	Any other items/correction etc.	
Rs. Rupees Three Lakh Sixty Nine Thousand One Hundred Sixty Only		369160.00

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011
Phone: (011) 23383561 Fax: 23382051, 23386743
Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

This is an system generated invoice, hence, does not require ink signed.

Term and conditions:

- i. All disputes are subject to Delhi Jurisdiction.
- ii. Any complaint in regard to the rates will not be entertained.

Member-Secretary
CGWA, New Delhi



CENTRAL GROUND WATER AUTHORITY



सत्यमेव जयते

Government of India

...

(Forest Conservation Division)



Online Proposal No.:
FP/MH/MIN/QRY/408247/2022



Dated: 02/01/2024

To,

The Principal Secretary (Forests),
Government of Maharashtra,
Mumbai.

Subject:

Diversion of 87.351 ha of forests for the Gondkhairi Underground Coal Mine project at Village - Gondkhari, Tehsil-Kalmeshwar, District Nagpur in favour of M/s Adani Power Maharashtra Ltd (APML), in the State of Maharashtra - regarding.

Sir/Madam,

I am directed to refer to the Government of Maharashtra letter No. FLD-3423/CR-310/F-10 dated 21.11.2023 on the above subject seeking prior approval of the Central Government under Section 2 (ii) of the Forest (Conservation) Act, 1980 and to say that the proposal has been examined by the Advisory Committee constituted by the Central Government under Section-3 of the aforesaid Act.

After careful examination of the proposal of the State Government & on the basis of the recommendations of the Advisory Committee and with due approval of the competent authority, the Central Government hereby accords **"In-principle/Stage-I"** approval under Section 2(1) (ii) of the Van(Sanrakshan Evam Samvardhan) Adhiniyam, 1980 for diversion of 87.351 ha of forests for the Gondkhairi Underground Coal Mine project at Village -Gondkhari, Tehsil-Kalmeshwar, District Nagpur in favour of M/s Adani Power Maharashtra Ltd (APML), in the State of Maharashtra subject to fulfilment of the following conditions:

1. General Conditions

S. No	Conditions
1.1	Legal status of the diverted forest land shall remain unchanged
1.2	The User Agency shall transfer the cost of raising and maintaining the compensatory afforestation, at the current wage rate, to the State Forest Department. The scheme may include appropriate provision for anticipated cost increase for works scheduled for subsequent years

S. No	Conditions
1.3	The State Government shall charge the Net Present Value (NPV) of the forest land being diverted under this proposal from the User Agency as per the orders of the Hon'ble Supreme Court of India dated 28.03.2008, 24.04.2008 and 09.05.2008 in Writ Petition (Civil) No. 202/1995 and the guidelines issued by this Ministry vide its letter No. 5-3/2007-FC dated 05.02.2009 in this regard
1.4	At the time of payment of the Net Present Value (NPV) at the then prevailing rate, the User Agency shall furnish an undertaking to pay the additional amount of NPV, if so determined, as per the final decision of the Hon'ble Supreme Court of India
1.5	All the funds received from the user agency under the project, except the funds realized for regeneration/ demarcation of safety zone, shall be transferred to Ad-hoc CAMPA in the Savings Bank Account pertaining to the State concerned
1.6	The User Agency shall obtain the Environment Clearance as per the provisions of the Environmental (Protection) Act, 1986, if required
1.7	The boundary of the diverted forest land, shall be demarcated on ground at the project cost, by erecting four feet high reinforced cement concrete pillars, each inscribed with its serial number, forward and back bearing and distance from pillar to pillar
1.8	The User agency, if required, will undertake comprehensive soil conservation measures in the area being diverted at the project cost in consultation with the State Forest Department. A scheme of the same may be submitted along with the compliance report
1.9	No labour camp shall be established on the forest land
1.10	The User Agency shall provide fuels preferably alternate fuels to the labourers and the staff working at the site so as to avoid any damage and pressure on the nearby forest areas
1.11	The forest land shall not be used for any purpose other than that specified in the proposal
1.12	The layout plan of the proposal shall not be changed without the prior approval of the Central Government
1.13	The forest land proposed to be diverted shall under no circumstances be transferred to any other agency, department or person without prior approval of the Central Government
1.14	No damage to the flora and fauna of the adjoining area shall be caused
1.15	Any tree felling shall be done only when it is unavoidable and that too under strict supervision of the State Forest Department
1.16	The user agency in consultation with the State Government shall create and maintain alternate habitat/home for the avifauna, whose nesting trees are to be cleared in this project. Bird's nests artificially made out of eco-friendly material shall be used in the area, including forest area and human settlements, adjoining the forest area being diverted for the project
1.17	The User Agency shall submit six monthly self-compliance reports as on 1st January and 1st July of every year to this office as well as to the Nodal Officer of the State

S. No	Conditions
1.18	The State Government shall monitor compliance of conditions of Forest Clearance and shall submit in this regard yearly report as on 31st December of every year
1.19	Any other condition that the concerned Regional Office of this Ministry may stipulate, from time to time, in the interest of conservation, protection and development of forests & wildlife
1.20	The User Agency and the State Government shall ensure compliance to provisions of the all Acts, Rules, Regulations and Guidelines, for the time being in force, as applicable to the project
1.21	Grant of working permission to the extant proposal may be considered by the State Government in accordance with the provisions as contained in the MoEF&CC's Guidelines dated 28.08.2015

2. Standard conditions

S. No	Conditions
2.1	The State Government shall upload the KML files of the area under diversion in the E-green watch portal of FSI, before handing over forest land to the user agency;
2.2	The R&R Plan shall be implemented as per the R&R Policy of State Government in consonance with National R&R Policy, Government of India before the commencement of the project work and implementation. The said R&R Plan will be monitored by the State Government/Regional Office of MoEF&CC along with indicators for monitoring and expected observable milestones;
2.3	The User Agency shall undertake mining in a phased manner after taking due care for reclamation of the mined over area. The concurrent reclamation plan as per the approved mining plan shall be executed by the User Agency from the very first year, and an annual report on implementation thereof shall be submitted to the Nodal Officer, Forest (Conservation) Act, 1980, in the concerned State Government and the concerned Regional Office of the Ministry. If it is found from the annual report that the activities indicated in the concurrent reclamation plan are not being executed by the User Agency, the Nodal Officer or the concern Addl. Principle Chief Conservator of Forests (Central) may direct that the mining activities shall remain suspended till such time, such reclamation activities area satisfactorily executed
2.4	In the subsidence prediction study carried out by the IIT, Kharagpur, it has been mentioned that 'No working has been proposed directly under any of the water bodies'. The State shall ensure that no working is allowed directly under the water bodies.

3. Specific Conditions

S. No	Conditions
3.1	The violation carried out by NHAI in the proposed diversion area in the form of road shall be dealt appropriately as per the existing Rules and Guidelines. The user agency M/s Adani Power Maharashtra Ltd. shall obtain NoC from NHAI before Stage-II approval.

[Handwritten signature]

S. No	Conditions
3.2	The gap planting within the area proposed for diversion with a minimum of 100 plants per hectare shall be carried out at the cost of the user agency. A detailed plantation scheme in this regard shall be submitted.
3.3	A certificate indicating that the FEM model is a 3D subsidence method shall be submitted and the NPV shall be charged as per surface strain predicted by the 3D subsidence prediction model.
3.4	Since the area of air strip is located at the confluence of private and Govt. lands, a joint demarcation of Forest and Revenue Departments shall be undertaken to ascertain exact boundaries between cited private survey numbers and Government survey numbers. In case the air strip is within forest land, the action for the removal of encroachment shall be taken by the state govt. or the said area shall be excluded from the area proposed for diversion or appropriate action deemed fit as per rules shall be taken by the State Government.

After receipt of the compliance report on the fulfillment of the conditions mentioned above, the proposal shall be considered for final approval under section 2 of the Forest (Conservation) Act, 1980. Transfer of forest land shall not be affected till final approval is granted by the Government in this regard.

Copy To

1. The PCCF (HoFF), Department of Forest, Government of Maharashtra, Nagpur;
2. The Dy. DGF (Central), Regional Office, MoEF&CC, Nagpur;
3. The Nodal Officer (FCA), Department of Forest, Government of Maharashtra, Nagpur;
4. User Agency;
5. Monitoring Cell, FC Division, MoEF & CC, New Delhi for uploading on PARIVESH portal.

Your's faithfully

(Suneet Bhardwaj)

Assistant Inspector General of Forests



Signed by
Suneet Bhardwaj
Date: 02-01-2024 12:46:55
Reason: Verified and
signed



Government of India
Ministry of Environment, Forest and Climate Change
(Forest Conservation Division)



Online Proposal No.:
 FP/MH/MIN/QRY/408247/2022



Dated: 12/09/2024

To,

The Principal Secretary (Forests),
 Government of Maharashtra,
 Mumbai.

Subject: Diversion of 87.351 ha of forests for the Gondkhairi Underground Coal Mine project at Village Gondkhari, Tehsil- Kalmeshwar, District Nagpur in favour of M/s Adani Power Maharashtra Ltd (APML), in the State of Maharashtra (Online No. FP/MH/MIN/QRY/408247/2022) - regarding.

Sir/Madam,

I am directed to refer to the Government of Maharashtra letter No. FLD-3423/CR-310/F-10 dated 21.11.2023 on the above subject seeking prior approval of the Central Government under Section 2 (1) (ii) of the Van (Sanrakshan Evam Samvardhan) Adhiniyam, 1980. After careful examination and recommendation of the proposal by the Advisory Committee, constituted under Section-3 of the aforesaid act and with due approval of the competent authority *Stage-I/In-principle approval* for the above mentioned proposal was granted vide this Ministry's letter of even no. dated 02.01.2024 subject to fulfillment of certain conditions.

In this connection, I am directed to say that on the basis of the compliance report uploaded online by the State Government on dated 29.08.2024 '**Stage-II/Final approval**' of the Central Government is hereby accorded under Section 2 (1) (ii) of the Van (Sanrakshan Evam Samvardhan) Adhiniyam, 1980 for diversion of 87.351 ha of forests for the Gondkhairi Underground Coal Mine project at Village Gondkhari, Tehsil- Kalmeshwar, District Nagpur in favour of M/s Adani Power Maharashtra Ltd (APML), in the State of Maharashtra subject to fulfillment of the following conditions:

1. General Conditions

S. No	Conditions
1.1	"Legal status of the diverted forest land shall remain unchanged"

S. No	Conditions
1.2	"The boundary of the diverted forest land, shall be demarcated on ground at the project cost, by erecting four feet high reinforced cement concrete pillars, each inscribed with its serial number, forward and back bearing and distance from pillar to pillar"
1.3	"The User agency, if required, will undertake comprehensive soil conservation measures in the area being diverted at the project cost in consultation with the State Forest Department. A scheme of the same may be submitted along with the compliance report"
1.4	"No labour camp shall be established on the forest land"
1.5	"The User Agency shall provide fuels preferably alternate fuels to the labourers and the staff working at the site so as to avoid any damage and pressure on the nearby forest areas"
1.6	"The forest land shall not be used for any purpose other than that specified in the proposal"
1.7	"The layout plan of the proposal shall not be changed without the prior approval of the Central Government"
1.8	"The forest land proposed to be diverted shall under no circumstances be transferred to any other agency, department or person without prior approval of the Central Government"
1.9	"No damage to the flora and fauna of the adjoining area shall be caused"
1.10	"Any tree felling shall be done only when it is unavoidable and that too under strict supervision of the State Forest Department"
1.11	"The user agency in consultation with the State Government shall create and maintain alternate habitat/home for the avifauna, whose nesting trees are to be cleared in this project. Bird's nests artificially made out of eco-friendly material shall be used in the area, including forest area and human settlements, adjoining the forest area being diverted for the project"
1.12	"The User Agency shall submit six monthly self-compliance reports as on 1st January and 1st July of every year to this office as well as to the Nodal Officer of the State"
1.13	"The State Government shall monitor compliance of conditions of Forest Clearance and shall submit in this regard yearly report as on 31st December of every year"
1.14	"Any other condition that the concerned Regional Office of this Ministry may stipulate, from time to time, in the interest of conservation, protection and development of forests & wildlife"
1.15	"The User Agency and the State Government shall ensure compliance to provisions of the all Acts, Rules, Regulations and Guidelines, for the time being in force, as applicable to the project"

2. Standard conditions



S. No	Conditions
2.1	" The State Government shall upload the KML files of the area under diversion in the E-green watch portal of FSI, before handing over forest land to the user agency; "
2.2	" The R&R Plan shall be implemented as per the R&R Policy of State Government in consonance with National R&R Policy, Government of India before the commencement of the project work and implementation. The said R&R Plan will be monitored by the State Government/Regional Office of MoEF&CC along with indicators for monitoring and expected observable milestones; "
2.3	" The User Agency shall undertake mining in a phased manner after taking due care for reclamation of the mined over area. The concurrent reclamation plan as per the approved mining plan shall be executed by the User Agency from the very first year, and an annual report on implementation thereof shall be submitted to the Nodal Officer, Forest (Conservation) Act, 1980, in the concerned State Government and the concerned Regional Office of the Ministry. If it is found from the annual report that the activities indicated in the concurrent reclamation plan are not being executed by the User Agency, the Nodal Officer or the concern Addl. Principle Chief Conservator of Forests (Central) may direct that the mining activities shall remain suspended till such time, such reclamation activities area satisfactorily executed "

3. Specific Conditions

S. No	Conditions
3.1	Violation of any of these conditions will amount to violation of Van (Sanrakshan Evam Samvardhan) Adhiniyam, 1980 and action would be taken as prescribed in para 1.16 of Chapter 1 of the Consolidated Guidelines and Clarifications on Van (Sanrakshan Evam Samvardhan) Adhiniyam, 1980 as issued by this Ministry's letter dated 29.12.2023;
3.2	The State Government and user agency shall ensure compliance to all conditions stipulated in the 'Stage-I/In-principle' approval letter dated 02.01.2024 for which undertakings have been obtained from the user agency and also the provisions of the all Acts, Rules, Regulations and Guidelines, relevant Hon'ble Court Order (S) and NGT Order (S), if any, or the time being in force, including compliance of the Schedule Tribes and Other Traditional Forest Dwellers (Recognition of Forests Rights) Act, 2006, before handing over the forest land to the user agency.
3.3	The gap planting within the area proposed for diversion with a minimum of 100 plants per hectares shall be carried out at the cost of the user agency as per approved plantation scheme by the State Govt. The State Govt. shall ensure that a detailed plantation scheme in this regard is prepared and approved before handing over forest land to the user agency and the copy of scheme shall be provided to Regional Office, Nagpur for record and further monitoring works in future.

Copy To

1. The PCCF (HoFF), Department of Forest, Government of Maharashtra, Nagpur;

2. The Dy. DGF (Central), Regional Office, MoEF&CC, Nagpur;
3. The Nodal Officer, Department of Forest, Government of Maharashtra, Nagpur;
4. User Agency;
5. Monitoring Cell, FC Division, MoEF&CC, New Delhi for uploading on PARIVESH portal.


Your's faithfully

(Dr. Dheeraj Mittal)
Assistant Inspector General of Forests

Dr. Dheeraj Mittal



Signed by
Dheeraj Mittal
Date: 12-09-2024 19:03:48
Reason: Verified and
signed



**ANNEXURE 9 CORRESPONDANCE
WITH CWLW & FOREST
DEPARTMENT FOR CERTIFIED MAP**

Ref: APML/GDK/2023/005

Dated: 15.02.2023

To,
Principal Chief Conservator of Forest (Wild Life),
3rd Floor Van Bhavan Ramgiri Road
Civil Lines Nagpur 440 001
Maharashtra

Sub: Request for No Objection Certificate (NOC) about presence/absence/proposed of any Eco-sensitive zone and area, wildlife sanctuary, national park, biosphere reserve, tiger reserves, elephant corridor within mine lease and its 10 km radius of the Gondkhari Coal block (UG) of 2 MTPA under forest diversion proposal of 87.352 ha forest land allotted to M/s Adani Power Maharashtra Limited (APML)

Ref: 1. Vesting order no. NA-104/7/2021-NA dated on 18th November 2021
2. Copy of MoM of EAC recommendations

Dear Sir,

Adani Power Maharashtra Limited (APML), a subsidiary of Adani Enterprises Ltd. has been declared as the successful bidder for Gondkhari coal block (862.0 Ha) in 12th tranche of auction of coal mines under the MMOR (2957) for commercial coal mining in the country. (Vesting order attached). M/s Adani Power Maharashtra Limited (APML) intends to develop the coal mine at earliest and has initiated the process of obtaining various clearances and approvals as per the 'Efficiency Parameters' of Ministry of Coal, Government of India.

17/2/2023

17/2/2023

17/02/2023
आयुक्त लिपीक
नागूर वनविभाग, नागूर

17/2/2023

Adani Power Maharashtra Ltd
Plot No 193, 1st Bungalow, Amarta Manor
Ravindranch Tagore Marg, Civil Lines
Nagpur 440001
Maharashtra, India
DIN: U40101GJ2007PLC050506

Tel: +91 712 256 3707
Fax: +91 712 256 3707
info@adani.com
www.adanipower.com

17/2/2023

For obtaining Forest Clearance approval pertaining to forest land of 87.351 ha and as per specific conditions given by Expert Appraisal Committee (EAC), MoEF&CC for Environmental Clearance which is reproduced as "PP shall submit letter from Principal Chief Conservator of Forest, State Government that the area does not falls under any Eco-sensitive zone and areas and further is no corridor of Elephants & Tigers. Also, it should include with certified map with exact distance from any Wildlife Sanctuary." a NOC from your department is required about any Eco-sensitive zone and area, wildlife sanctuary, national park, biosphere reserve, tiger reserves, elephant corridor within mine lease and its 10 km radius of the Gondkhari Coal block.

Therefore, you are requested to accord the NOC about Eco-sensitive zone and area, wildlife sanctuary, national park, biosphere reserve, tiger reserves, elephant corridor within mine lease and its 10 km radius of the Gondkhari Coal block.

Thanking You,

Yours Sincerely,



Authorized Signatory


Adani Power Maharashtra Limited

Encl:

1. Copy of Vesting Order from Nominated Authority in favor of APML
2. Copy of MoM of EAC recommendations
3. Copy of Toposheet showing project area consisting of co-ordinates

Copy to:

- ✓ 1. Additional Principal Chief Conservator of Forests, Nagpur
- ✓ 2. Chief Conservator of Forests, Nagpur
- ✓ 3. Divisional Forest Officer, Nagpur



0/c



वन विभाग

प्रधान मुख्य वनसंरक्षक (वन बल प्रमुख) महाराष्ट्र राज्य, वाघे कार्यालय
O/o Principal Chief Conservator of Forests (HoFF), Maharashtra State

Phone No:- 0712-2560953

प्रधान मुख्य वनसंरक्षक (वन्यजीव) महाराष्ट्र राज्य,

E-mail - pcc/wlwp/maharashtraforest.gov.in Principal Chief Conservator of Forests (Wildlife) Maharashtra State
Website - www.maharashtraforest.gov.in "Van Bhawan", 3rd Floor, Ramji Road, Civil Lines, Nagpur - 440 001

क्रमांक वन-२३(२)/वनो/सक्रे/प्र.क्र. १८७/४५६६ /२०२२-२३, दिनांक १५/०२/२०२३

प्रति,

अपर प्रधान मुख्य वनसंरक्षक (वन्यजीव),
पूणे नागपूर

विषय - Request for No Objection Certificate (NOC) about presence/absence/proposal of any Eco Sensitive zone and area, wildlife sanctuary, National park, biosphere reserve, Tiger reserve or Elephant corridor within mine lease and its 10 km radius of the Gondkhuri Coal block (GCB) of 2 MTPA under forest diversion proposal of 87.551 ha Forest land allotted to M/s Adani Power Maharashtra Limited (APML)

संदर्भ - Adani Power Maharashtra Limited, Plot No 165, 1st Bungalow, Amarta Manor Ravindranath Tagore Marg, Civil Lines Nagpur 440001 यांना या कार्यालयास उद्देशून लिहिलेले त्यांचे कार्यालयीन पत्र क्र. APML/GDK/2023/005, दिनांक १५/०२/२०२३.

विषयवर्तित प्रकरणी संदर्भीय पत्रान्वये Adani Power Maharashtra Limited, Plot No 165, 1st Bungalow, Amarta Manor Ravindranath Tagore Marg, Civil Lines Nagpur 440001 यांचे दिनांक १५/०२/२०२३ रोजीचे पत्र या कार्यालयास प्राप्त झाले असून, ते यासोबत सहपत्रीत करून पाठविण्यात येत आहे. (प्रत सहपत्रीत) संदर्भीय पत्रासोबत प्राप्त झालेल्या केंद्र शासनाचे दिनांक १३/०२/२०२३ रोजीचे पत्रात मुद्दा क्रमांक ४ नमूद आहे अनु.क्र. ४१४ वर खालील अट नमूद आहे.

"PP shall submit letter from Principal Chief Conservator of Forest, State Government that the area does not falls under any Eco-Sensitive Zone and areas and further is no corridor of Elephants & Tigers. Also, It should include with certified map with exact distance from any Wildlife Sanctuary."

वरील अटीचे अनुषंगाने प्रकल्प संशोधने नकाशा स्वाक्षरीकृत करून मिळविल्याबत विनती करताना यासोबत प्रकल्प संशोधने सादर केलेल्या ३ नकाशांपैकी २ नकाशे यासोबत सहपत्रीत करून पाठविण्यात येत आहेत. सादर नकाशाचे अनुषंगाने खाली करून २ नकाशा स्वाक्षरीकृत करून या कार्यालयास सादर करावा.

सहपत्र- नकाशा (२ प्रतीत) (टप्पा/छात्रे)

प्र.म (वनो/वन्य मु.)
वाघे कार्यालय नागपूर

(कुमारी/सि.म.)

वनसंरक्षक (नियोजन व व्यवस्थापन-वन्यजीव)
प्रधान मुख्य वनसंरक्षक (वन्यजीव)
महाराष्ट्र राज्य, वाघे

प्रतिलिपी १. मुख्य वनसंरक्षक (आदेशिक), नागपूर यांना माहिती व योग्य त्या कार्यवाहीस अर्पण.

२. Adani Power Maharashtra Limited, Plot No 165, 1st Bungalow, Amarta Manor Ravindranath Tagore Marg, Civil Lines Nagpur 440001. यांना माहिती व उचित कार्यवाहीस अर्पणित.

Power

Ref: APML/GDK/2023/014

Dated: 05.06.2023

To,

Additional Principal Chief Conservator of Forest (Wild Life),

Nagpur-East,

Civil Lines Nagpur 440 001

Maharashtra

Sub: Request for No Objection Certificate (NOC) about presence/absence/proposed of any Eco-sensitive zone and area, wildlife sanctuary, national park, biosphere reserve, tiger reserves, elephant corridor within mine lease and its 10 km radius of the Gondkhari Coal block (UG) of 2 MTPA under forest diversion proposal of 87.351 ha forest land allotted to M/s Adani Power Maharashtra Limited (APML) -Submission of 30 Km radius map showing ESZ from the Mine Lease Boundary.

Ref: APML/GDK/2023/005 Dated:15.02.2023.

Dear Sir,

Further reference to the subject cited above, please find the following documents as advised for your persual and consideration.

1. Map showing ESZ from 10 Km radius from Mine Lease Boundary.
2. Details of Flora and Fauna studied by reputed organisation (M/s Anacon Laboratories Pvt.Ltd, Nagpur) for core and buffer areas.
3. Digitized Map showing the proposed Mining Lease area.

Therefore, you are requested to accord the NOC about Eco-sensitive zone and area, wildlife sanctuary, national park, biosphere reserve, tiger reserves, elephant corridor within mine lease and its 10 km radius of the Gondkhari Coal block.

Adani Power Maharashtra Ltd
"Adani Corporate House"
Shantigram, Near Vaishno Devi Circle,
S. G. Highway, Khodiyar,
Ahmedabad-382421, Gujarat India
CIN : U40101GJ2007PLC050506

Tel +91 79 2656 7555
Fax +91 79 2555 7177
info@adani.com
www.adani.com

adani

Power

Thanking You,

Yours Sincerely,



Authorized Signatory

Adani Power Maharashtra Limited

Cc: 3 Copies

Chief Conservator of Forests - Nagpur

Encl:

1. Map showing ESZ from 10 Km radius of Mine Lease Boundary.
2. Details of Flora and Fauna
3. Digitized Map showing the proposed Mining Lease area

Checked
16/06/23
श्रीकांत शिंदे
मुख्य वनसंरक्षक (जिल्होरीय)
नागपुर, महाराष्ट्र



Adani Power Maharashtra Ltd
"Adani Corporate House"
Shantigram, Near Vaishno Devi Circle,
S. G. Highway, Khadiyar,
Ahmedabad-382421, Gujarat India
CIN : U401016J2007PLC050506

Tel +91 79 2656 7555
Fax +91 79 2555 7177
info@adani.com
www.adani.com

Registered Office: "Adani Corporate House", Shantigram, Near Vaishno Devi Circle, S. G. Highway, Khadiyar, Ahmedabad-382421



वनसंरक्षक (प्रादेशिक), नागपूर वनवृत्त, नागपूर यांचे कार्यालय

(वर्तमान प्रशासकीय इमारत, वन भवन, भवनर म्कून समोर, नागपूर 440 001.)

(Land Use No: P712 234-4569 Email id: ceo@nagpur@mahaforest.gov.in)

क्र.कक्ष-10/जमीन/प्र.क्र. 1152/2023-24/स.6

दिनांक: 29 ऑगस्ट, 2023

प्रति,
अपर प्रधान मुख्य वनसंरक्षक (वन्यजीव), पुर्व,
नागपूर.

विषय:- Request for No Objection Certificate (NOC) about presence/absence/proposed of any Eco-Sensitive zone and area, wildlife sanctuary, National Park, biosphere reserve, Tiger reserve, Elephant corridor within mine lease and its 10 Km. radius of the Gondkhar Coal block (UG) of 2 MTPA under forest diversion proposal of 87.35 ha. Forest land allotted to M/s Adani Power Maharashtra Limited (APML).

- संदर्भ:- 1) प्रधान मुख्य वनसंरक्षक (वन्यजीव), म.रा. नागपूर यांचे कडोस पत्र क्र.कक्ष-23(2)/चर्जी/सर्व.प्र.क्र.187/4549, दिनांक 27/02/2023.
2) आपले कडोस पत्र क्र.कक्ष-1 (ब)/सर्व/1294, दिनांक 08/03/2023.
3) या कार्यालयाचे पत्र क्र.कक्ष-10/जमीन/प्र.क्र.1152/1332, दिनांक 22/06/2023.
4) उपवनसंरक्षक नागपूर वनविभाग, नागपूर यांचे कार्यालयाचे पत्र क्र.कक्ष-11/वनसंधर्षण/631, दि.25/08/2023.

उपरोक्त संदर्भिय पत्रान्वये विषयांकित प्रकरणाच्या प्रस्तावासंबंधित केंद्र शासनाने दिनांक13/02/2023 रोजीचे पत्रात मुद्दा क्र 4 मधील अनुक्रमांक xix वर अट नमुद केली होती.

"PP shall submit letter from Principal Chief Conservator of Forest, State Government that the area does not falls under any Eco-Sensitive Zone and areas and further is no corridor of Elephants & Tigers. Also, It should include with certified map with exact distance from any Wildlife Sanctuary."

वरिल अटीच्या अनुषंगाने आपले कडोस संदर्भिय पत्र क्र 2 अन्वये नमुद 3 मुद्द्यांच्या अनुषंगाने मेसर्स अदांनी पांवर महाराष्ट्र लिमिटेड, नागपूर यांनी 3 प्रतित नकाशे सादर केलेले होते, तरी या कार्यालयाचे संदर्भिय पत्र क्र 3 अन्वये सादरचे नकाशे खात्री करून सांक्षारकित करून सादर करणेबाबत उपवनसंरक्षक नागपूर वनविभाग, नागपूर यांना कळविण्यात आलेले होते.

त्या अनुषंगाने उपवनसंरक्षक नागपूर वनविभाग, नागपूर यांनी संदर्भिय पत्र क्र 4 अन्वये 3 मुद्द्यांचे अनुषंगाने सादर केलेले नकाशे सांक्षारकित करून या कार्यालयास सादर केलेले असून सादर नकाशाचे संस्करण करून 2 प्रतित नकाशे आपणाकडे सादर करण्यात येत आहे.

सहपत्र - सरिलप्रमाणे

82
(डॉ. भारत सिंह हाडा)
वनसंरक्षक (प्रा.),

नागपूर वनवृत्त, नागपूर

प्रतिनिधी:- उपवनसंरक्षक, नागपूर वनविभाग, नागपूर यांना माहितीस अर्पित
प्रतिनिधी:- मेसर्स अदांनी पांवर महाराष्ट्र लिमिटेड, नागपूर यांना माहितीस अर्पित

adani

Power

o/c

Ref: APML/GDK/2023/020

Dated: 10.11.2023

To,
Deputy Conservator of Forest,
Near Government Press,
Zero Miles, Civil Lines
Nagur 440 001, Maharashtra


Sub: Request for Certificate from PCCF regarding presence/absence of schedule-I species as per WPA 1972 & 2022 within mine lease and its 10 km radius of the Gondkhari Coal Block (UG) of 2 MTPA under Environmental Clearance proposal of M/s. Adani Power Maharashtra Limited (APML)


Ref: 1. Vesting order No. NA-104/7/2021-NA dated on 18th November 2021
2. Copy of MoM of EAC recommendation

Respected Sir,

Adani Power Maharashtra Limited (APML), a subsidiary of Adani Enterprises Ltd. has been declared as the successful bidder for Gondkhari Coal Block (862.0 Ha) in 12th trache of auction of coal mines under the MMDR (1957) for commercial coal mining in the country (Vesting order is attached), M/s. Adani Power Maharashtra Limited intends to develop the coal mine at earliest and has initiated the process of obtaining various clearances, approvals and certificates as per 'Efficiency Parameters' of Ministry of Coal, Government of India and MoEF&CC, New Delhi.

For obtaining Environmental Clearance for Gondkhari Underground Coal Mine of production capacity of 2 MTPA/ 3 MTPA (Normative /Peak) in the mine lease area of 862.00 Ha of M/s. Adani Power Maharashtra Limited (APML) located at Village Gondkhari, Tehsil Kalmeshwar, District Nagpur (Maharashtra) and as per conditions given by Expert Appraisal Committee (EAC), MoEF&CC for Environmental Clearance which is reproduced as "PP shall submit compliance of ToR specific conditions (xiii), (xvii) and (xix) with detail analysis and report with certificate from PCCF regarding absence of schedule - I species as per WPA 1972 and 2022".


10/11/2023
आयक लिपीक
नागपुर वनविभाग, नागपुर


10/11/2023
आयक लिपीक



Adani Power Maharashtra Ltd मूला वनसंरक्षक (प्रादेशिक,
"Adani Corporate House"
Shantigram, Near Vaishno Devi Circle,
S. G. Highway, Khodiyar,
Ahmedabad-382421, Gujarat India
DN : U10505GJ2007PLC050506
Tel: +91 79 2656 7555
Fax: +91 79 2555 7377
info@adani.com
www.adani.com

10/11/23
आयक लिपीक
आयक लिपीक
नागपुर

Registered Office: "Adani Corporate House", Shantigram, Near Vaishno Devi Circle, S. G. Highway, Khodiyar, Ahmedabad-382421

Annexure-10



Maharashtra State Electricity Distribution Co. Ltd.
Superintending Engineer, Nagpur Rural Circle,
"Vidhyut Bhavan", Ground floor, Katol road, Nagpur 440 013
Phone: (0712) (P) 2580305 (O) 2591065 FAX 2591872 Gram: "SEELGRID"
Email : senrc@mahadiscom.in

No. SE/NRC/T/LS/ M/s Hirakund Natural Resource Ltd 2019 dated: 17.5 MAY 2024

LOAD SANCTION LETTER

To,
M/s Hirakund Natural Resource Ltd,
SURVEY NO 274 KALMESHWAR NAGPUR MOUZA KARLI (WANERI),
Tah- Kalmeshwar, Dist - Nagpur.

(Consumer No 419809026820)

Sub: Load sanction of new power supply to the extent of 161 kW Connected Load with 201 KVA Contract Demand on existing 11 KV feeder to your unit situated at SURVEY NO 274 KALMESHWAR NAGPUR MOUZA KARLI (WANERI), Tah- Kalmeshwar, Dist - Nagpur under Kalmeshwar SDn.

Ref: 1. Your application for new load submitted Online vide No 54815331 dtd 11.04.2024..
2. Tech Estimate No SE/NRC/T/Estt /2024-25/1.3% DDF/ 171 dtd 13.05.2024

Dear Sir,

Please refer your application mentioned above, wherein you have requested for power supply to the extent of 201 KVA for your unit situated at SURVEY NO 274 KALMESHWAR NAGPUR MOUZA KARLI (WANERI), Tah- Kalmeshwar, Dist - Nagpur under Kalmeshwar SDn. In exercise of the powers delegated to company as per Electricity Act 2003, we are pleased to sanction new power supply as below.

The load sanctioned is as follows:

	Connected Load(kW)	Contract Demand (KVA)
Existing Load	nil	nil
Fresh load	161	201
Total	161	201

(Purpose – Coal Mining (HT Industrial))

The Competent Authority has accorded approval for the sanction of power supply as above subject to the following conditions and shall be released after compliance of the said conditions, wherever necessary.

1) General condition:

- As per your request, the Competent Authority has approved new load of 201 KVA Contract Demand on 11 KV Karli Feeder from 33/11 Kv Logistic Park sub stn.
- The CT ratio of Main metering and Check Metering shall be commensurate to the sanctioned load (if applicable).
- The proposed specifications for metering- 11KV Metering cubicle with ratio 25/5 Amp CTs (class of accuracy 0.5s) Burden 10 VA & PTs 11000/√3/110/√3(class of accuracy 0.5) Burden 50VA(as per MSEDCL's latest specification) (Main Meter).**
- A Check meter shall be provided in series with the Main meter at your premises with separate CT's & PT's. The location of C.T. & P.T. and Check Meter shall be decided by S.E. (TQA),

- Nagpur in consultation with S.E, NRC, MSEDCL. In case of urgency MSEDCL can ask you to provide the same & give the refund at MSEDCL's normative rates (if applicable).
- You shall pay the Service Connection Charges, Additional Security Deposit etc. as may be payable in accordance with existing provisions, prior to release of the additional load.
 - All statutory clearances/approval as may be necessary shall be obtained by you from difference concerned Authorities, including the Chief Engineer (Electrical), P.W. Department, and Government of Maharashtra before release of new load.
 - You shall also abide to pay any other charges as may be leviable for this sanction (including the S.L.C.) as may be decided by the Competent Quasi Judicial/ Judicial or any other Statutory Authority.
 - Any increase or any additional expenditure if any, for any reason will be borne totally by you
 - All the statutory permission, NOC etc will have to be arranged by you (Consumer) prior to release of this new load.
 - You shall carry out the work as per the estimate and to the norms & regulations of MSEDCL.

You will have to give an undertaking /affidavit on Rs.200/- stamp paper for execution of work under DDF & expenditure for release of connection will be borne by you on non refundable basis .

2) **VALIDITY:**

The sanction as above shall be valid for a period of six months from the date of issue of this letter. You should ensure to make all necessary payments and should also make all other arrangement, to receive power within the validity period.

You will have to avail the supply within three months on the intimation about Company's readiness to give power supply to you, failing which you shall be liable to pay charges as per rule.

The Company reserves the right to revalidate the power sanction subject to the conditions prevailing at the time of revalidation.

3) **PAYMENTS:**

The various payments, as follows will have to be made by you.

Sr. No.	Particulars	Amount
1	Application processing fee (Paid Online)	----
2	Service connection charges	Rs 3560/-
3	Security Deposit	Rs 1599260/-
4	Cost of agreement	Rs. 200/-
5	1.3 % Sup charges	Rs 74517/-
6	GST Applicable @ 18% on Sr. No. 2,5	Rs 14054/-
TOTAL CHARGES		Rs 1691591/-

(Rupees Sixteen Lakh ninety one thousand five hundred & ninety one only)

Please note that the payment against above are payable by you by way of Demand Draft/Banker's Cheque/RTGS in the office of S.E., NRC, MSEDCL, Nagpur.

- SUPPLY VOLTAGE:** This new load of 161 KW Connected load with 201 KVA Contract Demand along with existing load will be supplied on 11 KV Karli Feeder from 33/11 Kv Logistic Park sub stn.
- INSTALLATION:** The installation/drawing arrangement for power supply shall be subject to the approval of concerned Electrical Inspector, Public Works Department, Government of Maharashtra.
- SUBMISSION OF DOCUMENTS:** You shall submit following permissions/ no Objection certificates/other documents (as per applicability) before release of supply:
(As applicable from following).
 - Clearance/NOC from MIDC
 - NOC/Consent of MPCB
 - NOC from Environment Department, Government of Maharashtra.
 - Power of Attorney by way of a Resolution passed by the Board of Directors for putting Common Seal of the Company & Signature of the Director.
 - Manufacturer's test certificate of equipments.


[Handwritten Signature]

- vi) Test Report of Electrical Contractors, along with list of machinery.
vii) Permission from the concerned Electrical Inspector, Government of Maharashtra.
viii) Authorization for signing documents on behalf of the Company.
ix) Any Such other documents/Certificate/permission as may be directed by Chief Engineer (NUZ), MSEDCL, Nagpur,/ S.E., NRC, MSEDCL, Nagpur
- 7) **METERING:** The metering shall be according to the specification as may be provided by CE(NZ) MSEDCL, Nagpur/S.E. NRC, MSEDCL, Nagpur and Superintending Engineer (TQA), MSEDCL, Nagpur.
- 8) **POWER FACTOR:** You shall maintain the power factor of your load within the limits as prescribed by the MSEDCL in conditions of supply, as may be applicable from time to time and you shall be liable for penalty for violation of the said provisions in accordance with the provision of tariff as may be determine by MERC.
- 9) **HARMONICS CONTROL:** You shall ensure that total harmonics generated and injected in MSETCL/MSEDCL system by your load shall not be more than 3% and individual harmonics shall not be more than 1%. Any default on your part shall be corrected immediately .You will have to submit the harmonics analysis report within 3 (three) month from the date of release of additional load.
- 10) **VOLTAGE VARIATION CONTROL:** You shall provide necessary static 'VAR SOURCES' of fast response to avoid voltage flickering due to your load and shall maintain voltage variation within +/- 1%..
- 11) **AGREEMENT:** You will have to enter into agreement with MSEDCL.
- 12) **CONDITIONS OF SUPPLY AND TARIFF:** The power supply shall be governed by the prevailing provisions of the MSEDCL's Conditions of supply & prevailing tariff as may be applicable in this regard and shall further be subject to such other provisions as may be prescribed by the MSEDCL from time to time.
- 13) **G-7 FORM:** You shall maintain necessary information regarding energy consumption, Maximum Demand recorded etc on a day to day basis in the format as prescribed by the MSEDCL and shall produce the same on demand/shall handover to every month to authorized representative of the MSEDCL at the time of meter reading .
- 14) **POWER RESTRICTION:** The power supply shall be governed by the load restrictions orders as may be prescribed by MERC/ Government of Maharashtra from time to time. You shall also observe & follow the staggering Holiday/Load Shedding day as informed to you
- 15) **PROVISION :** You shall carry out the work of developing infrastructure for giving power supply as per the technical estimate sanctioned vide No SE/NRC/T/Est/24-25/1.3% DDF/ 171 dtd 13.05.2024. through a Licensed Electrical Contractor .
- 16) **ACCEPTANCE:** You shall submit your acceptance in writing to the above terms & conditions of Power supply and acceptance letter, to this office, In case of any doubt/difficulty, or if any Clarification is required, you may contact to this office on any working day during working hour.
- 17) Primary protection with breaker & o/c relay will be set at your end as per C.D. to avoid tripping on main line.

You are requested to note the requirements/formalities carefully and arrange to comply, deficiencies, if any, before making payment in your own interest so as to avoid any inconvenience/delay at the time of release of power supply to you and ensure prompt payment to enable MSEDCL to proceed further.

Thanking you,
Encl:- Sanctioned Estimate as above

Yours faithfully,


Superintending Engineer
O&M Circle, NRC, Nagpur

Copy to:-

- 1) Executive Engineer, C.C.O&M, Dn, M. S. E. D.C.L., Saoner
- 2) Executive Engineer, [T], NZ, M. S. E. D.C.L, Nagpur.
- 3) Dy Ex Engineer, M. S. E. D.C.L Sub-Division, Kalmeshwar
- 4) Sr Manager (F&A), N.R.C. M. S. E. D.C.L, Nagpur.



No. SE/NUC/Tech/

स्वातंत्र्याचा अमृत महोत्सव

To,
M/s Hirkund Natural Resources Limited
Survey no 96, Mouza Surabardi
Nagpur

No = 5248

23 AUG 2024

**Sub:- Sanction for New HT power supply at 11 KV in respect M/ s Hirkund Natural Resources Limited
Survey no 96, Mouza Surabardi**

- Ref:- 1. Your application ID 56746601 dt 6.8.24
2. Joint Inspection from E.E. Testing vide No. EETU/NGP/Tech/POS/620 dt 6.6.24 & POS on dt 9.8.24
3 Estimate received from CNDN Div vide lr no EE/CNDN/T/3678 dt 14.8.24

Dear Sirs,

In exercise of the powers delegated by the Government of Maharashtra vide order No. SAC-1093/CR/10631/NRG-3 dated 7th April 1994 and dated 9.5.94, the undersigned is pleased to sanction you the New power supply at 11 KV to your unit at above mentioned address as below :

	Connected load KW.	Maximum demand KVA	Purpose
Existing	--- KW..	--- KVA.	HT Industrial (Mining)
New Power Supply required.	161 kW	201 KVA.	
Total	161 kW	201 kVA.	

This sanction is subject to the following conditions:

1) VALIDITY The validity of this sanction letter is for a period of six months from the date of issue.

You will ensure to make necessary payments within the validity and ensure that you ready to receive power within a period of six months.

You will have to avail the supply within one month on the intimation of our readiness to give power supply to you, failing which you will be liable to pay monthly minimum charges as per the applicable tariff. The Company reserves the right to revalidate the power sanction subject to the conditions prevailing at the time of revalidation.

2) PAYMENTS

Please arrange to make the payments as detailed below :

A)	Application Processing charges RS 2660/- + GST 479/- Total 3139/- paid online .	Rs. 3139/-
B)	Agreement charges	Rs : 200/-
C)	1.3% Supervision charges	Rs. 5069/-
D)	Security Deposit Required	Rs: 1263542/-
E)	1.3% Service Connection charges	Rs : 3560/-
F)	GST @ 18 %	Rs. 1553/-
	TOTAL (B+C+D+E+F)	Rs. 1273924/-

(RS. Twelve Lakh Seventy Three Thousand Nine Hundred Twenty Four only)

Please note that the amounts as shown above are payable by the applicant online by tracking online application or at bank details as follows:-

Bank Name : Bank of Maharashtra

Beneficiary Name :- Maharashtra State Electricity Distribution Co Ltd.

Bank Account Branch :- 00452-NAGPUR SADAR BAZAR

Beneficiary Account No :- 60379805587

Bank Account IFSC Code :- MAHB0000452



However the work of giving power supply to the consumer will be commenced only after the realization of the above payments.

3) SUPPLY VOLTAGE

Your load will be supplied at 11 KV.

4) INSTALLATION

The installation/drawing arrangement for power supply shall be subject to the approval of concerned Electrical Inspector, Public Works Department, Government of Maharashtra

5) CLEARANCES

You shall obtain following clearance/documents before release of supply.

a. Name of the two persons authorized to sign and maintain G-7 Card.
B Space for providing HT Cubicle.

5) Documents:

You shall have to furnish the following documents in triplicate duly attested,

- i) Power of attorney through resolution passed by the meeting of Directors of the board for putting common seal of the company and signature of Directors.
- ii) Layout and Point of Supply drawing duly signed by authorized representative.
 - a) Location drawing of site of proposed plant.
 - b) Drawing of your installation indicated in clause-4 above in 350 x 200 mm size.
- 6) Following certificates to be submitted in triplicate before release of HT connection.
 - a) Manufacturer's test certificate of equipments/Transformers/Capacitors.
 - b) Test report of Electrical contractor along with list of machinery installed/connected load.
 - c) Permission from Electrical Inspector to energise the installation.

7) METERING

The indoor metering cubicle for main metering with CT Ratio -25/5A , class 0.5S , Burden 10 VA , single ratio single core & PT ratio -11000/110 V class -0.5, Burden 50 VA single ratio single core as per MSEDCL Specifications .

9) SPACE FOR EQUIPMENTS

You will have to provide and maintain proper space for the Boards line terminal structure as well as suitable room indicated by us on the approved drawing to accommodate metering equipment at your cost.

10) POWER FACTOR

You will have to maintain the power factor of your load in accordance with the boards conditions of supply as revised from time to time. Presently the P.F. prescribed is 0.9.

11) HARMONICS CONTROL

You shall ensure that the total harmonics generated and injected in MSDCL system by your load shall not be more than 3% and individual harmonics shall not be more than 1% . Any default on your part will be corrected by you within 3 months.

12) VOLTAGE VARIATION CONTROL

You shall ensure that the voltage flicker due to your load are limited to +- 1% Any fast response VAR source required shall be provided by you at your cost.

13) AGREEMENT

All HT consumers are required to execute stamped agreement in duplicate as per our standard agreement form at the office of the Superintendent Engineer NUC. The cost of the stamp will be borne by you, Which is Rs. 200/- at present.

14) CONDITIONS OF SUPPLY AND TARIFF

Supply will be governed as per our condition of supply and tariff schedule in force and Indian Electricity Act and rules as applicable from time to time.

15) G-7 FORM

You will have to maintain the information regarding energy consumption, MD recorded on a day to day basis in the form prescribed by the Board and make it available on demand for inspection every month.

16) POWER RESRICTION

Government load restriction order as prescribed from time to time shall be applicable to you. You will have to observe the staggering Holiday as decided by the Government which is at present Wednesday for NAGPUR Dist.

17) ARREARS

You will have to clear all the outstanding arrears, if any, prior to release of connection.

18) ACCEPTANCE

Please arrange to submit your acceptance in writing for the above terms and conditions.

On completion of the above formalities further action for extending supply facility will be taken from our end.

In case of any doubt/difficulty or clarification needed, may please contact this office on any working day during working hours.

You are requested to note the requirement/formalities carefully and arrange to comply deficiencies, if any, before making payment in your own interest so as to avoid any inconvenience/delay at the time of release of power supply to you and ensure prompt payment to enable us to proceed further.



Thanking you,

Yours faithfully,


Superintending Engineer
Nagpur Urban Circle,
M.S.E.D.C.L., Nagpur

Copy to:

- 1) Exe. Engineer, M.S.E.D.C.L., Congress Nagar Dn.-
- 2) Exe Engineer, Testing Dn (Urban), M.S.E.D.C.L., Nagpur
- 3) Manager. F&A, NUC Nagpur/Jr.M (HT) Billing, NUC, M.S.E.D.C.L., Nagpur
- 4) Dyee Hudkeshwar Sub/Dn.



ENVIRONMENT, HEALTH & SAFETY POLICY

We at Adani, strive to make our businesses sustainable, that benefits our customers, our employees, our shareholders and society in general. We believe that in addition to integrated infrastructure business, there is a bottom line in performing our operations according to prescribed standards, specifications and regulations on governance, which are safe in working and environmental friendly for the well-being of the working community.

As a responsible corporate, we at ADANI have a firm conviction that the industrial injuries, occupational hazards as well as safety and environmental incidents are preventable. We recognize and trust people as our most important asset and have commitment to provide safe and healthy work environment impacting not only those, who are working in our industry but also community, which is living in the vicinity.

To achieve this objective, we shall

- a. Develop, implement, maintain and sustain EHS Management System across the Group to set up new benchmarks for the respective sector of operations, which superimpose the regulatory and statutory requirements.
- b. Verify, audit and periodically review EHS performance and set new targets to revise these benchmarks.
- c. Formulate EHS objectives and targets for continual improvement and to have a periodic review for ensuring that these are in conjunction with the individual business and corporate levels.
- d. Conduct all our operational activities in such a manner as to avoid harm to employees, contractors, stakeholders and community at large.
- e. Inculcate safety & health as a personal value through behavioral intervention and recognize it across levels with continuous correction of unsafe behavior.
- f. Provide adequate training and resources so as to bring awareness and ability to carry out work safely.
- g. Emphasize responsibility and accountability to all employees and contractor workforce for safe performance on the job and encourage safe behavior off the job.
- h. Evolve ways to reduce or eliminate the use or release of toxic and hazardous material and prevent pollution by conserving natural resources, recovering and recycling the raw materials for safe, healthy and clean environment.


GAUTAM S ADANI

Date: 01.01.2016



**Public Notice on Grant
of EC Annexure-13**

जाहीर सूचना

संबंधितांना सूचित करण्यात येते की अदानी पॉवर महाराष्ट्र लिमिटेड (APML), अदानी कॉर्पोरेट हाऊस, शांतीग्राम, वैष्णो देवी सर्कलजवळ, S. G. महामार्ग, खोडियार, अहमदाबाद-३८२४२१ गुजरातला ०२/०२/२०२४ रोजी, तज्ञ मूल्यांकन समिती (EAC) MoEF & CC कडून, EC आयडेंटिफिकेशन क्रमांक EC23A0102MH5769281N द्वारे गोंडखैरी भूमिगत कोळसा खाण प्रकल्पासाठी, {खाण लीज क्षेत्र 862 हेक्टर आणि उत्पादन क्षमता 2.0/3.0 MTPA (सामान्य/सर्वोच्च)} पर्यावरण मंजूरी देण्यात आली आहे.

पर्यावरण मंजूरी पत्राची प्रत पर्यावरण विभाग, महाराष्ट्र शासनाच्या संकेतस्थळावर (<https://ecmpcb.in>) उपलब्ध आहे.

अदानी पॉवर महाराष्ट्र लिमिटेड,
अदानी कॉर्पोरेट हाऊस, शांतीग्राम,
वैष्णो देवी सर्कलजवळ, S. G. महामार्ग,
खोडियार, अहमदाबाद-३८२४२१ गुजरात

TheHitavada

Main Paper Nagpur | 2024-02-08 | Page-9
ehitavada.com



Maharashtra Airport Development Co. Ltd.
CIN: U45203MH2002SGC136979

TENDER NOTICE

Outright Sale of Commercial Complex at Plot No.14, Sector -21 of MIHAN, Nagpur. (2nd call)

The detailed tender document can be downloaded from the website www.mahatenders.gov.in from 08/02/2024 from 16.00 hours

Vice Chairman and Managing Director

To Whom it May Concern:

This is to declare that M/s. Adani Power Maharashtra Limited (APML), Adani Corporate House Shantigram, Near Vaishno Devi Circle, S. G. Highway, Khodiyar, Ahmedabad-382421, Gujarat has been accorded Environmental Clearance vide EC identification No EC23A0102MH5769281N dated 02.02.2024 from Expert Appraisal Committee (EAC) MoEF&CC for Gondkhar Underground Coal Mining Project, with Mine Lease area 862 ha. & Production Capacity 2.0/3.0 MTPA (Normative/Peak).

The Copy of Environmental Clearance letter is available on Environment Dept. Govt. of Maharashtra website <https://ecmpcb.in>.

M/s. Adani Power Maharashtra Limited
Adani Corporate House, Shantigram,
Near Vaishno Devi Circle, S. G. Highway,
Khodiyar, Ahmedabad-382421

Handwritten signature

Public Notice on Grant of EC Annexure-13

महासागर

वेदभी

पुणेकर, दिनांक ८ फेब्रुवारी २०१४

गोंदिया ग्रंथोत्सव ८ व ९ फेब्रुवारीला देऊळगावराजात शेतकऱ्यांचा आक्रोश मोर्चा

गोंदिया येथील ग्रंथोत्सवात शेतकऱ्यांचा आक्रोश मोर्चा देऊळगावराजात झाला. शेतकऱ्यांनी ग्रंथोत्सवात भाग घेण्यास नकार द्यावा असा आग्रह केला. शेतकऱ्यांनी ग्रंथोत्सवात भाग घेण्यास नकार द्यावा असा आग्रह केला. शेतकऱ्यांनी ग्रंथोत्सवात भाग घेण्यास नकार द्यावा असा आग्रह केला.

सोपारीनची उत्पादकता अधिक, नाफेडकडून खरेदी मात्र मर्यादित

सोपारीनची उत्पादकता अधिक, नाफेडकडून खरेदी मात्र मर्यादित. सोपारीनची उत्पादकता अधिक, नाफेडकडून खरेदी मात्र मर्यादित. सोपारीनची उत्पादकता अधिक, नाफेडकडून खरेदी मात्र मर्यादित.



स्वच्छता अभियानाच्या माध्यमातून गाव स्वच्छतेचे संकल्प करा-विभागीय आदुक्त विदरी

स्वच्छता अभियानाच्या माध्यमातून गाव स्वच्छतेचे संकल्प करा-विभागीय आदुक्त विदरी. स्वच्छता अभियानाच्या माध्यमातून गाव स्वच्छतेचे संकल्प करा-विभागीय आदुक्त विदरी.



स्पर्धा परीक्षेतील अपयशः महिलांनी आवगृह्यता

स्पर्धा परीक्षेतील अपयशः महिलांनी आवगृह्यता. स्पर्धा परीक्षेतील अपयशः महिलांनी आवगृह्यता. स्पर्धा परीक्षेतील अपयशः महिलांनी आवगृह्यता.



जिल्हा जलसंधारण विभाग (म.प.) जिल्हा परिषद, पंढर

जिल्हा जलसंधारण विभाग (म.प.) जिल्हा परिषद, पंढर. जिल्हा जलसंधारण विभाग (म.प.) जिल्हा परिषद, पंढर.

क्र.सं.	अर्जाचा	पुणे जली
१	१-मिडिल सुकन्या अनाथालय (म.प.) पंढर	१. २०००, २. २०००, ३. २०००, ४. २०००
२	२-मिडिल सुकन्या अनाथालय (म.प.) पंढर	१. २०००, २. २०००, ३. २०००, ४. २०००
३	३-मिडिल सुकन्या अनाथालय (म.प.) पंढर	१. २०००, २. २०००, ३. २०००, ४. २०००
४	४-मिडिल सुकन्या अनाथालय (म.प.) पंढर	१. २०००, २. २०००, ३. २०००, ४. २०००

SHORT TENDER NOTICE

SHORT TENDER NOTICE. SHORT TENDER NOTICE. SHORT TENDER NOTICE.

G. S. Moholkar

Annexure-14
Receiving of EC by heads of local
bodies, Panchayats etc

Letter No. APML/GDK/2024/001

Ref. No. जा.क्र.ममानि/उप्राब्धना-३/६०२/२०२३

मेसर्स अदानी पॉवर महाराष्ट्र लिमिटेड (एपीएमएल), यांनी त्यांच्या प्रस्तावित गोंडखैरी भूमिगत कोळसा खाण (कामटी कोळसा क्षेत्र), गाव गोंडखैरी, तहसील - कळमेश्वर, जिल्हा - नागपूर, [खाण लीज क्षेत्र 862 हेक्टर आणि उत्पादन क्षमता 2.0/3.0 MTPA (सामान्य/सर्वोच्च)] साठी पर्यावरणीय मंजूरी सदर कार्यालयात जमा केली आहे.


अनुक्रमांक	कार्यालयाचे नाव	सही
1	लिपिक, राज्याचे पर्यावरण व वातावरणीय बदल विभाग, मंत्रालय, मुंबई - ४०० ०३२.	S = 20/02/24
2	महाराष्ट्र प्रदूषण नियंत्रण मंडळ कल्पतल पोईट, २ रा मजला, सायन सर्कल, सिनेफ्लॉट समोर, सायन (पूर्व), मुंबई - ४०० ०३२. फोन :- २४०९०४३० / २४०२०७८९. Website www.mpcb.gov.in	Redaw 20/02/24 10:00 am.
3	3414 B 8/2/2024 भावक शाखा वित्तव्यवहारी कार्यालय, नागपूर	
4		08-02-2024 Ministry of Environment Forest and Climate Change Regional Office, Nagpur 08-02-2024
5	RECEIVED J.P. Bhawankule 08/02/24 Clerk to Regional Officer MPCB, Nagpur Ph:- 2565308	RECEIVED Clerk to Regional Officer MPCB, Nagpur Ph:- 2565308
6	RECEIVED J.P. Bhawankule 08/02/24 Clerk to Regional Officer MPCB, Nagpur Ph:- 2565308	RECEIVED Phan 14/2/24 Clerk to Regional Officer MPCB, Nagpur Ph:- 2565308

7

8/21/24
आयुक्त शाखा
सामान्य प्रशासन विभाग
जिल्हा फॉरिक्व. नागपूर

8

District Industries Centre
NAGPUR

Revised

08.02.2024


9

आयुक्त जायक लिपोक
उपविभाग
अधिकारी कार्यालय
8/2/2024


10

8/2/24
आयुक्त जायक
तहजिल कार्यालय कळशेखर


11


कर्मचारी
ग्रामपंचायत पेट (काळडोंगरी)



12


कर्मचारी
ग्रामपंचायत व्यांहाड


13











लिपोक
08/02/2024
ग्राम पंचायत सूरुबडी
प.स. नागपूर त. जि. नागपूर



















14





15


ग्रामावकास अधिकारी
ग्राम पंचायत दवलामेडी
पं.स. नागपूर 16/2/2024

16	ग्रामपंचायत कुवाथामठा	
17	ग्रामपंचायत शोनेगाव (नि)	 16/02/2024
18		 16/02/2024 पा.पं. कर्मचारी पा.पं. गोंडवनी
19	ग्रामपंचायत तैमजी	 16/02/2024
20	कार्यालय सि. 31 पक्ष 201.4. 2020/11	
21	आजिला सोबक शा.पं. कर्मचारी	
22	ग्रामपंचायत सेवू पर्यावरण विभागातील जेव्हाच्या मनुष्यी का प्राप्त दि. 15/02/2024	 15/2/2024 सावित्र ग्रामपंचायत सेवू
23		 मुभाद मानक शा.पं.कर्मचारी शा.पं.उपरवाडी
24		 BRhmoen शा.पं. कर्मचारी कडव

25		
26		
27		
28		
29		
30		
31		
32		
33		

34		
35	<p>Received/Issued Date: 08/10/24 <i>[Signature]</i> Sub Divisional Officer Nagpur (Rural)</p>	
36	<p><i>[Signature]</i> 08/02/24 श्रीमंत बाबा आर्य समाज धारवा महाराष्ट्र शाखा (ग्रामिण)</p>	
37		
38		
39		
40		

[Handwritten signature]