

28TH May, 2019

Ref. No. KWPCL/EMD/May/ 01

To,

Director (S)

Ministry of Environment Forest, Climate Change

Regional Office (WCZ)
Ground Floor, East Wing
New Secretariat Building, Civil Lines
Nagpur – 440001 (Maharashtra)

Sub.: Six Monthly Compliance Status of Environmental Clearance for 600 (1x600) MW Coal based

Thermal Power Plant along with Environmental Monitoring reports.

Ref.: EC Letter No.: J-13012/57/2008-IA-II (T) dated 20th May, 2010 & Amendment dated 16th April,

2015

Dear Sir,

With reference to above subject, please find enclosed herewith Six Monthly Environmental Clearance (EC) compliance status report along with environmental monitoring results like Ambient Air Quality, Water Quality, Noise level, Soil Quality, Green belt development report during the period of **October'2018 to March' 2019**.

As you are kindly aware and we have informed vide our letter dated 12th June 2017, to CPCB New Delhi, Regional Office CPCB Bhopal, MS CECB Raipur that our KWPCL Unit Generator is under major break down (Force Majeure) Since 22nd May 2017.

This is for your kind information & record please.

Thanking you with regards,

Your's faithfully for Korba West Power Company Ltd.



(Gattu Rambhav)

Chief Operating Officer

Encl: As above

- cc: 1) **Member Secretary**, Central Pollution Control Board, Parivesh Bhavan, East Arjun Nagar, Kendriya Paryavaran Bhavan, New Delhi-110032
 - 2) **The Director**, Zonal Office, Central Pollution Control Board, 3rd Floor, Shahkar Bhavan, North TT Nagar, Bhopal-462003
 - 3) Member Secretary, Chhattisgarh Environment Conservation Board, Kabir Nagar, Raipur.
 - 4) Regional Officer, Chhattisgarh Environment Conservation Board, TV Tower Road, Raigar

Korba West Power Company Limited

(CIN: U40102MP1995PLC009177)

Village Chhote Bhandar, P.O. Bade Bhandar, Tehsil Pussore, District Raigarh - 496 100 Chhattisgarh, India

Registered Office: First Floor, E-122, Patel Nagar, City Centre, Site No. 2, Gwalior, MP, 474011 IN

SIX MONTHLY COMPLIANCE REPORT OF ENVIRONMENTAL CLEARANCE

600 (1×600) MW THERMAL POWER PLANT

At

BADE BHANDAR VILLAGE, PUSSORE TEHSIL RAIGARH DISTRICT CHHATTISGARH

Submitted to:

Ministry of Environment Forest, Climate Change Regional Office (WCZ) Ground Floor, East Wing New Secretariat Building, Civil Lines Nagpur – 440001 (Maharashtra)

Submitted By:

Environment Management Department
Korba West Power Company Limited
Bade & Chhote Bhandar Village, Pussore Tehsil
Raigarh District, Chhattisgarh

PERIOD: October'2018 - March'2019

CONTENTS

SI. No.	Title	Annexures
1,	Introduction	•
2.	Compliance status of Environment Clearance (EC)	
	List of Annexures	
3,	Environmental Monitoring Reports: For October'2018 to March'2019 Introduction Project Profile Scope of Study & Methodology Sampling Location Map & Analysis Report Conclusion	Annexure- I
4.	Green Belt/Plantation details	Annexure- II
5.	Copy of Environmental Statement Report (Form IV) FY 2017-18	Annexure -III

(1x600 MW Coal Based Thermal Power Plant)

COMPLIANCE STATUS ON ENVIRONMENTAL CLEARANCE

Vide Latter no.: F. No. J 13012/57/2008-IA.II (T), dated: 20^{th} May 2010, And amendment dated: 16^{th} April 2015.

Sr. No.	CONDITIONS	COMPLIANCE STATUS	
Î	Detailed hydro-geological study shall be conducted and submitted within six months from an institute/organization of repute to assess impact of surface water regime. Specific mitigation measures shall be spelt out and action plan for implementation of the same shall be provided. It shall be ensured that the area drainage is not disturbed due to the proposed power plant.	Complied. Hydro-geological study has been done by reputed institute "National Institute of Hydrology, Roorkee" and report has already been submitted. The éntire plant area is almost flat. There are no streams within the plant premises. Regular water quality monitoring being carried out by an agency accredited by MoEF.	
ii	Hydro-geological study of the area shall be also reviewed annually and results submitted to the Ministry and concerned agency in the State Govt. In case adverse impact on ground water quantity and quality is observed at any stage, immediate mitigating steps to contain any adverse impact on ground water shall be undertaken.	Being Complied. The ground water quality and ground water level monitoring being carried out on regular basis monitoring report is enclosed as Annexure – I.	
iii	Source of water for meeting the requirement during lean season shall be specified and submitted to the Regional Office of the Ministry within three months.	Being complied. 15 MCM Water allocations from Mahanadi River from Water Resources Dept. Govt. of Chhattisgarh. This quantity is adequate to meet the plant's requirement, including the lean season. Vide letter no. 2705/F4-66/S-2/31/OJPRE/07, Raipur dated 25.04.2018.	
iv	No ground water shall be extracted for use in operation of the power plant even in lean season.	Noted, Being Complied,	
V	No water bodies including natural drainage system in the area shall be disturbed due to activities associated with the setting up/operation of the power plant.	e There is no water body within the power	
vi	COC of 5.0 shall be adopted.	COC of 5.0 is being maintained.	
vii	Local employable youth shall be trained in skills relevant to the project for eventual employment in the project itself. The action taken report and details thereof to this effect shall be submitted to the Regional Office of the Ministry and the State Govt. Dept. concerned from time to time.	Being Complied. Local employable youths were identified and were sent for ITI training in two batches of 43 and 15 in nos. respectively, training starting from Aug'11 for electrical and fitter trade for their employment in the company. 41 and 14 youths respectively from the first and second batch successfully completed the training and 39 were given employment in the company.	

		They were also given one month's extensive "Power Plant Familiarization training" from OMS TPRI, Bhubaneshwar. Also 20 youths were given construction skill training. Employment given to 5 youths who successfully completed the training. Employment camps in nearby villages have been organized by the company to identify potential candidates. Cooperative of local people has been formed wherein total 93 people were given employment as plantation/ greenbelt development activities etc. Besides above 58 number of local people given employment from nearby villages.
viii	Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	The entire plant area is almost flat. There are no streams within the plant premises.
ix	Provision for installation of FGD shall be provided for future use.	Space for FGD is provided in plant layout.
×	A stack 275 m with flue gas velocity of 25 m/s shall be installed.	Complied. Flue Stack of 275 meter constructed. The designed flue gas velocity is more than 25 m/sec.
xi	High Efficiency Electrostatic Precipitators (ESPs) shall be installed to ensure that particulate emission does not exceed 50 mg/Nm ³ .	A High Efficiency Electrostatic Precipitators has been provided (ESP) to meet particulate emission less than 50 mg/Nm ³ .
xii	Adequate dust extraction system such as cyclones/ bag filters and water spray system in dusty areas such as in coal handling and ash handling points, transfer areas and other vulnerable dusty areas shall be provided.	Adequate dust suppression system like water sprinkling system, dust extraction system, dry fog dust suppression system has been installed throughout coal handling chain and bag filters in LHS, RHS bunkers and crusher house, The high concentrated slurry disposal system and closed transferring pipelines have installed for ash disposal in dyke.
xiii	Utilization of 100% Fly Ash generated shall be made from 4 th year of operation of the plant. Status of implementation shall be reported to the Regional Office of the Ministry from time to time.	Ash utilization plan/schedule has been incorporated in the EIA report & as per fly ash notification.
xiv	Fly ash shall be collected in dry form and storage facility (silos) shall be provided. Unutilized fly ash shall be disposed-off in the ash pond in the form of slurry form. Mercury and other heavy metals (As, Hg, Cr, Pb etc.) will be monitored in the bottom ash as also in the effluents emanating from the existing ash pond. No ash shall be disposed off in low lying area.	Being Complied. We have established two nos, of silo (Intermediate and Main) with capacity of 1000 MT & 2500 MT respectively for utilization of dry fly ash. High concentration slurry disposal system is provided for disposal of unutilized ash in ash pond. Ash water circulation system is provided. Monitoring of Mercury and other heavy metals (As, Cr, Pb etc.) was being carried out

		regularly and will resume the activity after start-up of the unit, Unit/Plant is under long breakdown Since 22 nd May 2017.
XV	Ash pond shall be lined with HDP/LDP lining or any other suitable impermeable media such that no leachate takes place at any point of time. Adequate safety measures shall also be implemented to protect the ash dyke from getting breached.	Well-designed Ash pond with LDPE lining has been established as per guidelines of MoEF/CEA/CPCB. Safety measure such as bund with toe wall and lining of side slope done to prevent any leachate.
xvi	For disposal of Bottom Ash in abandoned mines (if proposed to be undertaken) it shall be ensured that the bottom and sides of the mined out areas are adequately lined with clay before Bottom Ash is filled up. The project proponent shall inform the State Pollution Control Board well in advance before undertaking the activity.	Compliance assured.
xvii	Green Belt consisting of 3 tiers of plantations of native species around plant and at least 100 m width shall be raised. Wherever 100 m width is not feasible a 50 m width shall be raised and adequate justification shall be submitted to the Ministry. Tree density shall not less than 2500 per ha with survival rate not less than 75 %.	Green belt / plantation are being developed. Approximate 1, 99,448 trees have been planted. Local plant species being preferred for the plantation as fast growing with thick canopy cover adequate height with longer duration of foliage, Perennial and evergreen along with fruit bearing plants in adequate have also been planted. Greenbelt development plan has been approved by DFO, which has already been submitted. Please refer Annexure - II .
xvili	Two nearest village shall be adopted and basic amenities like development of roads, drinking water supply, primary health centre, primary school etc shall be developed in co-ordination with the district administration.	Being Complied Four project villages are adopted. Development of basic amenities such as construction of approach road, community hall, school room, safe drinking water facilities have been completed in all the adopted villages. Pond deepening work has been under taken in village Badebhandar and Sarwani. The CSR activities are ongoing.
xix	The project proponent shall also adequately contribute in the development of the neighbouring villages. Special package with implementation schedule for providing fluoride free potable drinking water supply in the nearby villages and schools shall be undertaken in a time bound manner.	CSR activities being carried out in consultation with district administration for the development of neighbouring villages. Also actively participating in GOI flagship program "Swachh Bharat Abhiyan" in coordination with district administration. Extended support for Mason and helper for construction of 141 individual household toilets in five nearby villages. Water analysis report attached is showing fluoride data in nearby ground water regime.
××	A good action plan for R&R (if applicable) with package for the project affected persons be submitted and implemented as	The project is out of Abadi area. The R&R plan has already been prepared, implemented, under progress and submitted

	per prevalent R&R policy within three months from the date of issue of this letter.	
xxi	An amount of Rs 6.0 Crores shall be specially earmarked for development activities for tribals of the nearby villages as committed by the project proponent vide its letter dated 23.03.2010. Specific schemes for upliftment of tribal families mentioning sustainable livelihood schemes shall be submitted to the Ministry within three months with time bound implementation and in-built monitoring programme. The above amount shall be over and above the fund earmarked for CSR activities.	The requisite amount for tribal development has been spent and the expenditure report of 6.52 crore has been submitted. Specific livelihood schemes like poultry, mushroom production and vegetable cultivation is being carried out for upliftment of the tribal families. Tailoring training is also undergoing where interested tribal women is attending the training. Self-Help-Groups (SHGs) of women have been formed in the villages to take up various livelihood schemes. Two tribal cooperatives formed to take up various livelihood schemes. These are registered cooperative society. Besides above, infrastructure development activities like construction of CC road, community hall, sanskritik manch, drinking water facility etc. have been undertaken in the tribal villages for their upliftment.
xxii	Further an amount of Rs 15.0 Crores shall be earmarked as one time capital cost for CSR programme as committed by the project proponent vide its letter dated 23.03.2010. Subsequently a recurring expenditure of Rs 3.0 Crores per annum shall be earmarked as recurring expenditure for CSR activities. Details of the activities to be undertaken shall be submitted within one month along with road map for implementation.	Being complied The CSR activities are ongoing. The CSR activities undertaken for: 1. Infrastructure development in the villages, 2. Livelihood Enhancement and training, 3. Quality Education, 4. Community Health and 5. Promotion of Sports and Culture. Activities under Swachh Bharat Abhiyan also executed in neighbouring villages. Extended support for Mason and helper for construction of 141 individual household toilets in five nearby villages. Two community shed constructed in two villages.
xxiii	While identifying CSR programme the company shall conduct need based assessment for the nearby villages to study economic measures with action plan which can help in upliftment of poor section of society. Income generating projects consistent with the traditional skills of the people besides development of fodder farm, fruit bearing orchards, vocational training etc. can form a part of such programme. Company shall provide separate budget for community development activities and income generating programmes. This will be in	Need Assessment Study conducted and submitted with previous compliance report As the Generator is under major break down (Force Majeure) Since 22nd May 2017 and adverse financial situation we are unable to carry out the proposed CSR activities during the FY. The activities carried earlier are being monitored and sustained by the beneficiaries. Income generating activities consists of poultry farming, mushroom production, vegetable cultivation, dairy farming, cross breeding of non-descriptive cattle, grocery shops etc. 20th batch of 4-months tailoring

	addition to vocational training for individuals imparted to take up self-employment and jobs.	training is running, by end of 18th batch total 497 women has been trained out of which 120 belongs to ST. Three cooperative societies formed for income generation named Surbhi Dugdh Utpadan Samiti, Gram Vikas Kamgar Samiti and Mahanadi Gramin Mahila Bahudesiye Sahkari Samiti. Executed MOA under PPP for up-gradation of ITI Saria, Raigarh district, constituted IMC.
xxiv	It shall be ensured that in-built monitoring mechanism for the schemes identified is in place and annual social audit shall be got done from the nearest government institute of repute in the region. The project proponent shall also submit the status of implementation of the scheme from time to time.	Social audit conducted and report submitted along with previous compliance report.
xxv	Harnessing solar power within the premises of the plant particularly at available roof tops shall be undertaken and status of implementation shall be submitted periodically to the Regional Office of the Ministry.	Noted, Compliance assured.
xxvi	A long term study on radio activity and heavy metals contents on coal to be used shall be carried out through a reputed institute. Thereafter mechanism for an inbuilt continuous monitoring for radio activity and heavy metals in coal and fly ash (including bottom ash) shall be put in place.	Compliance assured. The work for carrying out radioactive analysis is awarded to Board of Radiation and Isotope Technology, Department of Atomic Energy, Govt. of India. The results are awaited. We are using e-auction coal for operation of the unit, once the linkage coal will be supplied on full fledge the study and in-built continuous monitoring system will be carried. Previously during plant running condition, The heavy metal analysis in coal, fly ash and bottom ash is being carried on periodic basis. However the plant is under long breakdown since 22 nd May 2017.
xxvii	Mercury emissions shall also be monitored on periodic basis.	Will carried out after start-up of the unit, Unit/Plant is under long breakdown Since 22 nd May 2017.
xxix	Fly ash shall not be used for agricultural purpose. No mine void filling will be undertaken as an option for ash utilization without adequate lining of mine with suitable media such that no leachate shall take place at any point of time. In case, the option of mine void filling is to be adopted, proper detailed study of soil characteristics of the mine area shall be undertaken from an institute of repute and adequate clay lining shall be ascertained by the State Pollution Control Board and	Noted, Compliance assured, if the activity is undertaken.


	implementation done in close co-ordination	T
	with the State Pollution Control Board.	
xxx	Green Belt shall also be developed around the ash pond over and above the Green Belt around the plant boundary.	Plantation / greenbelt development is being carried out along the plant boundary as well as Ash Pond area.
xxxi	An Environmental Cell comprising of at least one expert in environmental science/ engineering, ecology, occupational health and social science, shall be created preferably at the project site itself and shall be headed by an officer of appropriate superiority and qualification. It shall be ensured that the Head of the Cell shall directly report to the Head of the Plant who would be accountable for	Complied
	implementation of environmental regulations and social impact improvement/ mitigation measures.	
xxxii	The project proponent shall formulate a well laid Corporate Environmental Policy and identify and designate responsible officers at all levels of its hierarchy for ensuring adherence to the policy and compliance with the conditions stipulated in this clearance letter and other applicable environmental laws and regulations.	Noted. Complied
B.	GENERAL CONDITIONS	
i	The treated effluents conforming to the prescribed standards only shall be recirculated and reused within the plant. There shall be no discharge outside the plant boundary except during monsoon. Arrangements shall be made that effluents and storm water do not get mixed.	ETP has been established to treat effluents and treated water is being reuse within the premises. The concept of "Zero Discharge Condition" is implemented. Separate drainage network is established for storm water. Effluent water quality report is enclosed as Annexure – I .
ii	A sewage treatment plant shall be provided (as applicable) and the treated sewage shall be used for raising greenbelt/plantation.	Sewage Treatment Plants has been installed and the treated effluent is being used for plantation/greenbelt. Analysis report of STP is enclosed as Annexure – I.
III	Rainwater harvesting should be adopted. Central Groundwater Authority/ Board shall be consulted for finalization of appropriate rainwater harvesting technology within a period of three months from the date of clearance and details shall be furnished.	A rain water harvesting & recharging system has already been constructed. 08 nos. of rain water harvesting ponds have been constructed within premises.
İV	Adequate safety measures shall be provided in the plant area to check/minimize spontaneous fires in coal yard, especially during summer season. Copy of these measures with full details	Adequate safety team has been established in the plant site to take preventive control measures. Fire hydrant system provided for prevention of spontaneous fires in coal yard, especially during summer season.

r	along with location clast layout shall be	
	along with location plant layout shall be submitted to the Ministry as well as to the Regional Office of the Ministry.	
V	Storage facilities for auxiliary liquid fuel such as LDO and/ HFO/LSHS shall be made in the plant area in consultation with Department of Explosives, Nagpur. Sulphur content in the liquid fuel will not exceed 0.5%. Disaster Management Plan shall be prepared to meet any eventuality in case of an accident taking place due to storage of oil.	The fuel such as LDO and HFO are properly stored in minimum risk area & in consultation with Department of Explosives, Nagpur after getting NOC for the same. Disaster management plan (DMP) has been prepared to handle the any eventuality in case of an accident taking place due to storage of oil.
Vİ	Regular monitoring of ground water level shall be carried out by establishing a network of existing wells and constructing new piezometers. Monitoring around the ash pond area shall be carried out particularly for heavy metals (Hg, Cr, As, Pb) and records maintained and submitted to the Regional Office of this Ministry. The data so obtained should be compared with the baseline data so as to ensure that the ground water quality is not adversely affected due to the project.	Peizometric wells installed and the monitoring results is enclosed as Annexure – I.
vii	Monitoring surface water quantity and quality shall also be regularly conducted and records maintained. The monitored data shall be submitted to the Ministry regularly. Further, monitoring points shall be located between the plant and drainage in the direction of flow of ground water and records maintained. Monitoring for heavy metals in ground water shall be undertaken.	The surface water samples being collected and analysis report is enclosed as Annexure – I.
viii	First Aid and sanitation arrangements shall be made for the drivers and other contract workers during construction phase.	First aid and sanitation for labours was provided during the construction.
ix	Noise levels emanating from turbines shall be so controlled such that the noise in the work zone shall be limited to 75 dBA. For people working in the high noise area, requisite personal protective equipment like earplugs/ear muffs etc. shall be provided. Workers engaged in noisy areas such as turbine area, air compressors etc shall be periodically examined to maintain audiometric record and for treatment for any hearing loss including shifting to nonnoisy/less noisy areas.	Necessary action has been taken to maintain noise levels in work zone area within 75 dB (A) from source during the plant operation. The personal protective equipment's (PPE) are provided to workers & employees working in noisy areas. Noise level monitoring is carried out regularly. Periodic audiometric check-up is being carried out.
×	Regular monitoring of ground level concentration of SO_2 , NOx , $PM_{2.5}$ & PM_{10} and Hg shall be carried out in the impact	Regular monitoring of SO ₂ , NO _x , PM _{2.5} & PM ₁₀ and Hg is being carried and records are being maintained during construction phase

	zone and records maintained. If at any stage these levels are found to exceed the prescribed limits, necessary control measures shall be provided immediately. The location of the monitoring stations and frequency of monitoring shall be decided in consultation with SPCB. Periodic reports shall be submitted to the Regional Office of this Ministry. The data shall also be put on the website of the company.	as well as operational phase. Environmental monitoring report is enclosed as Annexure – I. Three online Continuous Ambient Air Quality Monitoring Station (CAAQM) System and one mobile Van for Ambient Air Quality Monitoring have been establish within plant premise in consultation with Regional Office, Chhattisgarh Environment Conservation Board, Raigarh.
xi	Provision shall be made for the housing of construction labour (as applicable) within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Complied. All necessary facilities were provided during construction for contractual labours.
xii	The project proponent shall advertise in at least two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned within seven days from the date of this clearance letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the State Pollution Control Board/Committee and may also be seen at Website of the Ministry of Environment and Forests at http://envfor.nic.in.	Complied. Advertised in three newspapers Hindustan Times, Dainik bhaskar & Nai Duniya on 28.02.2010
xIII	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad / Municipal Corporation, urban local Body and the Local NGO, if any, from whom suggestions/ representations, if any, received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Complied. Copy of Environment Clearance has been provided to concerned authority. Compliance status updated in company website. http://www.avanthapower.com
xiv	A separate Environment Management Cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Being Complied. We have already established an Environment Management Cell with well qualified staff for implementation of the stipulated environmental safeguards.
XV	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the	Being Complied. Regular Environmental Monitoring report is being submitted to Regional office, MoEF, CPCB and CECB, Chhattisgarh. The

	same periodically. It shall simultaneously be sent to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM (PM _{2.5} & PM ₁₀), SO ₂ , NO _x (ambient levels as well as stack	environmental parameters display board provided at main gate of the plant. Compliance status updated in company website. http://www.avanthapower.com
	emissions) shall be displayed at a	
	convenient location near the main gate of	
	the company in the public domain. The environment statement for each	The environment Statement for the year
xvi	financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules,	2017-18 has been submitted to Chhattisgarh Environment Conservation Board (CECB) vide letter no. KWPCL/EMD/Sept./9, dated-26/09/2018. copy of Environmental statement report enclosed as Annexure -III
	1986, as amended subsequently, shall also	
	be put on the website of the company along with the status of compliance of	
	environmental clearance conditions and	
	shall also be sent to the respective	
	Regional Offices of the Ministry by e-mail.	
	The project proponent shall submit six	Being Complied.
xvii	monthly reports on the status of the	Six monthly Environmental Clearance
	implementation of the stipulated	compliance status report is regularly
	environmental safeguards to the Ministry of Environment and Forests, its Regional	submitted to MoEF, CPCB and SPCB. The same is sent by email also.
-	Office, Central Pollution Control Board	Last compliance report for the period of
	and State Pollution Control Board. The	Apr'18 - Sep'18 had been submitted to your
	project proponent shall upload the status	good office via our latter no.
	of compliance of the environment of the	KWPCL/EMD/November/01 dated-
	environmental clearance conditions on	26/11/2018.
	their website and update the same	Compliance status being updated on
	periodically and simultaneously send the same by e-mail to the Regional Office,	company website. http://www.avanthapower.com
	Ministry of Environment and Forests.	neepar www.avanenapawen.com
	Regional Office of the Ministry of	Noted,
xviii	Environment & Forests will monitor the	Being complied
	implementation of the stipulated	
	conditions. A complete set of documents	
	including Environmental Impact Assessment Report and Environment	
	Management Plan along with the	
	additional information submitted from	
	time to time shall be forwarded to the	
	Regional Office for their use during	
	monitoring. Project proponent will up-load	
	the compliance status in their website and	
	up-date the same from time to time at	
	least six monthly basis. Criteria pollutants levels including NOx (from stack &	
	ambient air) shall be displayed at the main	
	gate of the power plant.	
	gate of the power plant.	

	Separate funds shall be allocated for	
xix	implementation of environmental	A separate fund has already been allocated
	protection measures along with item-wise	for implementation of environmental
	break-up. These cost shall be included as	protection.
	part of the project cost. The funds	
	earmarked for the environment protection	
	measures shall not be diverted for other	
	purposes and year-wise expenditure	
	should be reported to the Ministry.	
	The project authorities shall inform the	Complied
XX	Regional Office as well as the Ministry	
	regarding the date of financial closure and	
	final approval of the project by the	
	concerned authorities and the dates of	
٠	start of land development work and	77
	commissioning of plant.	
	Full cooperation shall be extended to the	
xxi	Scientists/Officers from the Ministry /	Full co-operation shall be extended to all
	Regional Office of the Ministry at	concerned authorities.
	Bangalore / CPCB/ SPCB who would be	
	monitoring the compliance of	
	environmental status.	
C.	Conditions of EC Amendment Lette	
	The coal shall be transported on road	Noted.
Ĩ	through mechanically covered trucks.	The vehicles are engaged for coal
		transporting are mechanically covered and
		periodic refresher training is also being
		imparted on traffic for safety and
		environment rules.
	Avenue plantation of 2/3 rows all along	Plantation / greenbelt activities is being
ii	the road for transportation of coal shall be	planned in consultation with state forest
	carried out by the project proponent at its	department on both sides of road. However,
	own expenses in consultation with the	the proposed coal transportation road is
	State Government Authorities.	under widening and construction is progress
		by NHAI.
	Periodic maintenance of the roads used	Noted,
iii	for transportation of coal shall be carried	Being followed.
	out by the project proponent at its own	However, the proposed coal transportation
	expenses and shall also facilitate the	road is under widening and construction is
	traffic control on the roads in consultation	progress by NHAI.
	with State Government Authorities.	



2nd Quarterly Environmental Monitoring Report



Submitted To:

M/s Korba West Power Company Limited
Village Chhote Bhandar, Post office Bade Bhandar,
Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

Conducted by:

M/s Vardan EnviroLab
Village- Samaspur, Opposite Amity School, Sector-51,
Gurgaon (Haryana)

(Recognized by MoEF & CC, NABL Government of India)

2nd Quarterly Environmental Monitoring Report

PREFACE

The growing concern for environmental protection and the passing of various environmental legislations have increased the responsibilities of Ministry of Environment, Forests & Climate Chang, Pollution Control boards in many folds. Besides enforcing the various environmental legislations MoEF&CC, CPCB & SPCB strive to propagate the necessity awareness regarding the various legal provisions and environmental protection measures in the country.

Electric Power scenario has occupied a significant place in the development program of the country. Development and environment can neither be separated nor ignored. In fact, they are complimentary to each other. These issues have become a concern of the community, particularly the environment impact due to industries in the developing countries.

However, the prerequisite for sustainable development is judicious planning of environmental status, likely impacts of the approach adopted on the environment including inhabitants of the locality, availability of the eco-friendly technology, emerging waste disposal and waste utilization processes, techniques of land reclamation for the restoration of aesthetic beauty and soon.

Korba West Power Company Limited (KWPCL), Village Chote Bhandar, Post Office Bade Bhandar, Raigarh-496100, India, has engaged M/S Vardan Envirolab, Gurgaon, (HR) to provide Environmental Services in respect of ambient air quality monitoring, stack emission, noise level monitoring & Sampling and Analysis of ground water quality, surface water quality, treated effluent sewage, effluent water from ETP, and soil for KWPCL, Raigarh district of Chhattisgharh, as per guidelines of MoEF&CC and CPCB Gazette notification.

M/S Vardan EnviroLab, Gurgaon, (HR) has deployed entirely its own personnel, facilities and expertise for doing this service. Sampling / Monitoring Stations were identified by the Environmental Officer of KWPCL. The samples were analyzed **partly** at site and partly at our MoEF Recognized laboratory situated at Gurgaon (HR).

This report presents the data generated for the period from 21th Dec 2018 to 22th Dec 2018, i.e. for Second quarter which includes sampling locations, Methodology, testing procedure and compilation for the Environmental parameters i.e. Air, Water & Noise with a view to evaluate the impact due to the thermal power plant activities.

During the course of our operations for the above task, the staff and management of KWPCL were extremely co-operative. We are grateful to them for their invaluable support and assistance rendered to us during the course of the sampling and monitoring.

Date 27/12/2018

Authorized Signatory

INDEX

Sr.No.	Contents	Page No.
1.0	Introduction	3
2.0	Project Profile	4
2.1	Topography and Drainage	4
2.2	Location	4
2.3	Climate	4
2.4	Communication	4
2.5	Location Map	5
3.0	Scope of Study and Methodology	6
3.1	Scope of Study	6
3.2	Methodology	6
3.2.1	Air Environment	6
3.2.2	Water Environment	6
3.2.3	Noise Environment	7
3.2.4	Soil	7
4.0	Sampling Location Map and Analysis Reports	8
4.1	Ambient Air Quality Monitoring	8 to 13
4.2	Noise Level Monitoring	14 to 22
4.3	Ground water Quality Analysis	23 to 33
4.4	Surface water Quality Analysis	34 to 43
4.5	Soil Quality Analysis	44-49
4.6	Effluent Sample Analysis Report	50-52
5.0	Conclusion	53
5.1	Air Environment	53
5.2	Water Environment	53
5.3	Noise Environment	53

Chapter - 1.0

INTRODUCTION

Korba West Power Company Limited (KWPCL), a subsidiary of Avantha Power & Infrastructure Limited, is a power generation company based at Raigarh in the State of Chattisgarh. KWPCL has recently commissioned its Thermal Power Plant first 600MW Unit at Village Chote Bhandar, Post Office Bade Bhandar, Raigarh- 496100, India. The second unit of 600MW is under implementation. KWPCL is also committed towards the environment and the community it operates in. It has successfully implemented several community welfare schemes in the field of livelihood, infrastructure, community health and education which has so far benefited over 60,000 people from close to 75 villages.



Figure No.1. Korba West Power Company Limited (KWPCL)

2nd Quarterly Environmental Monitoring Report

Chapter - 2.0

PROJECT PROFILE

2.1 Topography & Drainage

Topography of this area is generally undulating. The area is drained by Mand River approximately 3 km. away from plant in North direction and Mahanadi River approximately 5 km. away from plant in South direction.

2.2 Location

Plant is bounded by Northern Latitudes of 21° 44' 00'' to 21° 44' 42'' and Eastern Longitude of 83° 16' 30'' to 83° 17' 18''. This area falls in the survey of India toposheet no. 64 0/1, 64 0/2, 64 0/5 and 64 0/6. The location of the mine area is shown in **Fig. No. 2**

2.3 Climate

The climate of the area is Sub-tropical type. It is in the zone of humid tropic climate where temperature and humidity of air are very high. The temperature varies from the minimum - maximum temperature range between 29.5°C - 49°C in summer, and 8°C - 25°C in winter. The humidity varies from 35% to 82%. The annual average rainfall in the area is about $1300 \, \text{mm}$.

2.4 Communication

The nearest railway station is Kirodimal, which is at a distance of $\sim\!23$ Km towards North direction. The area is well connected with N.H. No. 216. Nearest Airport is Raipur $\sim\!250$ km in SW direction. Nearest village is Bade Bhandar $\sim\!1$ km. in North direction and nearest town is Raigarh $\sim\!21$ km. in North-East direction.

2.5 Location Map




Figure No.2. Location Map

Chapter - 3.0

SCOPE OF STUDY ANDMETHODOLOGY

3.1 Scope of Study

The scope of study includes Environmental Services in respect of ambient air quality monitoring, noise level monitoring & Sampling and Analysis of ground water quality, surface water quality, treated effluent sewage, effluent water from ETP and soil.

3.2 Methodology

As mentioned in the scope of work covering the various Environmental components monitoring and sampling and its analysis was carried out on the basis of guidelines of Ministry of Environment Forest & Climate Control of Government of India & Chattisgarh State Pollution Control Board. Sampling procedure method reference and Analysis procedure method reference are mentioned in monitoring reports.

3.2.1 AmbientAirQualityMonitoring

The ambient air quality has been carried out at various sources of air pollution surrounding and in the Plant. The prime objective of the ambient air quality monitoring is to access the existing air quality of the area.

The ambient air quality monitoring was carried out for 24 hours at each station. At all stations SO_2 , NO_2 , PM_{10} , $PM_{2.5}$, CO and Mercury were monitored. All the samples collected were analyzed for quantitative analysis of various pollutants.

The ambient air quality sampling locations were identified by the Environmental Officer of KWPCL.

3.2.2 Water Environment

The ground water samples, surface water samples were collected from selected locations in two liter sterilized plastic cans. These samples were analyzed as per IS 10500:2012. The domestic effluent and Industrial effluent samples were collected and analyzed for parameters: pH , Total suspended solids, Biochemical Oxygen Demand, Chemical Oxygen Demand and Oil & Grease.

3.2.3 Noise Environment

Project Name: Korba West Power Company Ltd., Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

2nd Quarterly Environmental Monitoring Report

Sound level meter was used to know the sound levels generated due to plant activities at different locations. The measurements were taken for Equivalent sound level over a time period for day and night which is expressed in dB(A).

3.2.4 Soil

The Soil samples were collected from selected locations. These samples were analyzed for Physico-Chemical parameters including heavy metals.

Project Name: Korba West Power Company Ltd.,

Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

2nd Quarterly Environmental Monitoring Report

Chapter - 4.0

SAMPLING LOCATION MAP AND ANALYSIS REPORTS

4.1 Ambient Air Quality Monitoring



Figure No.3. Plan Showing Ambient Air Quality Location Map

Location Code: -

A1- Site Office

A2- PalsadaVillage

A3- Kathali Village

A4- Chote Bhandar Village A5- Bade Bhandar Village Project Name: Korba West Power Company Ltd., Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

2nd Quarterly Environmental Monitoring Report



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram - 122001 (Haryana) Regd. Office: D-142, Sushant Lok III. Sector - 57, Gurugram - 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample Number:

Receipt Date:

VEL/KWPCL/A/01

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post

24/12/2018

office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

Report No.:

Format No.:

Party Reference Noa

Reporting Date:

Period of Analysis:

VEL/A/1812/24001

5.10 F-01 MIL

27/12/2018

24-27/12/2018

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative Sample collected by Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity Scope of Monitoring Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr Umesh Gawade

Vardan Enviro Lab Representative

Site Office

RDS & FPS sampler with all Accessories

VEL/RDS/05 & VEL/FPS/03

Calibrated

Clear Sky

21/12/2018 to 22/12/2018

24 hours (16:05 Hrs to 16:05 Hrs) Min. 10.0

Max_{*} 23.0 Human and Vehicular activities

Regulatory Requirement

IS-5182

1 PM2 5 PM10 NO₃ SO₂, CO₃ Hg

No.	Parameter	Protocol	Result	Unit	NAAQS!
t)-	Particulate Matter (PM2.8)	SOP No. VEL/SOP/01, Section No. SP 63	40.2		
0	Particulate Matter (PM16)	IS: 5182 (P-23), 2006		HE WE	:60
्रेंग	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Reaffirmed-2006	77.5	Jug/m	100
4.	Sulphur Dioxide (SO ₂)	15, 5192 (D.2), D. O.	22.3	Hg/m	80
-5	Carbon Monoxide (CO)	15: 5182 (P-2), Reaffirmed-2012	13.5	ug m	80
6.	Mercury as Hg	IS: 5182 (P-10), Reaffirmed-2003	0.88	102/00	
NA A		CPCB Guidelines	BDL	ne m	

AAQS National Ambient Air Quality Standards, Schedule-VII. [Rule 3 (3B)]. [Part-II-sec -3(i)] 18,11 2009 SOP- Laboratory Standard Operating Procedure

Singu (Checked By)

NOTE all the relians insted refer and a sub-reserved as piece of applicable parameters by India handlikes of our fals will be restricted for the reserved amount only.

() The sample will be destroyed after refer too some upers offer review specified d) The supports not to be rejurnal and with the sample and a review be used as evidence in the court of taw.

M/S Vardan Envirolab Gurgaon (HR)



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram - 122001 (Haryana) Regd_ Office: D-142, Sushant Lok –III, Sector - 57, Gurugram = 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Receipt Date:

VEL/KWPCL/A/02

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post

office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

24/12/2018

Report No.:

 $VE1 \forall A/1812/24002$

Format No.:

5.10 F-01 Party Reference No. NIL Reporting Date:

27/12/2018

Period of Analysis:

24-27/12/2018

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-Client Representative

Sample collected by

Sampling Location Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring Date of Monitoring

Time of Monitoring Ambient Temperature (°C) Surrounding Activity

Scope of Monitoring Control measure if Any Sampling & Analysis Protocol

Parameter Required

Mr. Umesh Gawade

Vardan Enviro Lab Representative

Village Palsada

RDS & FPS sampler with all Accessories

VEL/RDS/05 & VEL/FPS/03

Calibrated Clear Sky

22/12/2018 to 23/12/2018

2-1 hours(17:10 Hrs to 17:10 Hrs) Min. 09.0

Max. 23.0 Human and Vehicular activities

Regulatory Requirement

II IS-5182

PM25 PM10 NO, SO2, CO, Hg

S. No.	Parameter	Protocol	Result	Unit	NAAQS*
1.	Particulate Matter (PM23)	SOPNia VEL GODGO			Limit
2_	Particulate Matter (PMne)	3ection No. SP 63	42.3	hit,m,	60
3,	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-23), 2006	73.6	pig/m²	100
4	Sulphur Dioxide (SO2)	IS: 5182 (P-6), Reaffirmed-2006	22.5	ng m	80
<	Carbon Monoxide (CO)	IS: 5182 (P-2), Reaffirmed-2012	10,3	Ing-m*	801
6.	Mercury as Hg	15: 5182 (P-10). Reaffirmed-2003 CPCB Guidelines	0.75	mg/m²	1
NAA	QS National Ambient Air Ou	CTV D Outdelines	BDI	ng m	

Air Quality Standards, Schedule-VII. [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.

(Checked By)

Page 1 of 1

NOTE: a) the results listed refer only to the fested samples 8 applicable parameters by fotal habitions of our 15 or 15 miles of the more and 15 miles of the sample will be destroyed after critical internal softeness of the ways specified in the poor is not to be reproduced wholly or



Laboratory: Samaspur, Sector-51, Opp. Armity School Gurugram 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/A/03

Report No.: VEL/A/1812/24003 Format No.:

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post Party Reference No.: office Bade Bhandar, Tehsil Pussore,

5.10 F-01 NII. 27/12/2018

Dist.-Raigarh -496100 (Chhattisgarh 24/12/2018

Period of Analysis: 24-27/12/2018

Sample Description:

Receipt Date:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C) Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Umesh Gawade

Reporting Date:

Vardan Enviro Lab Representative

Village Kathli

RDS & FPS sampler with all Accessories

VEL/RDS/04 & VEL/FPS/01

Calibrated

22/12/2018 to 23/12/2018

24 hours(09:00 Hrs to 09:00 Hrs)

Min_ 09.0 Max. 23.0

Human and Vehicular activities

Regulatory Requirement

IS-5182

PM25 PM10 NO, SO2, CO, Hg

S. No.	Parameter	Protocal	Result	Unit	NAAQS*
1.	Particulate Matter (PM23)	"SOP No. VEL/SOP/01 Section No. SP 63	43.5	j(g/m ⁺	60
2	Particulate Matter (PM10)	IS: 5182 (P-23), 2006	73.5	pig/m ^T	100
3_	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Reaffirmed-2006	25.6	rosm,	80
4	Sulphur Dioxide (SO2)	IS: 5182 (P-2), Reaffirmed-2012	8.5	pagim)	80
5.	Carbon Monoxide (CO)	IS: 5182 (P-10), Reaffirmed-2003	0.75	my/m	- 1
6	Mercury as Hg	CPCB Guidelines	BDL	ng/m	

NAAOS National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)]. [Part-II-sec.-3(i)] 18 11 2009. # SOP- Laboratory Standard Operating Procedure

Sinon (Checked By)

Page 1 of 1

NDTE(iii) Their exists inted refer only to the tested samples & applicable parameters

U) fotal liabilities of our lab will be restricted to the invoice amount only

() the sample will be destriped after retention time unless officewise specified

U) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



Laboratory: Samaspur, Sector 51, Opp. Amity School Gurugram - 127001 (Haryana) Regd. Office: D 142, Sushant Lok - III, Sector -57, Gurugram - 122003 (Haryana) MOEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/A/04

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Reporting Date: Dist.-Raigarh -496100 (Chhattisgarh

24/12/2018

Report No.:

VEL/A/1812/24004

Format No.: 5.10 F-01 NII. Reporting Date:

27/12/2018

Period of Analysis:

24-27/12/2018

Sample Description:

Receipt Date:

AMBIENT AIR QUALITY MONITORING

General Information;-Client Representative

Sample collected by Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity

Scope of Monitoring Control measure if Any Sampling & Analysis Protocol

Parameter Required

Mr. Umesh Gawade

Vardan Enviro Lab Representative

Village Chhote Bhandar

RDS & FPS sampler with all Accessories

VEL/RDS/07 & VEL/FPS/02

Calibrated Clear Sky

21/12/2018 to 22/12/2018 24 hours(18:20 Hrs to 18:25 Hrs)

Min. 10.0 Max 23.0 Human and Vehicular activities

Regulatory Requirement

2 HS-5182

PM25 PM₁₀ NO, SO₂, CO, Hg

No.	Parameter	Protocol	Result	Unit	NAAQS*
1:	Particulate Matter (PM2.5)	SOP No. VEL/SOP/01, Section No. SP 63	10.0		Limit
	Particulate Matter (PMin)		38.5	μg/m³	60
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-23), 2006	79.5	jug/m"	100
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-6), Reaffirmed-2006	24.1	my/m ²	80
5	Carbon Monoxide (CO)	IS: 5182 (P-2), Reaffirmed-2012	10.9	paym'	80
6.	Mercury as Hg	IS: 5182 (P/10). Reaffirmed-2003	0.86	angan i	- 1
	The state of the s	CPCB Guidelines	BDL	ngm	

v Standards, Schedule-VII, [Rule 3 (3B)], [Part-II-sec -3(i)] 18.11,2009 # SOP- Laboratory Standard Operating Procedure

(Checked By)

NOTE: a) the results listed refer only to the tested samples & apposition parameters

b) Solar substress of the lab well be restricted to the listed a subscript only

c) the sample will be destroyed also restricted in the labor external specified

d) this report is not in the respective of which or as part and sample used as evidence in the court of law

Project Name: Korba West Power Company Ltd.,

Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

2nd Quarterly Environmental Monitoring Report



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram = 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/A/05

Report No.:

VEL/A/1812/24005

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

Format No.: Party Reference No.: NIL

5.10 F-01

24/12/2018

Reporting Date: Period of Analysis: 27/12/2018 24-27/12/2018

Sample Description:

Receipt Date:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol Parameter Required

Mr. Uniesh Gawade Vardan Enviro Lab Representative

Village Bade Bhandar

RDS & FPS sampler with all Accessories

VEL/RDS/04 & VEL/FPS/01

Calibrated

Clear Sky

21/12/2018 to 22/12/2018

24 hours(08:30 Hrs to 08:30 Hrs)

Min 10.0 Max. 23.0 Human and Vehicular activities

Regulatory Requirement

IS-5182

PM₁₅ PM₁₀ NO, SO₂, CO, Hg

S. No.	Parameter	Protocol	Result	Unit	NAAQS*
I.	Particulate Matter (PM2.5)	SOP No. VEL/SOP/01, Section No. SP 63	42.5	µg/m [†]	60
2	Particulate Matter (PMin)	IS: 5182 (P-23), 2006	80.2	119/111	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Reaffirmed-2006	24.1	ma/m²	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2). Reaffirmed-2012	9.8	pa/m³	80
5	Carbon Monoxide (CO)	IS: 5182 (P-10), Reaffirmed-2003	18.0	mg/m	-4
6,	Mercury as Hg	CPCB Guidefines	BDL.	ng/m	

* NAAQS National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec -3(i)] 18.11 2009

SOP- Laboratory Standard Operating Procedure...

(Checked By)

Page vol t

4.2 Noise Level Monitoring



Figure No.4. Plan Showing Noise Level Monitoring Location Map

Ambient Noise Level Monitoring Locations

Location Code: -

N1- Field Hostel

N2- PalsadaVillage

N3- Kathali Village

N4- Chote Bhandar Village

N5- Bade Bhandar Village



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram = 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram = 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/AN/01

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

Report No.: Format No.: VEL/AN/1812/24001

5.10 F-01 NIL

Party Reference No.: Reporting Date:

27/12/2018

Receipt Date:

24/12/2018

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information: Client Representative Sample collected by

Sampling Location Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity Scope of Monitoring Control measure if Any Sampling & Analysis Protocol

Sampling Duration Parameter Required Mr. Umesh Gawade

Vardan Envirollab Representative

Field Hostel Sound Level Meter VEL/S/SLM/01 Calibrated

Clear Sky 21/12/2018 to 22 12/2018 06:00 AM to 06:00AM

Min., 10.0 Max. 23.0 Human and Vehicular Activities Regulatory Requirement

No any

IS-9989 R-2003 24 Hours

As per Work Order

			Test Result dB (A)		
S. No.	Parameters	Protocol	Day Time (6:00 nm to 10:00 pm)	Night Time (10:00 pm to 06:00 nm)	Linit
E	Lenace	IS 9989 R-2003	66,3	561	dBrA
2.	f	IS 9989 R-2003	41.5	37.5	disca
3.	Lec	IS 9989 R-2003	52,30	43.80	disca
4_	CPCB Limits in dB(A') 1 eq (Industrial Area)		75.0ti	70.00	dH(A)

Note * A "decibel" is a unit in which noise is measured.

(Checked By)

NOTE: a) The results listed refer only to the tested samples & applicable parameters
b) Total habilities of our lab will be restricted to the invoice arrount only
() This sample will be destroyed after retention time unless attentives specified
d) this report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Project Name: Korba West Power Company Ltd.,

Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

2nd Quarterly Environmental Monitoring Report



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram - 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/AN/02

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post Party Reference No.:

office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

VEL/AN/1812/24002

Format No.: 5.10 F-01 NIL Reporting Date: 27/12/2018

24/12/2018

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-Client Representative

Sample collected by

Sampling Location Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity Scope of Monitoring Control measure if Any

Sampling & Analysis Protocol Sampling Duration

Parameter Required

Mr. Umesh Gawade

Vardan Envirol ab Representative

Report No.:

Receipt Date:

Village Palsada Sound Level Meter VEL/S/SLM/02

Calibrated Clear Sky

22/12/2018 to 23 12/2018

06:00 AM to 06:00AM Min 09-0

Max. 23.0 Human and Vehicular Activities

Regulatory Requirement No any

JS-9989 R-2003 24 Hours

As per Work Order

			Test Result dB (A)		
S. No.	Parameters	Protocol	Day Time (6:00 nm to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	Unit
È	Long	IS 9989 R-2003	65.3	53.2	dB(A)
7	L	IS 9989 R-2003	43.8	35.2	dB(-\
3.	Loop	IS 9989 R 2003	54.60	42.30	dBtA
4.	CPCB Limits in dB(A*) Leq (Residential Area)		55.00	45.00	dB(X)

'decibel" is a unit in which noise is measured.

TINSM (Checked By)

Page 1 of a

NOTE: a) The results listed refer only to the tested samples & applicable parameters
by foral liabilities of our fab will be instructed in the invoice amount only
c) the sample will be destroyed after creation time unless otherwise specified
d) this report is not to be reproduced wholly or in part and enumed be used to evidence in the court of light

M/S Vardan Envirolab Gurgaon (HR)



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MOEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/AN/03

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post Party Reference No.: office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

Report No.:

VEL/AN/1812/24003

Format No.: Reporting Date:

5.10 F-01 NIL. 27/12/2018

Receipt Date:

24/12/2018

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-Client Representative

Sample collected by Sampling Location Instrument Used

Instrument Code Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity Scope of Monitoring Control measure if Any Si mpling & Analysis Protocol

Sampling Duration Parameter Required Mr. Umesh Gawade

Vardan EnviroLab Representative

Village Kathli Sound Level Meter VEL/S/SLM/03 Calibrated Clear Sky

22/12/2018 to 23:12/2018 06:00 AM to 06:00AM

Min. 09.0 Max, 23.0 Human and Vehicular Activities

Regulatory Requirement

No any IS-9989 R-2003

24 Hours

As per Work Order

			Test Result dB (A)		
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	Unit
L.	l _{max}	IS 9989 R-2003	66.3	55 2	dB(A)
12	1 ₌₊ :	IS 9989 R-2003	40.2	45.8	dBcAT
3	199	IS 9989 R-2003	51.30	40.80	disca)
141	CPCB Limits in dB(A*) Leq (Residential Area)		55 00	45 00	dist(X)



TINSM (Checked By)

Page cof r

NOTE: a) The results listed refer only to the tested samples & applicable parameters
b) flotal habilities of our lab will be restricted to the invoice amount only
() the sample will be destrayed after creation time unless otherwise specched
a) this report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector-57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Sample Number:

Name & Address of the Party:

VEL/KWPCL/AN/04

M/s Korba West Power Company Limited Village Chhote Bhandar, Post Party Reference No.: office Bade Bhandar, Tehsil Pusspre, Dist.-Raigarh -496100 (Chhattisgarh

Test Report

Report No.:

VEL/AN/1812/24004

Format No.: 5.10 F-01 NIL

27/12/2018

Reporting Date: Receipt Date:

24/12/2018

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information; Client Representative Sample collected by

Sampling Location Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity Scope of Monitoring Control measure if Any

Sampling & Analysis Protocol Sampling Duration Parameter Required

Mr. Umesh Gawade

Vardan Envirol ab Representative

Village Chhote Bhandar Sound Level Meter

VEL/S/SLM/05 Calibrated

Clear Sky 21/12/2018 to 22/12/2018

06:00 AM to 06:00AM

Min 10.0 Max. 23.0

Human and Vehicular Activities Regulatory Requirement

No any

IS-9989 R-2003

24 Hours

As per Work Order

S. No.	Parameters	Protocol	Test Result dB (A)		
			Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	Unit
1	Leo	IS 9989 R-2003	67.2	57 3	dB(A)
2.	Los	IS 9989 R-2003	42.5	38.2	dB(A)
3	T _{et}	IS 9989 R-2003	53.70	42.50	dB(A)
4.	CPCB Limits in dB(A*) Leq (Residential Area)		55 00	45 00	dB(A)

Note *A "decibel" is a unit in which noise is measured

Page 1 of 1



Laboratory Samaspur, Sector-51, Opp. Amity School Gurugram - 122001 (Haryana) Regd. Office: D 142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/AN/05

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

Report No.:

VEL/AN/1812/24005

Format No.:

5-10 F-01 NIL 27/12/2018

Receipt Date:

24/12/2018

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Informations-Client Representative Sample collected by Sampling Location Instrument Used Institument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature ("C) Surrounding Activity Scope of Monitoring Control measure if Any Sampling & Analysis Protocol

Sampling Duration Parameter Required Mr. Umesh Gawade

Vardan EnviroLab Representative

Village Bade Bhandar Sound Level Meter VEL/S/SLM/04

: Calibrated Clear Sky

21/12/2018 to 22/12/2018 06:00 AM to 06:00AM

Min. 10.0 Max 23.0 Human and Vehicular Activities

Regulatory Requirement No any

IS-9989 R-2003 24 Hours As per Work Order

			Test Result dB (A)		
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	Unit
1,	L _{intax}	IS 9989 R-2003	67.2	51,1	dB/A
2	Louis	IS 9989 R-2003	41.5	36.8	dista.
3	1_1	IS 9989 R-2003	52.50	43 60	dB(A)
4)	CPCB Limits in dB(A*) Leq (Residential Area)		55 00	45.00	dB(A)

Note A decibel is a unit in which noise is measured.

FINSH (Checked By)

Page 1 of 1

NOTE: a) The results listed relier only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only
(c) The sample will be destroyed after releinton tine involes otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Project Name: Korba West Power Company Ltd., Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

2nd Quarterly Environmental Monitoring Report

Work Zone Noise Level Monitoring Locations

Location Code: -

N6- Site Office

N7-Behind Switchyard N8- Railway Entry Gate Project Name: Korba West Power Company Ltd.,

Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist. Raigarh -496100 (Chhattisgarh)

2nd Quarterly Environmental Monitoring Report



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram - 122001 (Haryana) Regd. Office: D-142, Sushant Lok = HI, Sector = 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/N/01

M/s Korba West Power Company Limited Village Chhote Bhandar, Post Party Reference No. office Bade Bhandur, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

Format No.: Reporting Date: VEL/N/1812/24001

5.10 F-01 NIL 27/12/2018

Receipt Date:

Report No.:

2 1/12/2018

Sample Description:

WORK ZONE NOISE LEVEL MONITORING

General Information:-Client Representative Sample collected by Sampling Location Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring Date of Monitoring

Time of Monitoring Ambient Temperature ("C) Scope of Monitoring Control measure if Any Sampling & Analysis Protocol

Sampling Duration Parameter Required Mr. Umesh Gawade

Vardan Envirol ab Team Site Office Sound Level Meter VEL/S/SLM/06

Calibrated Clear Sky 21/12/2018

10:30 AM to 11:00AM Min. 10.0 Max 23.0 Regulatory Requirement

No any

IS-9989 R-2003 24 Hours As per Work Order

S. No.	Parameters	Protocol	Test Result dB (A)	Unit
1. (ix ₁	IS 9989 R-2003	52.6	dBA
2 1	imits in dB(A*) Leq	7	85	dB(A)

decibel" is a unit in which noise is measured.

Sine (Checked By)

Page 1 of 1

a) the results listed refer only to the tested samples & applicable parameters b) Total liabilities of our lab will be restricted to the invoice amount only -) The sample will be distributed after retention time onless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Project Name: Korba West Power Company Ltd.,

Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

2nd Quarterly Environmental Monitoring Report



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram | 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/N/02

M/s Korba West Power Company Limited Village Chhote Bhandar, Post Party Reference No. office Bade Bhandar, Tebsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

Report No.:

VEL/N/1812/24002

Format No.:

5.10 F-01 NIL

Reporting Date:

27/12/2018

Receipt Date:

24/12/2018

Sample Description:

WORK ZONE NOISE LEVEL MONITORING

General Information:-Client Representative Sample collected by Sampling Location Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Scope of Monitoring Control measure if Any

Sampling & Analysis Protocol Sampling Duration Parameter Required

Mr. Umesh Gawade

Vardan EnviroLab Team

Behind Switchyard Sound Level Meter VEL/S/SLM/06

Calibrated Clear Sky

21/12/2018 13:00 AM to 13:30AM

Min. 10.0 Max. 23.0 Regulatory Requirement

No any

IS-9989 R-2003

24 Hours

As per Work Order

i. No.	Parameters	Protocol	Test Result dB (A)	Unit
í.	Lea	IS 9989 R-2003	53,6	dB(A)
2	Limits in dB(A*) Leq	-	85	dB(A)

A "decibel" is a unit in which noise is measured.

Sinen (Checked By)

Page 1 of 1

Project Name: Korba West Power Company Ltd.,

Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist. Raigarh -496100 (Chhattisgarh)

2nd Quarterly Environmental Monitoring Report



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram - 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/N/03

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

Report No.: Format No.: VEL/N/1812/24003

Party Reference No.: Reporting Date:

5.10 F-01 NIL 27/12/2018

Receipt Date:

24/12/2018

Sample Description:

WORK ZONE NOISE LEVEL MONITORING

General Information;-Client Representative Sample collected by Sampling Location Instrument Used Instrument Code

Instrument Calibration Status Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Scope of Monitoring Control measure if Any Sampling & Analysis Protocol

Sampling Duration Parameter Required

Mr. Umesh Gawade Vardan EnviroLab Team Railway Entry Gate Sound Level Meter

VEL/S/SLM/06 Calibrated Clear Sky 21/12/2018

14:00 AM to 14:30AM Min. 10.0 Max. 23.0

Regulatory Requirement

IS-9989 R-2003 24 Hours As per Work Order

S. No.	Parameters	Protocol	Test Result dB (A)	Unit
15	Lou	1S 9989 R-2003	58.7	dB(A)
2	Limits in dB(A') Leq		85	dB(A)

Page a tiffa

NOTE: a) the results listed refer only to the tested samples & applicable parameters b) frital liabilities of our labs will be instructed to the Invoire amount only () The sample will be distroyed after I receibing time unless otherwise specified d) This report is not to be reproduced wholly or an part and cannot be used as evidence in the court of law

4.3 Ground water Quality Analysis



Figure No.5. Plan Showing Ground Water Quality Monitoring Location Map

Location Code: -

GW1-Site Office

GW2- PalsadaVillage

GW3- Kthali Village

GW4- Chote Bhandar Village

GW5- Bade Bhandar Village



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram - 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector 57, Gurugram - 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/W/01

Report No :

VEL/W/1812/24001

Name & Address of Party:

M/s Korba West Power Company Limited

Format No.:

5.10 F-01

Village ChhoteBhandar, Post office Bade

Party Reference No Reporting Date:

NIL 27/12/2018

Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

Monitoring Date Sample Description: Sample Collected by

21/12/2018

Ground Water Level Monitoring

Vardan EnviroLab Representative

RESULTS

S. No.	Location	Latitude & Longitude	Depth (In meter
1.	Site Office	21°44'07.3"N & 83°15'01.4" E	6.7
2,	Village Palsada	21°44'07.3"N & 83°15'01.4" E	5,2
3	Village Kuthli	21°43'27.5"N & 83°16'25.2" E	6.0
4	Village ChhoteBhandar	21 ⁰ 43'48.5"N & 83 ⁰ 16'49.3" E	0.3
5,	Village Bade Bhandar	21 ⁰ 44'17.4"N & 83 ⁰ 16'49.3" E	6.8





4.4 Surface water Quality Analysis




Figure. No. 6. Plan Showing Surface Water Quality Monitoring Location Map

Location Code: - 1. Mad- Mand Nadi River (Up Stream)

2. Mad- Mand Nadi River (Down Stream)



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram - 122001 (Haryana) Regd_Office: D-142, Sushant Lok - III, Sector - 57, Gurugram | 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Samule Number:

Name & Address of the Party:

Sample Description: Sample Location: Sample Collected by:

Preservation:

Parameter Required:

Sampling and Analysis Protocol:

VEL/KWPCL/W/02

M/s Korba West Power Company Limited Village ChhoteBhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

SURFACE WATER SAMPLE Mand River (Up Stream) VardanEnviroLab Representative

Refrigerated As per 1S 10500-2012

IS-10500-2012, APHA 22nd Edition 2012

Report No.:

VEL/W/1812/24002 5.10 F-01

Format No.: Party Reference No : NIL Reporting Date:

27/12/2018

Period of Analysis: Receipt Date: Sampling Date:

24-27/12/2018 24/12/2018 22/12/2018

Sampling Quantity: Sampling Type:

2.0 Ltr Grab

S. No.	Parameter	Test-Method	Result	Unit
1	pH (at 25 °C)	APHA (22 nd Edition)2012, 4500-H ⁵ B	7.15	Tab
2	Colour	APHA (22 nd Edition)2012, 2120 B	4.0	Hazen
3.	Turbidity	APHA (22 ⁿ³ Edition)2012, 2130 B	5.0	2011
1.	Chloride as CL	APHA 22nd Edition, 4500-CI-B	19,5	(10 g I
5	Total Hardness as CaCO ₁	APHA (22nd Edition)2012, 23 l0 C	57.4	ing f
	Calcium as Ca	APHA (22 ^{h3} Edition)2012, 3500 Ca B	16.2	mgt
7	Alkalinity as CaCO ₃	APHA (22 nd Edition)2012, 2320 B	59,0	mgt
8	BOD (3 Days at 27 °C)	IS 3025,P-44,1999 (Reaffirmed 2003)	8,0	MgT
)	COD	APHA 22nd Edition 2012, 5220 B	29,0	ling.)
10	Dissolved Oxygen	APHA 22nd Edition 2012, 4500	6.8	mg/
11	Residual free Chlorine	APHA 22 ⁻¹ Edition, 4500 CI- B	BDL(DL 0,2mg/l)	ing i
12	Cyanide as CN	APHA (22 nd Edition)2012, 4500 (N D	*BDL (**DL 0.02 mg/l)	mgl
3	Magnesium as Mg	APHA (22 nd Edition)2012, 3500 Mg B	4.12	100 / 1
14.	Lotal Dissolved Solids	APHA (22 rd Edition)2012, 2540 C	88.0	965C 1
15	Sulphate as SO ₄	APHA (22 ^{of} Ldition)2012_1500 F	163	main 1
6	Fluoride as F	APHA (22 nd Edition)2012, 4500-F/D	(1,2()	10.2
7	Nitrate as NO ₃	IS 3025 (P-34) 2003	7,42	mig L
8	Iron as Fe	APHA (22 nd Edition)2012, 3500-Fe B	0.15	angl
9	Chromium as Ca b'	APHA (22nd Edition)2012.G11118	*BDL (**DL 0.03 BTRO)	. 0021

Finely (Checked By)

NOTE: i) the results listed refor only to the tested samples & applicable parameters

b) Intal liabilities of our liab will be restricted to the invoice annount only
() the sample will be distroyed after retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the rount of law



Laboratory: Sarnaspur, Sector-51, Opp. Amity School Gurugram 122001 (Haryana) Regd. Office: D.142, Sushant Lok - Itl, Sector - 57, Gurugram 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample N		VEF/KWPCL/W/02		VEL/W/1812/24002	
S. No	Parameter	Test-Method	Result	Unit	
20	Phenolic Compounds	APHA (22 ⁿ⁴ Edition)2012, 5530 C	*BDL(**DL 0.001 mg/l)	mg?	
21	Anionic Detergents as MBAS	APHA (22 ^{cd} Edinom2012, 5540 C	*BDL(**D1_0.62 mg/l)	mgll	
22	Zine as Zn	APHA (22 nd Fdition)2012, 3111 B	0.14	Jingt	
23	Oil & Grease	APHA 22nd Edition, 5220 JE	* BDL(**DL 0.2 mg/l)	med	
24	Copper as Cu	APILA (22 Edition)2012, 3111 B	* BDL(**DL 0.03 mg/l)	nig/l	
25	Manganese as Mn	APITA (22 rd Edition)2012, 3111 II	*BDL (**DL 0.06 mmg/l)	mgd	
26	Cadmium as Cd	APHA (22nd Edition)2012, 3111 B	*BDL(**DL 0.06 mg/l)	Tent	
27	Lead as Pb	APDA (22nd Edition)2012, 3111 B	*BDL(**DL 0.13mg/l)	Jug L	
28_	Selenium as Se	APHA (22 rd Edition)2012, 314-1 B	*BDf (**D1, 0.0f mg/l)	Mg.I	
29	Arsenic as As	APIIA (22 rd Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mg/l	
10.	Mercury as Hg	APHA (22" Edition) 2012, 3142 B	*BDL (**DL 0.031 mg/l)	mg f	
	Aluminium as Al	APHA (22° L Edition)2012, 3111 B	*BDL(**DL.0,03 mg/l)	Tig/1	
2	Boron	APHA (22 Edition)2012, 4500B C	*BDL(**DL 0.1 mg/l)	mg I	

Note: - *BDL-Below Detection Limit. **DL- Detection Limit

(Checkeil By)

Page 2 of 2

NOTE: a)The results listed refer only to the tested samples & applicable parameters
b) fotal liabilities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and support be used as evidence in the court of law



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram =122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCT/W/01

M/s Korba West Power Company Limited Village ChhoteBhandar, Post office Bade Bhandar,

Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

SURFACE WATER SAMPLE

Sample Description: Sample Location: Sample Collected by:

Preservation: Parameter Required:

Sampling and Analysis Protocoli-

Mand River (Down Stream) VardanEnviroLab Representative Refrigerated

As per IS 10500-2012 IS-10500-2012,APHA 22nd Edition 2012

Report No.:

V11/W/1812/24001

Format No.: Party Reference No.: Reporting Date:

5.10 F-01 NIL 27/12/2018

Period of Analysis: Receipt Date: Sampling Date: Sampling Quantity: Sampling Type:

24-27/12/2018 24/12/2018 22/12/2018

2.0 1 tr

S. No.	Parameter	Test-Method	Result	Unit
1	pH (at 25 °C)	APHA (22 rd Edition)2012 4500-H [*] B	7,10	
·	Colour	APHA (22 nd Edition)2012, 2120 B	4,0	Hazen
3	Lurbidity	APHA (22 ^{nJ} Edition)2012, 2130 B	3.0	830
1	Chloride as Cl	APHA 22nd Edition_4500-C4- B	25.9	lings
5.	Total Hardness as CaCO3	APHA (22 ⁶³ Edition)2012, 2340 C	82.5	ling f
(1	Calcium as Ca	APHA (22° J Edition)2012_3500 Ca B	12.6	30.93
7	Alkalinity as CaCO ₃	APHA (22% Edition)2012, 2320 B	86.0	tigut
S	BOD (3 Days at 27 °C)	IS 3025,P-11,1999 (Realfirmed 2003)	10,5	Dyni
)_	COD	APHA 22nd Edition 2012, 5220 B	31.8	ling I
10	Dissolved Oxygen	APHA 22nd Edition 2012, 4500	7,0	mgd
1.1	Residual free Chlorine	APITA 22 ^{to2} I dition, 1500 CI- B	BD1 (GL 0.2mg/l)	Nijijed
12	Cyanide av CS	APHA (22nd Lattion)2012 4500 CN/D	*BD1 (**D1 0.02 mg/l)	460
13	Magnesium as Mg	APHA (22 ⁿ³ t dition)2012, 3500 Mg B	2,40	ling I
H	Total Dissolved Solids	APHA (22 nd 1 dition)2012 2510 C	114.0	16702-1
15	Sulphate in SO ₄	APHA (22 nd 1 dition)2012, 4500 I	18.5	111111
16	Fluoride as F	APHA (22 ⁿ³ Edition)2012 4500-1 D	0.22	Hel
7	Nitrate as NO ₃	IS 3025 (P-34) 2003	7.86	miéd
8	Iron as Fe	APHA (22 rd Edition)2012_3500-Fe B	0.20	1916.1
19.	Chromium as Cr^{b}	APHA 1222 1 dition)2012, 3111 B	*BDL(**DL 0.03 mg/l)	met







Laboratory: Samaspur, Sector 51, Opp. Amity School Gurugram = 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector = 57, Gurugram = 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample S	io_	VEL/KWPCL/W/01	Report No.:	VEL/W/1812/24001	
S. No	Parameter	Test-Method	Result	Unit	
20	Phenolic Compounds	APHA (22 ⁿ³ Edition)2012, 5530 C	*BDL(**DL 0.001 mg/l) mg/t	
21	Anionic Detergents as MBAS	APHA (22 nd Edition)2012, 5540 C	*BD1.(**D1_0.02 mg/l	light (
22	Zine as Zn	APHA (22 nd Edition)2012, 3111 B	0.15	mgil	
23	Oil & Grease	APHA 22nd Edition, 5220 E	* BDL (**DL 0-2 mg/l)	Eggi	
24	Соррег яз Си	APHA (22 ⁿ¹ Edition)2012, 3111 B	* BDL (**DL 0.03 mg/l) ingil	
25	Manganese as Mn	APHA (22 nd Edition)2012 ₁ 3111 B	*BD1 (**D1 0.06 mmg/	I) 10g/1	
26	Cadmium as Cd	APHA (22 nd Fdition)2012, 3111 B	*BDL(**DL, 0.06 mg/l) mg//	
27	Lend as Pb	APHA (22 ⁶³ Edition)2012, 3111 B	*BD1 (**D1, 0.13mg/l)	Tgm	
28	Selenium as Se	APHA (22 ^{ns} Edition)2012, 341-LB	*BDL(**DL 0.01 mg/f	Pogiti	
24	Arsenic as As	APHA (22 ^{5d} Edition)2012, 3114 B	*BD1 (**D1_0.01 mg/l)	miyo)	
30	Mercury as Hg	APHA (22 nd Edition)2012_3112 B	*BDL (**DL-0,001 mg/	D iiigh)	
31	Aluminium as Al	APHA (22 rd Edition)2012, 3111 B	*BDL(**DL 0.03 mg/l)	uigil	
32	Boron	APHA (22 nd Edition)2012, 4500B C	*BDL(**DL0 Lmg/i)	1642.1	

Note = "BDI -Below Detection Limit, ""DI - Detection Limit

V (Tested By)

(Checked By)

NOTE: a)The results listed refer only to the rested samples & applicable parameters

b) fatal liabilities of cure lab with bir restricted to the invoice amount only.

C) The sample will be destroyed after retention time unless oftensives expected.

d) this report is not to be reproduced wholly or an part and cannot be used as evidence in the usual of law.




Figure. No. 7. Plan Showing Surface Water Quality Monitoring Location Map

Location Code: - 1 Mahanadi River Up Stream

2 Mahanadi River down Stream



Laboratory: Samaspur, Sector-51, Opp. Amily School Gurugram - 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Sample Description:

Sample Location: Sample Collected by:

Preservation:

Name & Address of the Party:

VEL/KWPCL/W/04

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar,

Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

SURFACE WATER SAMPLE

Mahanadi (Up. Stream)

VardanEnviroLab Representative

Refrigerated

Parameter Required: Sampling and Analysis Protocol: Report No.:

A E1 /AV/1812/24004

Party Reference No.:

Format No.:

5.10 1-01 NIL 27/12/2018

Reporting Date: Period of Analysis: Receipt Date:

24-27/12/2018 24/12/2018 22/12/2018

Sampling Date: Sampling Quantity: Sampling Type:

2.0 Litr Grab

As per 1S 10500-2012 1S-10500-2012, APHA 22nd Edition 2012

S. No.	Parameter	Test-Method	Result	Unit
li.	pH (at 25 °C)	APHA (22 ⁿ³ L dition)2012, 4500-11 ^r B	7.02	
2	Colour	APHA (22nd Edition)2012, 2120 B	4,0	Hhzei
E.	Turbidity	APHA (22 nd Edition)2012, 2130 B	5,0	NII
1	Chloride as Cl	APITA 22nd Edition, 1500-CI- B	22,3	mix I
5	Total Hardness as CaCO ₁	APHA (22 ⁶³ 1 dition)2012, 2340 C	701.2	mic
6	Calcium as Ca	APHA (22 ^{nt} Edition)2012, 3500 Ca B	17.5	Majo
7	Alkalinity as CaCO ₃	APHA (22nd Edition)2012, 2320 B	25.0	Ingili
8	BOD (3 Days at 27 °C)	IS 3025,P-44,1999 (RealTirmed 2003)	8.2	mg
ı)_	COD	APHA 22nd Edition 2012, 5220 B	25.3	angel
10.	Dissolved Oxygen	APHA 22nd Edition 2012, 4500	7.5	1002
11	Residual free Chlorine	APHA 22nd Edition, 4500 CI- B	BDL(DL 0.2mg/l)	288
12	Cyanide as CN	APHA (22 nd Edition)2012 4500 CN/D	*BDL(**DL 0.02 mg/l)	:11(2)
13	Magnesium as Mg	APHA (22 nd Edition)2012_3500 Mg B	6,44	:0mc1
FI.	Total Dissolved Solids	APHA (22 ⁿ¹ Edition)2012, 2540 C	117.0	1027
15	Sulphate as SO ₄	APHA (22 nd Edition)2017 1500 I	17.2	me
16	Fluoride as F	APHA (22 ^{wt} Edition)2012 4500-F D	0,22	mol
17	Nitrate as NO,	IS 3025 (P-31) 2003	8.0	me
18	Iriin as Fe	APHA (22% Edition)2012, 3500-Fe B	0.20	.011
19.	Chromium as Cr **	APHA (22 nd Ldition)2012, 3111 B	*BDL(**DL 0,03 mg/)	mg

SINFM (Checked By)

NOTE: a) the results listed refer only to the rested samples & applicable parameters b) forat habilities of our fall will be restricted to the invarier amount only c) the sample will be distributed as the retention time unless otherwise specified d) this report is not to be reproduced wholly or in part and cannot be used as equience in the court of law.

THE DATA ADDADE PROGRESSES ANTICOARTS I E-mail-lab@uavdanonvironot com I www.wardan.ro.in



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram = 122001 (Haryana) Regd_ Office: D-142, Sushant Lok = III, Sector = 57, Gurugram = 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample No.:		VEL/KWPCL/W/04	Report,No.	VEL/W/1812/24004
S. No	Parameter	Test-Method	Result	Unit
20,	Phenolic Compounds	APHA (22"5 Ldition)2012, 5530 C	*BDL(**DL 0.001 mg/l)	. mel
21	Anionic Detergents as MBAS	APHA (22 nd Edition)2012, 5540 C	*BDL(**DL 0.02 mg/l)	Type
22	Zinc as Zn	APHA (22nd Edition)2012, 3111 B	0.19	mgII
23	Oil & Grense	APHA 22nd Edition, 5220 F	* BDL (**D1. 0.1 mg/l)	ille i
24	Copper as Cu	APHA (22nd Edition)2012, 3111 B	* BDL(**D1, 0,03 mg/l)	mg4
25	Manganese as Mn	APHA (22 nd Edition)2012, 3111 B	*BDL(**D1, 0.06 ming/l)	mpt
26	Cadmium as Cd	APHA (22 nd Edition)2012 ₁ 3111 B	*BDL(**D1 0.06 mg/l)	mgd
27	Lead as Pb	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.13mg/l)	Digm
28	Selenium as Se	APHA (22 nd Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	leju .
29	Arsenic as As	APHA (22 rd Edition)2012, 3114 B	*BDL(**D1. 0.01 mg/l)	ngrl
30	Mercury as Hg	APHA (22 ⁿ¹ Edition)2012 ₁ 3112 B	*BDL (**DL 0 001 mg/l)	myd
31	Aluminium as Al	APHA (22 ⁿ³ Edition)2012, 3111 B	*BDL(**DL 0 0.3 mg/l)	nesi.
12	Boron	APHA (22 ⁿ³ Ldition)2012, 4500B (*BDL(**DL.0,1 mg/l)	ingst

Note: - *BDI -Below Detection Limit. **DL- Detection Limit

(Checked By)

Page 2 of 2

NOTE: a) the results listed refer only to the fested samples & applicable parameters
b) fotal liabilities of our lab will be restricted to the invoice incount only
c) The sample will be destroyed after resention time unless atherwise specified
d) this report is not to be reproduced wholly or in part and cannot be used as eadence in the court of law



Laboratory: Samaspur, Sector 51, Opp. Amity School Gurugram = 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector = 57, Gurugram = 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample Number:

Sample Description:

Sample Collected by:

Sample Location:

Preservation:

Name & Address of the Party:

M/s Korba West Power Company Limited Village ChhoteBhandar, Post office Bade

Refrigerated

Parameter Required:

Sampling and Analysis Protocol:

VEL/KWPCL/W/03

Bhandar, Fehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

SURFACE WATER SAMPLE Mahanadi (Down Stream) VurdanEnviroLab Representative

As per 15 10500-2012

18-10500-2012,APHA 22nd Edition 2012

Report Nois

VE1/W/1812/24003

Format No.: Party Reference No.:

5.10 F-01 NIL

Reporting Date: Period of Analysis: Receipt Date: Sampling Date:

27/12/2018 24-27/12/2018 24/12/2018 22/12/2018

Sampling Quantity: Sampling Type:

2.0 Ltr Grab

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C')	APHA (22 rd Edition)2012, 4500-H ^a B	7,07	1-
2	Colour	APHA (22 nd Edition)2012, 2120 B	4,0	Hazer
3	Turbidity	APHA (22 nd Edition)2012, 2130 B	3.0	VIII
1	Chloride as Cl	APHA 22nd Edition, 4500-CI- B	28.5	mel
4	Fotal Hardness as CaCO ₃	APUA (22 ⁿ⁵ Fdition)2012, 2340 C	38.4	mgf
n	Calcium as Ca	APHA (22 ⁿ⁴ Edition)2012_3500 Ca B	20,3	10067
7	Alkalinity as CaCO ₃	APBA (22 ⁿ³ Edition)2012, 232043	132.0	hij-I
8	BOD (3 Days at 27 °C)	IS 3025,P-14.1999 (Reaffirmed 2003)	8.7	Tight.
9	COD	APHA 22nd Edition 2012, 5220 B	27.1	mgi
10;	Dissolved Oxygen	APHA 22nd Edition 2012, 4500	8.0	, mgd
11.	Residual free Chlorine	APHA 22 rd Edition, 1500 CI-B	BDL(DL 0.2mg/t)	.008/
12	Cyanide as CN	APHA (22 rd Edition)2012, 4500 CN/D	*BDL(**DJ_0.02 mg/l)	med
13	Magnesium as Mg	APIIA (22 ⁿ³ Edition)2012, 3500 Mg B	9.17	, mg J
14	Total Dissolved Solids	APITA (22nd Edition)2012, 2540 €	130,0	Lym
15	Sulphate as SO ₄	APHA (22 nd Edition)2012, 4500 F	23.6	mgsf
16;	Fluoride as F	APHA (22 rd Edition)2012, 4500-F D	0.25	mgd
17	Nitrate as NO ₃	IS 3025 (P-34) 2003	9,0	mpl
18	Iron as Fe	APHA (22 nd 1-dition)2012, 3500-Le B	0.22	mr1
(9)	Chromium as Cr	APHA (22 nd Edition)2012_3111 B	*BDL(**DL-0.03 mg/b_	my A

(Checked By)

Tested Byt



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram - 122001 (Haryana) Regd_Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample	So. VEL/K	VEL2KWPCL/W/03		VEL/KWPCL/W/03 Report No.		1817/24003
S. No	Parameter	Test-Method	Result	Unit		
20	Phenolic Compounds	APHA (22° Edition)2012, 5530 C	*BDL(**D1, 0,001 mg/l)	Tgm		
21:	Anionic Detergents as MBAS	APHA (22*1 Edition)2012, 5540 C	*BDL(**DL 0 02 mg/l)	mgd		
22	Zinc as Zn	APHA (22 ⁿ¹ Edition)2012, 3111 B	0.28	Hig: I		
23	Oil & Grease	APITA 22nd I dition, 5220 F	* BDL(**DL 0,2 mg/l)	-mar-f		
24	Copper as Cu	APHA (22 nd Edition)2012, 3111 B	* BDL(**Dt_0.03 mg/l)	mgd		
25	Manganese as Mn	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.06 ming/l)	rugel		
26	Cadmium as Cd	APHA (22 nd Edition)2012, 3111 B	*BDL(**D1_0.06 mg/l)	mý.t.		
27	Lead as Ph	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.13mg/l)	nigl		
28	Selenium as Se	APHA (22 ^{ret} Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mul		
29	Arsenic av As	APHA (22nd Edition)2012, 3114 B	*BDL(**D1_0.01 mg/l)	Toggs T		
10.	Mercury as Hg	APHA (22 nd Edition)2012, 3112 B	*BDL (**DL 0.001 mg/l)	Trigin		
3	Aluminium as Al-	APHA (22nd Edition)2012, 3111 B	*BDL(**DL 0:03 mg/l)	667		
2	Boron	APHA (22°d Edition)2012, 4500B C	*BDL(**D1, 0.1 mg/l)	mge l		

Note: - *BDL-Below Detection Limit, **DL- Detection Limit

UTTested By

Sinsu (Checked Hy)

Panerson a

NOTE: a) The results likeled refer unit to the tested samples & applicable parameters
b) folial liabilities of our lab will be restricted to the invoice impount only
c) The sample will be destroyed after pretention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Live

4.5 Soil Quality Analysis



Figure No. 8. Plan Showing Soil Sample Monitoring Location Map

Location Code: -

S1- PalsadaVillage

S2- Kthali Village

S3- Chote Bhandar Village

S4- Bade Bhandar Village

S5- Nursery



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram - 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Sample Description:

Sample Collected by:

Sample Location:

Packing Status:

VEL/KWPCI/S/01

Name & Address of the Party

M/s -Kurba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

SOIL SAMPLE

Village- Palsada

Temp Sealed As per Work Order

Parameter Required: Sampling and Analysis Protocol: Vardan EnviroLab Team

IS 2720, USEPA 3050B & USDA

Report Non Format No.: VEL/ S/1812/24001

Party Reference No.: Reporting Date:

5.10 F-01 NIL 27/12/2018

Period of Analysis: Receipt Date:

24-26/12/2018 24/12/2018 21/12/2018

Sampling Date: Sampling Quantity: Sampling Type:

2.0 Kg Composite

S. No.	Parameter	Test-Method	Result	Unit
L	pH (at 25 °(')	IS - 2720 (P-26,RA2011)	7.44	
2.	Conductivity	IS:14767-2000 Reattirmed 2006		
3	Soil Texture		0,387	ni S ch
1.	Color	IS : 2720 (P-4, RA 1995)	Sifty Loam	100
		LSDA Method, 1968	Yellowish Red	
5	Water holding capacity	USDA Method, 1968	30.5	
6	Bulk density	LISDA Method, 1968	1.36	lan-ce
7	Chloride as Cl	USDA Method, 1968	87.5	mekg
8	Calcinm as Ca	USDA Method, 1968	425:0	meKe
()	Sodium as Na	USDA Method, 1968	76.3	nig ki
10:	Potassium as K	USDA Method, 1968	115.2	kg hec
li I	Organic Matter	18:2720 (P-22, RA2009)	0.70	
12	Magnesium as Mg	USDA Method, 1968	85.26	ing kg
13.	Available Nitrogen as N	IS:14684, RA2006	225.0	kg hec
4	Available Phosphorus	USDA Method 1968	24,3	kg hec
15	Zinc (as Zn)	USEPA 3050B	17.2	ing kg
6	Manganese (as Mn.)	USEPA 3050B	165.0	nig kg
7	Lead (as Ph)	DSEPA 3050R	4.2	moke
8	Cadmium (as Cd)	USUPA 3050B	0.74	meke
9	Chromium (as Cr)	USFPA 3050B	1-2	ORDER TO
0.	Copper (as Cu)	USI PA 3050B	14.2	Mary Lan

Sinsy (Checked By)

NOTE: i)The results listed celer only to the reside samples & applicable parameters

6) Total highlites of our lab will be restricted to the invoice amount only

7) The sample will be destracted after retention throughout problems of between specified

d) This import is not to be reproduced wholly or in part, and carnot be used in a cycleric or the court of law.



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram = 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post

Sample Description: Sample Location: Sample Collected by:

Packing Status: Parameter Required:

Sampling and Analysis Protocol:

VEL/KWPCL/S/02

office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

SOIL SAMPLE Village-_Kathli Vardan EnviroLab Team Temp Sealed

As per Work Order

IS 2720, USEPA 3050B & USDA

Report No.:

Format No.: Party Reference No.:

Reporting Date: Period of Analysis: Receipt Date:

Sampling Date: Sampling Quantity: Sampling Type:

VEL/S/1812/24002 5.10 F-01

NIL27/12/2018

24-26/12/2018 24/12/2018 21/12/2018 2.0 Kg

Composite

S. No.	Parameter	Test-Method	Result	Unit
(tec	pl] (at 25 °C)	IS: 2720 (P-26,RA2011)	7.66	-
2	Conductivity	IS:14767-2000 Reaffirmed 2006	0.335	m/S cm
3.	Soil Texture	IS: 2720 (P-4, RA1995)	Silty Loam	
4.	Color	USDA Method, 1968	Vellowish Red	10
5	Water holding capacity	USD V Method, 1968	30.2	75
6,	Bulk density	USDA Method, 1968	1.32	29858
7	Chiloride as CI	USDA Method_1968	68.2	meke
8	Caleium as Ca	USDA Method, 1968	362.1	mg kg
9.	Sodium as Na	USDA Method, 1968	76.5	mg kg
10	Potassium as K	USDA Method, 1968	135.6	kg hee
II.	Organic Matter	IS:2720 (P-22, RA2009)	0.80	
12.	Magnesium as Mg	USDA Method, 1968	7,4,5	mg kg
13	Available Nitrogen as N	IS:14684, RA2006	279,5	kg hec
14.	Available Phosphorus	USDA Method, 1968	30.2	kg hee
15.	Zinc (as Zn)	USEPA 3050B	13.5	mit kg
16.	Manganese (as Mn)	USEPA 3050B	179.0	mirke
17.	Lead (as Pb)	USEPA 3050B	40	Heli Ka
18	Cadmium (as Cd.)	USEPA 3050B	0.71	etter kan
[9]	Chromium (as Cr)	USEPA 3050B	1.8	make
200	Copper (as Cu)	1 SEPA 3050B	15.2	mg kg
			EN	List.

STARN (Checked By)

Page Lora

NOTE: all the results listed refer only to the tested samples & applicable parameters b) Total habilities of our lab will be restricted to the Invoice amount only c) the sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the chirt of Law



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram - 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number!

Name & Address of the Party:

VEL/KWPCL/S/03

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore,

Dist.-Raigarh -496100 (Chhattisgarh) SOIL SAMPLE

Sample Description: Sample Location: Sample Collected by:

Village-Chhote Bhandar Vardan EnviroLab Team

Packing Status:

Temp Sealed As per Work Order

Parameter Required: Sampling and Analysis Protocol:

IS 2720, USEPA 3050B & USDA

Report No.:

VEL/ S/1812/24003 Format No.: 5.10 F-01

Party Reference No.:

NII. 27/12/2018

Reporting Date: Period of Analysis: Receipt Date:

24-26/12/2018 24/12/2018 21/12/2018

Sampling Quantity: Sampling Type:

Sampling Date:

2,0 Kg Composite

S. No.	Parameter	Test-Method	Result	Unit
1	pH (at 25 °C')	IS : 2720 (P-26 RA2011)	7,52	-
2	Conductivity	18:14767-2000 Reaffirmed 2006	0.318	ижен
3,	Soil Texture	IS: 2720 (P-4, RA1995)	Silty Loam	64
4	Color	USDA Method, 1968	Yellowish Red	5-4
5.	Water holding capacity	USDA Method, 1968	26.3	70.3
6	Bulk density	USDA Method, 1968	1,30	gruco
7	Chloride as Cl	USDA Method, 1968	55.2	tityi ku
8	Calcium as Ca	USDA Method, 1968	342.0	me ku
9	Sodium as Na	USDA Method, 1968	60.0	mg, kg
10)	Potassium as K	USDA Method, 1968	128.3	ke hec
11	Organic Matter	IS:2720 (P-22, RA2009)	0.70	77%
12	Magnesium as Mg	USDA Method, 1968	75.3	niv ki
13	Available Nitrogen as N	IS:14684, R \2006	289,1	Age has
141	Available Phosphorus	USDA Method, 1968	25,6	kg ho
1.5	Zinc (as Za)	USEPA 3050R	14,2	111g/3 _d
16	Manganese (as Mn.)	USEPA 3050B	160.0	ng ki
17.	Lead (as Pb)	USEPA 3050B	4.8	ng/k
18	Cadmium (as Cd)	USUPA 3050B	0.78	mg ki
19:	Chromium (as Cr)	USI PA 3050B	1,4	ongs ka
20.	Copper (a) Cu)	USEPA 3050W	16.2	ng k



(Checked By)



NOTE (a) The results nated refer or by to the tested semples & auphs able parameters.

b) I data Rabibes of our lab will be restricted to the invoice amount only.

c) the sample will be destroyed after resention time unite, otherwise specified.

d) This report is not to be reproduced wholly or in part and cannot be used as madence in the court of law.



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram - 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post

Sample Description: Sample Location: Sample Collected by:

Packing Status:

Village-Bade Bhandar Vardan EnviroLab Team

Parameter Required:

Sampling and Analysis Protocol:

VEL/KWPC1/8/04

office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh) SOIL SAMPLE

Temp Sealed As per Work Order

18 2720, USEPA 3050B & USDA

Report No.:

Format No.:

Party Reference No.:

Reporting Date: Period of Analysis:

Receipt Date: Sampling Date: Sampling Quantity: Sampling Type:

VEL/ S/1812/24004

5.10 F-01

NIL. 27/12/2018

24-26/12/2018 24/12/2018 21/12/2018

 $2.0~{
m Kg}$ Composite

5. No.	Parameter	Test-Method	Result	Luit
1	pH (at 25 °C)	IS: 2720 (P-26,RA2011)	7,69	-
2	Conductivity	IS:14767-2000 Reaffirmed 2006	0.351	mSter
1	Soil Texture	IS = 2720 (P-4, RA1995)	Silty Loam	W
1	Color	USDA Method, 1968	Yellowish Red	70.7
ň	Water holding capacity	USDA Method, 1968	3011	10
(i)	Bulk density	USDA Method, 1968	1,28	gin c
7	Chloride as CI	USDA Method, 1968	60.3	nig/k
К.,	Calcium as Ca	USDA Method, 1968	463.2	mg/k
)	Sodium as Na	USDA Method 1968	60.1	mgk
10.	Potassium as K	USDA Method, 1968	165,9	kg he
(1)	Organic Matter	IS:2720 (P-22, RA2009)	0.92	700
2.	Magnesium as Mg	USDA Method, 1968	90.2	muski
13	Available Nitrogen as N	IS:14684, RA2006	338.1	kg he
4.	Available Phosphorus	USDA Method, 1968	32,5	kg he
5.	Zinc (as Zn)	USEPA 3050R	13.2	me K
16	Manganese (as Mn.)	USEPA 3050B	146 2	mpkj
7	Lead (as Pb)	USFPA 3050B	3.1	ang ka
8	Cadmium (as Cd.)	USEPA 3050B	0.70	mar ka
9.	Chromium (as Cr)	USEPA 3050B	1,3	me fo
0.	Copper(as Cu)	USFPA 3050B	16,8	mgkj



(Checked By)

NOTE: a)The results listed refer only to the tested samples & approache parameters
b) folial habitities of our lab will be restricted to the invoice amount only
c) the sample will be destroyed after retention time unless otherwise specified
d) This report is not in the reproduced whilly or in pair and cannot be overday evidence in the court of law



Laboratory: Samaspur, Sector-S1, Opp. Amity School Gurugram - 122001 (Haryana) Regrl. Office: D 142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MOEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/S/05

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post

Sample Description: Sample Location: Sample Collected by:

Packing Status: Parameter Required:

As per Work Order

Sampling and Analysis Protocol:

office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

SOIL SAMPLE Nursery

Vardan EnviroLab Team Temp Scaled

IS 2720, USEPA 3050B & USDA

Report No.:

Format No.:

Party Reference No.: Reporting Date:

Period of Analysis:

Receipt Date: Sampling Date: Sampling Quantity: Sampling Type:

VEL/S/1812/24005

5.10 F-01 NIL

27/12/2018 24-26/12/2018 24/12/2018

21/12/2018 2:0 Kg Composite

S. No.	Parameter	Test-Method	Result	Unj
1.	pH (at 25 °C)	IS : 2720 (P-26,RA2011)	7,68	
2	Conductivity	IS:14767-2000 Reaffirmed 2006	0,329	018/20
1	Soil Texture	IS: 2720 (P-4, RA1995)	Silty Loan	
4, -	Color	USDA Method, 1968	Vellowish Red	
5	Water holding capacity	USDA Method, 1968	24.3	
0.	Bulk density	USDA Method, 1968	1.30	Part Co
7	Chloride as C1	USDA Method, 1968	64.8	ma ki
88	Calcium as Ca	USDA Method, 1968	275.3	mig ka
9	Sodium as Na	USDA Method, 1968	77.5	mg kg
10.	Potassium as K	USDA Method, 1968	148.2	kg hec
H.	Organic Matter	IS:2720 (P-22, RA2009)	0.62	100
12,	Magnesium as Mg	USDA Method, 1968	66.3	mg kg
131	Available Nitrogen as N	IS:14684, RA2006	266.9	kg med
4	Available Phosphorus	USDA Method, 1968	26.3	kg her
5.	Zinc (as Zn)	USLPA 3050B	13:5	little ke
h	Manganese (as Mn.)	USEPA 3050B	155.0	mg kg
7	Lead (as Pb)	1 SFPA 3030B	4.1	Higgskar
8	Cadmium (as Cd)	USEPA 3030B	0.60	mg kg
9	Chromium (as Cr)	USUPA 3050B	3.1	ong ke
0.	Copper (as Cu)	USEPA, 3050B	13.8	mgAg



insol (Checked By)



NOTE: a) the results isted refer unity to the tested samples & applicable parameters
b) foliabilithms of our lab will be restricted to the invoice amount only.
C) the sample will be destroyed after retention time unless otherwise specified.
d) this report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.

Project Name: Korba West Power Company Ltd., Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

2nd Quarterly Environmental Monitoring Report

4.6 Effluent Sample Analysis Report

Locations

- 1. STP Outlet
- 2. ETP Outlet



Laboratory: Samaspur, Sector-51, Opp. Amity School Gurugram = 122001 (Haryana) Regd_Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/WW/01

Name & Address of the Party

M/s Korba West Power Company Limited Village Chhote Bhandar, Post

office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh) WASTE WATER SAMPLE

STP Outlet

Sample Description: Sample Location:

Sample Collected by: Preservation:

Parameter Required: Analysis Protocol:

Vardan Envirolab Team Refrigerated

As per work order APHA 22nd Edition 2012 Report No.:

VEL/WW/1812/24001 5.10 F-01

Format No.: Party Reference No.:

NIL 27/12/2018

Reporting Date: Period of Analysis: Receipt Date:

24-27/12/2018 24/12/2018 22/12/2018

Sampling Date: Sampling Quantity:

2.0 L(r

		Test-Method	Result	Unit	*Standards		
S, No.	Parameter				In-Land Surface Water	Public Sewers	Land for trrigation
1	pH (at 25 °C)	APHA 22nd Edition 2012, 4500-H+ B	7 12	mgl	5.5 to 9.0	5.5 to 2.0	5.5 to 9.0
2.	BOD (3 Days at 27 °C)	1S 3025,P-44,1999 (Reaffirmed 2003)	28.2	mg I	30	.1500	100
3	COD	APHA 22nd Edition 2012, 5220 B	109.2	mgd	250	541	
4	Lotal Suspended Solids	APHA 22nd Edition 2012, 2540 D	24.1	ingl	100	6481	200
5/	Oil and Crease	APHA 22nd Edition 2012,5520 B	0.8	mg/l	10	20	10

(Tested By)

Checked By)

Page Little

Project Name: Korba West Power Company Ltd.,

Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

2nd Quarterly Environmental Monitoring Report



Laboratory: Samaspur, Sector-S1, Opp. Amily School Gurugram - 122001 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/WW/02 M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsit Pussore, Dist.-Raigarh -496100 (Chhattisgarh) WASTE WATER SAMPLE

ETP Outlet

Vardan Envirolab Team

Refrigerated

Parameter Required: Analysis Protocol:

Sample Description:

Sample Collected by:

Sample Location:

Preservation:

As per work order APHA 22nd Edition 2012 Report No.:

VEL/WW/1812/24002 Format No.: 5.10 F-01

Party Reference No.: Reporting Date:

NIL 27/12/2018

Period of Analysis:

24-27/12/2018

Receipt Date: Sampling Date:

24/12/2018 22/12/2018

Sampling Quantity:

2.0 Ltr

S. No.	Parameter	rest-Method				*Standard	S
			Result	Unit	In-Land Surface	Public Sewers	Land for Irrigation
6	plf (at 25 °C)	APHA 22nd Edition 2012, 4500 H+ B	7.76	me/l	5.5 to 9.0	551.00	
7.	BOD (3 Days at 27 °C)	1S 3025,P-44,1999 (Reaffirmed 2003)		ingii	331090	2.2.10.9.0	5.566900
8	COD		22,5	mgd	70:	350	100
0	COD	APHA 22nd Edition 2012, 5220 B	86.3	mg.f	230		
9	Total Suspended Solids	APHA 22nd Edition 2012, 2540 D		24452.1	200		
ro:			19.6	mg T	1.00	600	.*00
10.	Oil and Grease	APHA 22nd Edition 2012 5520 B	1.2	mgil	10	7()	10

(Tested By)



Page 2 of 2

NOTE: (4) the results listed, when and a time bested samples & approaches parecenters

b) find a happines of our last will be excluded by the research assumes unit

c) the currents will be destroyed when interpret time index otherwise services of the court of the c

2nd Quarterly Environmental Monitoring Report

Chapter - 5.0 CONCLUSION

KWPCL authorities have been taken successful steps in controlling environmental pollution in and around the project. This fact is clear from analytical results of different environmental parameters. A brief conclusion is as follows.

Sr.	Environmental Parameters	Conclusion
5.1	Air Environment	After analysis of the samples from five different locations it is observed that both the individuals and average concentra tions of air pollutants in respect of SO ₂ , NO ₂ , PM ₁₀ , PM _{2.5} , CO and Mercury are well within the prescribed limits of NAAQM standards. People of township and of surrounding villages do not have any problems regarding the air quality and have no grievances because of Thermal Power Plant activities.
5.2	Water Environment	The analytical result of the samples from the ground water of villages, surface water from river, and domestic & industrial effluent after treatment shows that the concentrations of different water parameters are well within prescribed limits and will not cause any adverse impact on human health and on surrounding area. People of surrounding areas express satisfaction about the water quality of that area.
5.3	Noise Environment	The observations taken at four village location during day and night time shows that the noise level are well within prescribed limits of CPCB. Hence there is no possibility of any adverse effect of noise generated due to Thermal Power Plant activities on peoples of surrounding areas.

All the above details show that Thermal Power Plant of KWPCL is not causing any adverse impact on the human health and ecological balance.

3rd Quarterly Environmental Monitoring Report



Submitted To:

M/s Korba West Power Company Limited
Village Chhote Bhandar, Post office Bade Bhandar,
Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

Conducted by:

M/s Vardan EnviroLab
Village- Samaspur, Opposite Amity School, Sector-51,
Gurgaon (Haryana)

(Recognized by MoEF & CC, NABL Government of India)

3rd Quarterly Environmental Monitoring Report

PREFACE

The growing concern for environmental protection and the passing of various environmental legislations have increased the responsibilities of Ministry of Environment, Forests & Climate Chang, Pollution Control boards in many folds. Besides enforcing the various environmental legislations MoEF&CC, CPCB & SPCB strive to propagate the necessity awareness regarding the various legal provisions and environmental protection measures in the country.

Electric Power scenario has occupied a significant place in the development program of the country. Development and environment can neither be separated nor ignored. In fact, they are complimentary to each other. These issues have become a concern of the community, particularly the environment impact due to industries in the developing countries.

However, the prerequisite for sustainable development is judicious planning of environmental status, likely impacts of the approach adopted on the environment including inhabitants of the locality, availability of the eco-friendly technology, emerging waste disposal and waste utilization processes, techniques of land reclamation for the restoration of aesthetic beauty and soon.

Korba West Power Company Limited (KWPCL), Village Chote Bhandar, Post Office Bade Bhandar, Raigarh-496100, India, has engaged M/S Vardan EnviroLab, Gurgaon, (HR) to provide Environmental Services in respect of ambient air quality monitoring, stack emission, noise level monitoring & Sampling and Analysis of ground water quality, surface water quality, treated effluent sewage, effluent water from ETP, and soil for KWPCL, Raigarh district of Chhattisgharh, as per guidelines of MoEF&CC and CPCB Gazette notification.

M/S Vardan EnviroLab, Gurgaon, (HR) has deployed entirely its own personnel, facilities and expertise for doing this service. Sampling / Monitoring Stations were identified by the Environmental Officer of KWPCL. The samples were analyzed partly at site and partly at our MoEF Recognized laboratory situated at Gurgaon (HR).

This report presents the data generated for the period from 27th Mar 2019 to 28th Mar 2019, i.e. for third quarter which includes sampling locations, Methodology, testing procedure and compilation for the Environmental parameters i.e. Air, Water & Noise with a view to evaluate the impact due to the thermal power plant activities.

During the course of our operations for the above task, the staff and management of KWPCL were extremely co-operative. We are grateful to them for their invaluable support and assistance rendered to us during the course of the sampling and monitoring.

Date: 1004-19

Authorized Standtory

INDEX

Sr.No.	Contents	Page No.
1.0	Introduction	3
2.0	Project Profile	4
2.1	Topography and Drainage	4
2.2	Location	4
2.3	Climate	4
2.4	Communication	4
2.5	Location Map	5
3.0	Scope of Study and Methodology	6
3.1	Scope of Study	6
3.2	Methodology	6
3.2.1	Air Environment	6
3.2.2	Water Environment	6
3.2.3	Noise Environment	7
3.2.4	Soil	7
4.0	Sampling Location Map and Analysis Reports	8
4.1	Ambient Air Quality Monitoring	8 to 13
4.2	Noise Level Monitoring	14 to 22
4.3	Ground water Quality Analysis	23 to 33
4.4	Surface water Quality Analysis	34 to 43
4.5	Soil Quality Analysis	44-49
4.6	Effluent Sample Analysis Report	50-52
5.0	Conclusion	53
5.1	Air Environment	53
5.2	Water Environment	53
5.3	Noise Environment	53

Chapter - 1.0

INTRODUCTION

Korba West Power Company Limited (KWPCL), a subsidiary of Avantha Power & Infrastructure Limited, is a power generation company based at Raigarh in the State of Chattisgarh. KWPCL has recently commissioned its Thermal Power Plant first 600MW Unit at Village Chote Bhandar, Post Office Bade Bhandar, Raigarh- 496100, India. The second unit of 600MW is under implementation. KWPCL is also committed towards the environment and the community it operates in. It has successfully implemented several community welfare schemes in the field of livelihood, infrastructure, community health and education which has so far benefited over 60,000 people from close to 75 villages.



Figure No.1. Korba West Power Company Limited (KWPCL)

Project Name: Korba West Power Company Ltd.,

Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

3rd Quarterly Environmental Monitoring Report

Chapter - 2.0

PROJECT PROFILE

2.1 Topography & Drainage

Topography of this area is generally undulating. The area is drained by Mand River approximately 3 km. away from plant in North direction and Mahanadi River approximately 5 km. away from plant in South direction.

2.2 Location

Plant is bounded by Northern Latitudes of 21° 44' 00° to 21° 44' 42° and Eastern Longitude of 83° 16' 30° to 83° 17' 18". This area falls in the survey of India toposheet no. 64 0/1, 64 0/2, 64 0/5 and 64 0/6. The location of the mine area is shown in **Fig. No. 2**

2.3 Climate

The climate of the area is Sub-tropical type. It is in the zone of humid tropic climate where temperature and humidity of air are very high. The temperature varies from the minimum - maximum temperature range between 29.5°C - 49°C in summer, and 8°C - 25°C in winter. The humidity varies from 35% to 82%. The annual average rainfall in the area is about 1300 mm.

2.4 Communication

The nearest railway station is Kirodimal, which is at a distance of $\sim\!23$ Km towards North direction. The area is well connected with N.H. No. 216. Nearest Airport is Raipur $\sim\!250$ km in SW direction. Nearest village is Bade Bhandar $\sim\!1$ km. in North direction and nearest town is Raigarh $\sim\!21$ km. in North-East direction.

2.5 Location Map




Figure No.2. Location Map

Project Name: Korba West Power Company Ltd.,

Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

3rd Quarterly Environmental Monitoring Report

Chapter - 3.0 SCOPE OF STUDY ANDMETHODOLOGY

3.1 Scope of Study

The scope of study includes Environmental Services in respect of ambient air quality monitoring, noise level monitoring & Sampling and Analysis of ground water quality, surface water quality, treated effluent sewage, effluent water from ETP and soil.

3.2 Methodology

As mentioned in the scope of work covering the various Environmental components monitoring and sampling and its analysis was carried out on the basis of guidelines of Ministry of Environment Forest & Climate Control of Government of India & Chattisgarh State Pollution Control Board. Sampling procedure method reference and Analysis procedure method reference are mentioned in monitoring reports.

3.2.1 AmbientAirQualityMonitoring

The ambient air quality has been carried out at various sources of air pollution surrounding and in the Plant. The prime objective of the ambient air quality monitoring is to access the existing air quality of the area.

The ambient air quality monitoring was carried out for 24 hours at each station. At all stations SO_2 , NO_2 , PM_{10} , $PM_{2.5}$, CO and Mercury were monitored. All the samples collected were analyzed for quantitative analysis of various pollutants.

The ambient air quality sampling locations were identified by the Environmental Officer of KWPCL.

3.2.2 Water Environment

The ground water samples, surface water samples were collected from selected locations in two liter sterilized plastic cans. These samples were analyzed as per IS 10500:2012. The domestic effluent and Industrial effluent samples were collected and analyzed for parameters: pH , Total suspended solids, Biochemical Oxygen Demand, Chemical Oxygen Demand and Oil & Grease.

3.2.3 Noise Environment

Sound level meter was used to know the sound levels generated due to plant activities at different locations. The measurements were taken for Equivalent sound level over a time period for day and night

M/S Vardan Envirolab Gurgaon (HR)

Page | 6

Project Name: Korba West Power Company Ltd.,
Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

3rd Quarterly Environmental Monitoring Report

which is expressed in dB(A).

3.2.4 Soil

The Soil samples were collected from selected locations. These samples were analyzed for Physico-Chemical parameters including heavy metals.

Chapter - 4.0 SAMPLING LOCATION MAP AND ANALYSIS REPORTS

4.1 Ambient Air Quality Monitoring



Figure No.3. Plan Showing Ambient Air Quality Location Map

Location Code: -

A1- Site Office

A2- PalsadaVillage A3- Kathali Village

A4- Chote Bhandar Village A5- Bade Bhandar Village

M/S Vardan Envirolab Gurgaon (HR)



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/A/01

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore,

Dist.-Raigarh -496100 (Chhattisgarh

30/03/2019

Reporting Date:

VEL/A/1903/30001

5.10 F-01 , NIL 10/04/2019

Party Reference No.: Period of Analysis:

Report No.:

Format No.:

01-09/04/2019

Sample Description:

Receipt Date:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative Sample collected by

Sampling Location Instrument Used

Instrument Code Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity Scope of Monitoring

Control measure if Any Sampling & Analysis Protocol

Parameter Required

Mr. Alok Jha

Vardan EnviroLab Representative

Site Office

RD3 & FP3 sampler with all Accessorles

VEL/RDS/01 & VEL/FPS/01

Calibrated Clear Sky

27/03/2019 to 28/03/2019

24 hours (10:00 Hrs to 10:00 Hrs) Min. 19.0 Max. 34.0

Human and Vehicular activities

Regulatory Requirement

IS-5182

PM_{2.5}, PM₁₀, NO₅, SO₂, CO, Hg

S. No.	Parameter	Protocol	Result	Unit	NAAQ8 ^a Limit
1.	Particulate Matter (PM2.5)	*SOP No. VEL/SOP/01, Section No. SP 63	35.2	μg/m³	60
2.	Particulate Matter (PM10)	IS: 5182 (P-23), 2006	74.1	μg/m³	100
3.	Nitrogen Dioxide (NO2)	IS: 5182 (P-6), Reaffirmed-2006	20.5	µg/m²	80
4.	Sulphur Dioxide (SO2)	IS: 5182 (P-2), Reaffirmed-2012	11.8	ng/m³	80
5.	Carbon Monoxide (CO)	IS: 5182 (P-10), Reaffirmed-2003	0.80	mg/m1	-1
6.	Mercury as Hg	CPCB Guidelines	BDL	ng/m²	100

^{*} NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009.

(Tested By)

neh (Checked By)

Page 1 of 1

NOTE: a)The results listed refer only to the tested samples & applicable parameters b) Total flabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified.

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.

[#] SOP- Laboratory Standard Operating Procedure.



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/A/02

30/03/2019

Report No.:

VEL/A/1903/30002

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post

Format No.: Party Reference No.:

5.10 F-01 NII.

office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

Reporting Date:

10/04/2019 01-09/04/2019

Receipt Date:

AMBIENT AIR QUALITY MONITORING

Sample Description:

General Information:-Client Representative

Sample collected by Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity Scope of Monitoring Control measure if Any Sampling & Analysis Protocol

Parameter Required

Mr. Alok Jha

Vardan EnviroLab Representative

Period of Analysis:

Village Palsada

RDS & FPS sampler with all Accessories

VEL/RDS/03 & VEL/FPS/02

Calibrated

Clear Sky

27/03/2019 to 28/03/2019

24 hours(10:10 Hrs to 10:10 Hrs) Min. 19.0 Max. 34.0 Human and Vehicular activities

Regulatory Requirement

IS-5182

PM2 5 PM10, NOx, SO2, CO, Hg

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM2.5)	SOP No. VEL/SOP/01, Section No. SP 63	37.6	µg/m³	60
2.	Particulate Matter (PM10)	IS: 5182 (P-23), 2006	70.1	им/m³	100
3.	Nitrogen Dioxide (NO2)	IS: 5182 (P-6), Reaffirmed-2006	21.5	µg/m³	80
4.	Sulphur Dioxide (SO2)	IS: 5182 (P-2), Reaffirmed-2012	9.86	µg/m²	80
5.	Carbon Monoxide (CO)	IS: 5182 (P-10), Reaffirmed-2003	0.70	mg/m³	-4
6.	Mercury as Hg	CPCB Guidelines	BDI,	ng/m³	**

NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009

SOP- Laboratory Standard Operating Procedure

Firsh (Checked By)

Page 1 of 1

NOTE: a) The results listed refer only to the tested samples & applicable parameters b) Total liabilities of our lab will be restricted to the invoice amount only c) The sample will be destroyed after retembor one unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/A/03

Report No.:

VEL/A/1903/30003

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post Party Reference No.:

5.10 F-01 Format No.:

NIL 10/04/2019

office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

Reporting Date:

Receipt Date:

30/03/2019

Period of Analysis:

01-09/04/2019

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C)

Surrounding Activity Scope of Monitoring

Control measure if Any Sampling & Analysis Protocol

Parameter Required

Mr. Alok Jha

Vardan EnviroLab Representative

Village Kathli

RDS & FPS sampler with all Accessories VEL/RDS/02 & VEL/FPS/03

Calibrated

Clear Sky

27/03/2019 to 28/03/2019

24 hours(09:00 Hrs to 09:00 Hrs) Min 19.0 Max. 34.0 Human and Vehicular activities

Regulatory Requirement

IS-5182

 $PM_{2.5}\;PM_{10,}NO_{x_{r}}SO_{2},\,CO,\;Hg$

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
15	Particulate Matter (PM25)	SOP No. VEL/SOP/01, Section No. SP 63	38.1	μg/m³	60
2.	Particulate Matter (PM10)	IS: 5182 (P-23), 2006	69.8	μg/m³	100
3.	Nitrogen Dioxide (NO2)	IS: 5182 (P-6), Reaffirmed-2006	21.3	μg/m³	80
4.	Sulphur Dioxide (SO2)	IS: 5182 (P-2), Reaffirmed-2012	8.0	μg/m³	80
5.	Carbon Monoxide (CO)	IS: 5182 (P-10), Reaffirmed-2003	0.70	mg/m³	41
6.	Mercury as Hg	CPCB Guidelines	BDI.	ng/m	

NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(ii)] 18.11.2009.

SOP- Laboratory Standard Operating Procedure

Sinsh (Checked By)

Page 1 of 1

NOTE: a) the results listed refer only to the tested samples & applicable parameters
b) Total liabilities of our liab will be restricted to the invoice amount only
c) The sample will be destroyed after resention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/A/04

Report No.:

VEL/A/1903/30004

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post Party Reference No.:

Format No.:

5.10 F-01 NIL

office Bade Bhandar, Tehsil Pussore,

Reporting Date:

19/04/2019

Receipt Date:

Dist.-Raigarh -496100 (Chhattisgarh 30/03/2019

Period of Analysis:

01-09/04/2019

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Clieat Representative Sample collected by

Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any Sampling & Analysis Protocol

Parameter Required

Mr. Alok Jha

Vardan EnviroLab Representative

Village Chhote Bhandar

RDS & FPS sampler with all Accessories VEL/RDS/04 & VEL/FPS/04

Calibrated

Clear Sky

27/03/2019 to 28/03/2019

24 hours(10:30 Hrs to 10:30 Hrs)

Min. 19.0 Max. 34.0

Human and Vehicular activities Regulatory Requirement

IS-5182

 $PM_{25},PM_{10},NO_{x_{i}}SO_{2},CO,\ \Pi g$

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
t,	Particulate Matter (PM _{2,5})	SOP No. VEL/SOP/01, Section No. SP 63	34.2	μg/m³	60
2.	Particulate Matter (PM10)	IS: 5182 (P-23), 2006	74.1	µg/m³	100
* 3.	Nitrogen Dioxide (NO2)	IS: 5182 (P-6), Reaffirmed-2006	20.6	ди/m³	80
4.	Sulphur Dioxide (SO2)	1S: 5182 (P-2), Reaffirmed-2012	9.43	μg/m³	80
5.	Carbon Monoxide (CO)	IS: 5182 (P-10), Reaffirmed-2003	0.80	mg/m*	-1
6.	Mercury as Hg	CPCB Guidelines	BDL	ng/m²	

NAAQS National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009.

SOP- Laboratory Standard Operating Procedure.

insh (Checked By)

Page 1 of 1

NOTE: a) the results listed refer only to the tested samples & applicable parameters
b) Testal liabilities of our lab will be restricted to the Invoice amount only
c) the sample will be destroyed after retention the unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 ISO 14001 OHSAS 18001

Test Report

Sample Number: Name & Address of the Party: VEL/KWPCL/A/05

M/s Korba West Power Company

Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore,

Dist.-Raigarh -496100 (Chhattisgarh

Report No.:

VEL/A/1903/30005

Format No.: Party Reference No.: Reporting Date:

5.10 F-01 NIL 19/04/2019

30/03/2019

Period of Analysis:

01-09/04/2019

Sample Description:

Receipt Date:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative Sample collected by Sampling Location Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity Scope of Monitoring Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Alok Jha

Vardan EnviroLab Representative

Village Bade Bhandar

RDS & FPS sampler with all Accessories VEL/RDS/05 & VEL/FPS/05

Calibrated

Clear Sky

27/03/2019 to 28/03/2019

24 hours(10:40 Hrs to 10:40 Hrs) Min. 19.0 Max. 34.0

Human and Vehicular activities Regulatory Requirement

IS-5182

PM25 PM10, NOx, SO2, CO, Hg

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM25)	"SOP No. VEL/SOP/01, Section No. SP 63	36.7	μg/m³	60
2.	Particulate Matter (PM10)	IS: 5182 (P-23), 2006	75.6	μg/m³	100
3.	Nitrogen Dioxide (NO2)	IS: 5182 (P-6), Reaffirmed-2006	20.1	дg/m³	80
4.	Sulphur Dioxide (SO2)	IS: 5182 (P-2), Reaffirmed-2012	8.9	μg/m³	80
5.	Carbon Monoxide (CO)	IS: 5182 (P-10). Reaffirmed-2003	0.78	mg/m³	4
6.	Mercury as Hg	CPCB Guidelines	BDL	ng/m³	

NAAQS National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009.

SOP- Laboratory Standard Operating Procedure

insil (Checked By)

Page 1 of 1

NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total Habilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after intention time onless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the colors allow

4.2 Noise Level Monitoring



Figure No.4. Plan Showing Noise Level Monitoring Location Map

Ambient Noise Level Monitoring Locations

Location Code: -

N1- Field Hostel

N2- PalsadaVillage

N3- Kathali Village

N4- Chote Bhandar Village

N5- Bade Bhandar Village



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/AN/01

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

Report No.: Format No.:

VEL/AN/1903/30001

5.10 F 01

Party Reference No.: Reporting Date:

NIL. 10/04/2019

Receipt Date:

30/03/2019

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-Client Representative

Sample collected by Sampling Location Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity Scope of Monitoring Control measure if Any

Sampling & Analysis Protocol Sampling Duration

Parameter Required

Mr. Alok Jha

Vardan EnviroLab Representative

Field Hostel Sound Level Meter VEL/S/SLM/01 Calibrated

Clear Sky 27/03/2019 to 28/03/2019 06:00 AM to 06:00AM Min. 19.0 Max. 34.0 Human and Vehicular Activities

Regulatory Requirement

No any

IS-9989 R 2003 24 Hours

As per Work Order

			Test Re		
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	Unit
1.	L _{'max}	IS 9989 R-2003	68.2	57.1	dB(A)
2:	I _{-mes}	IS 9989 R-2003	42.6	36.2	dB(A)
3.	Leq	IS 9989 R-2003	54.73	44.81	dB(A)
4.	CPCB Limits in dB(A*) Leq (Industrial Area)	9	75.00	70.00	dB(A)

Note * A "decibel" is a unit in which noise is measured.

(Checked By)



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/AN/02

M/s Korba West Power Company Limited Village Chhote Bhandar, Post

office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

Report No.: Format No.: VEL/AN/1903/30002

5.10 F-01 Party Reference No.: NIL

10/04/2019

Reporting Date: Receipt Date:

30/03/2019

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-Client Representative Sample collected by

Sampling Location Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity Scope of Monitoring Control measure if Any

Sampling & Analysis Protocol Sampling Duration Parameter Required

Mr. Alok Jha

Vardan EnviroLab Representative

Village Palsada Sound Level Meter VEL/S/SLM/02 Calibrated

Clear Sky 27/03/2019 to 28/03/2019 06:00 AM to 06:00AM Min 19.0 Max 34 0 Human and Vehicular Activities

Regulatory Requirement IS-9989 R-2003

24 Hours As per Work Order

		Protocol	Test Re		
S. No.	Parameters		Dny Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	Unit
I.	Lux	IS 9989 R-2003	67.1	54.6	dB(A)
2	Lnox	IS 9989 R-2003	44.1	36,1	dB(A)
3.,	Let :	IS 9989 R-2003	54.76	43,12	dB(A)
4,	CPCB Limits in dB(A*) Leq (Residential Area)	500	55,00	45.00	dB(A)

Note: " A "decibel" is a unit in which noise is measured.

(Checked By)

Project Name: Korba West Power Company Ltd.,

Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

3rd Quarterly Environmental Monitoring Report



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/AN/03

VEL/AN/1903/30003

Name & Address of the Party:

M/s Korba West Power Company

Format No.:

5.10 F-01

Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

Party Reference No.: Reporting Date:

NIL 10/04/2019

Receipt Date:

Report No.:

30/03/2019

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-Client Representative

Sample collected by

Sampling Location Instrument Used

Instrument Code Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring

Ambient Temperature (°C) Surrounding Activity Scope of Munituring

Control measure if Any Sampling & Analysis Protocol

Sampling Duration Parameter Required Mr. Alok Jha

Vardan EnviroLab Representative

Village Kathli Sound Level Meter VEL/S/SLM/03

Calibrated

Clear Sky 27/03/2019 to 28/03/2019

06:00 AM to 06:00AM Min 19.0 Max. 34.0

Human and Vehicular Activities Regulatory Requirement

No any

IS-9989 R-2003 24 Hours

As per Work Order

			Test Re		
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pri to 06:00 am)	Unit
1_{eff}	L _{max}	IS 9989 R-2003	64.2	53.1	dB(A)
2.	L _{min}	IS 9989 R-2003	40,5	34.2	dB(A)
3.	L_{eq}	IS 9989 R-2003	52.76	41.22	dB(A)
4.	CPCB Limits in dB(A") Leq (Residential Area)		55.00	45.00	dB(A)

Note * A "decibel" is a unit in which noise is measured.

Trish (Checked By)

NOTE: a)The results listed refer only to the tested samples & applicable parameters
b) Total liabilities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Project Name: Korba West Power Company Ltd.,

Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

3rd Quarterly Environmental Monitoring Report



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/AN/04

Report No.:

VEL/AN/1903/30004

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

Format No.: Party Reference No.:

5.10 F-01 NIL

Reporting Date:

10/04/2019

Receipt Date:

30/03/2019

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-Client Representative

Sample collected by Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity Scope of Monitoring Control measure if Any

Sampling & Analysis Protocol Sampling Duration

Parameter Required

Mr. Alok Jha

Vardan EnviroLab Representative

Village Chhote Bhandar Sound Level Meter

VEL/S/SLM/05 Calibrated

Clear Sky

27/03/2019 to 28/03/2019 06:00 AM to 06:00AM Max 34.0 Min. 19.0

Human and Vehicular Activities

Regulatory Requirement

No any IS-9989 R-2003 24 Hours

As per Work Order

		Protocol	Test Result dB (A)		
S. No.	Parameters		Day Time (6:00 nm to 10:00 pm)	Night Time (10:00 pra to 06:00 am)	Unit
. 1.	L _{max}	IS 9989 R-2003	66.3	56.7	dB(A)
2,,	Lower	IS 9989 R-2003	41.9	37.5	dB(A)
3.	Leq	IS 9989 R-2003	53.02	41.86	dB(A)
4.	CPCB Limits in dB(A') Leq (Residential Area)	3.5	55 00	45,00	dB(A)

*A "decibel" is a unit in which noise is measured.

neh (Checked By)

NOTE: a)The results listed refer only to the tested samples & applicable parameters b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/AN/05

Report No.:

VEL/AN/1903/30005

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh

Format No.: Party Reference No.: 5.10 F-01

Reporting Date:

NIL 10/04/2019

Receipt Date:

30/03/2019

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-Client Representative Sample collected by

Sampling Location Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Surrounding Activity Scope of Monitoring

Control measure if Any Sampling & Analysis Protocol

Sampling Duration Parameter Required

Vardan EnviroLab Representative

Village Bade Bhandar Sound Level Meter VEL/S/SLM/04

Calibrated Clear Sky

27/03/2019 to 28/03/2019 06:00 AM to 06:00AM

Min 19.0 Max. 34.0 Human and Vehicular Activities

Regulatory Requirement

No any IS-9989 R-2003 24 Hours

As per Work Order

		Protocol	Test Result dB (A)		
S. No.	Parameters		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	Unit
1,	Lnux	IS 9989 R-2003	66.3	52.7	dB(A)
2.	Link	IS 9989 R-2003	40.1	35 2	dB(A)
3.	Leq	IS 9989 R-2003	51.37	42.68	dB(A)
4.	CPCB Limits in dB(A*) Leq (Residential Area)	8	55.00	45.00	dB(A)

Note * A "decibel" is a unit in which noise is measured.

msh (Checked By)

NOTE: a)The results listed refer only to the tested samples & applicable parameters
b) Total liabilities of our lab will be restricted to the invoice amount unly
c) The sample will be destroyed after retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Project Name: Korba West Power Company Ltd., Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

3rd Quarterly Environmental Monitoring Report

Work Zone Noise Level Monitoring Locations

Location Code: -

N6- Site Office

N7-Behind Switchyard N8- Railway Entry Gate



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 ISO 14001 OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/N/01

M/s Korba West Power Company Limited Village Chhote Bhundar, Post Party Reference No.: office Bade Bhandar, Tchsil Putsore, Dist.-Raigarh -496100 (Chhattisgarh)

Report No.: Format No.:

Reporting Date:

5.10 F-01 NIL

VEL/N/1903/30001

10/04/2019

Receipt Date:

30/03/2019

Sample Description:

WORK ZONE NOISE LEVEL MONITORING

General Information:-Client Representative Sample collected by Sempling Location Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Scope of Monitoring Control measure if Any

Sampling & Analysis Protocol Sampling Duration Parameter Required

Mr. Alok Jha

Vardun Envirol ob Team

Site Office

Sound Level Meter VEL/S/SLM/06 Calibrated

Clear Sky 27/03/2019

10:00 AM to 10:30AM Min_ 19.0 Max. 33.0 Regulatory Requirement No any

IS-9989 R-2003 24 Hours

As per Work Order

S. No.	Parameters	Protocol	Test Result dB (A)	Unit
Ji.	L _{reg}	IS 9989 R-2003	50.1	dB(A)
2.	Limits in dB(A') Leq		85	dB(A)

Note: "A "decibel" is a unit in which noise is measured.

(Checked By)

Page 1 of 1

NOTE: n)The results listed reler only to the tested samples & applicable parameters
b) Total liabilities of our lab will be restricted to the Invoice amount only
c) The sample will be destroyed after retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MOEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/N/02

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Dade Bhundar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

Report No.: Format No.: VEL/N/1903/30002 5.10 F-01

Party Reference No .: Reporting Date:

NIL 10/04/2019

Receipt Date:

30/03/2019

Sample Description:

WORK ZONE NOISE LEVEL MONITORING

General Information:-Client Representative Sample collected by Sampling Location Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Scope of Monitoring Control measure if Any

Sampling & Analysis Protocol Sampling Duration Parameter Required

Mr. Alok Jha

Vardan EnviroLab Team Behind Switchyard Sound Level Meter VEL/S/SLM/06

Calibrated Clear Sky 27/03/2019

11:00 AM to 11:30AM Min. 19.0 Max. 33.0 Regulatory Requirement

No any IS-9989 R-2003 24 Hours As per Work Order

S. No.	Parameters	Protocol	Test Result dB (A)	Unit
1.	Leq	IS 9989 R-2003	54.8	dB(A)
2,	Limits in dB(A') Leq	*	85	dB(A)

'decibel" is a unit in which noise is measured.

(Checked By)

Page 1 of 1

NOTE: a)The results listed refer only to the tested samples & applicable parameters
b) Total habilities of our lab will be restricted to the invested amount only
c) The sample will be destroyed after extension time unless otherwise specified
d) This secont is not to be reproduced whalle et in part and cannot be used as evidence in the court of law



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/N/03

Report No.:

VEL/N/1903/30003

Name & Address of the Party:

M/s Korba West Power Company
Limited Village Chhote Bhandar, Post
office Bude Bhandar, Tehsil Pussore,
Reporting Date: Dist,-Raigarh -496100 (Chhattisgarh)

5.10 F-01

NIL 10/04/2019

Receipt Date:

30/03/2019

Sample Description:

WORK ZONE NOISE LEVEL MONITORING

General Information:-Client Representative Sample collected by St mpling Location Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Ambient Temperature (°C) Scope of Monitoring Control measure if Any Sampling & Analysis Protocol

Sempling Duration Parameter Required Mr. Alok Jha

Vardan EnviroLab Team Railway Entry Gate Sound Level Meter VEL/S/SLM/06

Calibrated Clear Sky 27/03/2019

13:00 PM to 13:30PM Min. 19.0 Regulatory Requirement

No any IS-9989 R-2003 24 Hours As per Work Order

S. No.	Parameters	Protocol	Test Result dB (A)	Unit
1,	L _{eq}	IS 9989 R-2003	56.3	dB(A)
2.	Limits in dB(A*) Leq	¥	85	dB(A)

A "decibel" is a unit in which noise is measured.

(Tested By)

(Checked By)

Page 1 of t

c) The sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

4.3 Ground water Quality Analysis



Figure No.5. Plan Showing Ground Water Quality Monitoring Location Map

Location Code: -

GW1- Site Office

GW2- PalsadaVillage

GW3- Kthali Village

GW4- Chote Bhandar Village

GW5- Bade Bhandar Village



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana)

Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MOEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

Sample Description: Sample Location: Sample Collected by: Preservation:

Parameter Required: Sampling and Analysis Protocol: VEL/KWPCL/W/01

M/s Korba West Power Company LimitedVillage Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh 496100 (Chhattisgarh) GROUND WATER SAMPLE Site Office

Vardan Envirol ab Representative Refrigerated

As per IS 10500-2012 IS-10500-2012, APHA 22nd Edition 2012 Report No.:

Format No.: Party Reference No.: Reporting Date:

Period of Analysis: Receipt Date: Sampling Date:

Sampling Quantity: Sampling Type:

VEL/W/1903/30001

5.10 F-01 NIL

10/04/2019 01-09/04/2019

30/03/2019 28/03/2019 2.0 Ltc Géab

S. No.	Parameter		Result		Limits of	IS:10500 -2012
		Carlocalda		Unit	Requirement (Acceptable Limit)	Permissible limit i. the Absence of Alternate Source
I.	p 1 (at 25 °C)	APHA (22 rd Edition)2012_4500-H ⁺ B	7.15		6.5 to 8.5	No Relavation
2.	Unform	APIJA (22% Fillising)2012, 2120 II	*BDL (**DL 5Hazen)	Hazen	5	15
3	Turbidity	APHA (22 nd Edition)2012, 2130 B	*BDL (**DL 0. 1 NTU)	NTU	- 1	5
4_	Odour	APHA (22 rd Edition)2012, 2150 B	Agreeable	72.	Agrecable	Aurecable
5.	Taste	APHA (22 rd Edition)2012, 2160 B	Agrecuble	40	Agrecable	Agreeable
6	Total Hardness as CaCO ₃	APHA (22nd Edition)2012, 2340 C	165.2	mg/J	200	600
7	Calcium as Ca	APHA (22 rd Edition)2012, 3500 Ca B	42.3	mg/l	75	200
8.	Alkalinity as CaCO ₁	APHA (22nd Edition)2012, 2320 B	135.0	mg/I	200	600
9	Chloride as Cl	APHA (22nd Edition)2012, 4500-Cl B	32.5	mg/l	250	1000
10.	Residual free Chlorine	APHA 22 nd Edition, 4500 CI- B	*BDL(**DL 0.2mg/l)	iiie/l	0.2	Milio
H.	Cyanide as CN	APHA (22nd Edition)2012, 4500 CN D	*BDL(**D1, 0.02 mg/l)	ng/l	0.05	No Relaxation
12.	Magnesium as Mg	APHA (22 Edition)2012, 3500 Mg B	14.49	mg/l	30	100
3_	Lotal Dissolved Solids	APHA (22 nd Edition)2012, 2540 C	216.0	mgd	500	2000
4 .	Sulphate as SO ₄	APHA (22nd Edition)2012, 4500 E	15.4	IIIg/I	200	400
5	Fluoride as F	APHA (22 nd Edition)2012, 4500-F D	0.30	ing/l	1.0	1.5
6 :	Nitrate as NO ₃	IS 3025 (P-34) 2003	0.26	mg/l	45	No Relaxation
	Iron as Fe	APHA (22 nd Edition)2012, 3500-Fe B	0.18	mg/l	0.3	No relaxation
٤ .	Aluminium as Al	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.03 mg/l)	mg/l	0.03	0.2
9]	Boron	APHA (22nd Edition)2012, 4500B C	*BDL(**DL 0.1 mg/l)	me/l	0.5	0.2
0. 1	Intal Chromium as Cr	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.03 mg/l)	mg/I		No Retusation

realli

NOTE: a)The results' listed refer only to the tested samples & applicable parameters
b) Total liabilities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retendon time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122001 (Haryana)
Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)
MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample	Sample No.: VEL/KWPCL/W/01		Report No:		VEL/W/1903/3000	
	1.7		And I was a long to the same		Limits of 15	10500-2012
S. No	Parameter	Test-Method	Result	Unit	Requirement (Acceptable) Limit	Permissible limit in the Absence of Alternate Source
21	Phenolic Compounds	APHA (22nd Edition)2012, 5530 C	*BDL(**DL 0.001 mg/t)	mg/l	0.001	0,002
22.	Anionic Detergents as MBAS	APHA (22 [™] Edition)2012, 5540 C	*BDL(**D1, 0.02 mg/l)	mg/l	0.2	1,0
23	Zine as Zn	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.03 mg/l	mg/l	5	15
2.1	Copper as Cu	APHA (22 nd Edition)2012, 3111 B	* BDL(**DL 0.03 mg/l)	mg/l	0.05	1.5
25.	Manganese as Ma	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.06 mmg/l)	mg/l	0.1	0.3
26	Cadmium as Cd	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.06 mg/l)	mg/l	0.003	No Relevation
27	Lend us Pb	APHA (22 nd Edition)2012. 3111 B	*BDL(**DL 0.13mg/t)	mg/l	0.01	No Relaxation
28.	Selenium as Se	APHA (22 nd Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mg/l	0.01	No Relaxation
29	Arsenic as As	APHA (22 nd Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mg/I	0.01	0.05
30.	Mercury as Hg	APHA (22 nd Edition)2012, 3112 B	*BDL (**DL 0.001 mg/l)	mg/I	0.001	No Relaxation
1.	Total Coliform	IS 1622,1981(Reaffirmed 2003)	Absent	MPN/100ml	Shall not be de	tectable in any
2.	E. Coli	IS 1622,1981(Reaftirmed 2003)	Absent	MPN/100ml	Shall not be de	tectable in any

Note: - *BDI-Below Detection Limit, **DL- Detection Limit

(Checked By)

NOTE: a)The results listed refer only to the tested samples & applicable parameters
b) Total liabilities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Page 2 of 2



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Sample Description:

Sample Collected by:

Parameter Required:

Sample Location:

Preservation:

Name & Address of the Party:

VEL/KWPCL/W/02 M/s Korba West Power Company LimitedVillage Chhote Bhandar, Post office Bade Bhandar, Tchsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh) GROUND WATER SAMPLE

Village Palsada

Vardan Envirol ab Representative

Refrigerated

As per IS 10500-2012

Sumpling and Analysis Protocol: IS-10500-2012, APHA 22nd Edition 2012 Report No.:

VEL/W/1903/30002 5.10 14-01

Format No .: . Party Reference No.: Reporting Date:

NIL10/04/2019

Period of Analysis: Receipt Date: Sampling Date: Sampling Quantity:


01-09/04/2019 30/03/2019 28/03/2019

Sampling Type:

2.0 Ltr Grab

S. No.		Test-Method	Result	1 32	Limits of IS: 10500 -2012	
10	Parameter			Unit	Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
T.	pH (at 25 °C)	APHA (22 rd Edition)2012, 4500-H* B	7,35		6.5 to 8.5	N. D. I.
2	Colour	APHA (22°2 Edition)2012, 2120 B	*BDL (**DL 5Hazen)	Hazen		No Relaxation
3	Furbidity	APHA (22 nd Edition)2012, 2130 B	*BDL (**DL 0.1 NTU)		5	15
4.	Odour	APHA (22 nd Edition)2012, 2150 B	1	NTU		5
5.	Taste	APIIA (22 rd Edition)2012, 2160 B	Agrecable		Agreeable	Agreeable
6.	Total Hardness as CaCO ₃		Agrecable	0.00	Agrecable	Agreeable
7	Colcium as Ca	APHA (22 nd Edition)2012, 2340 C	181.4	mg/J	200	600
	1400000	APHA (22 nd Edition)2012, 3500 Ca B	58.9	mg/l	75	200
	Alkalinity as CoCO3	APHA (22 nd Edition)2012, 2320 H	215.0	mg/l	200	600
	Chloride as Cl	APHA (22 rd Edition)2012, 4500-CF B	38.4	nig/l	250	1000
	Residual free Chlorine	APHA 22nd Edition, 4500 CI- B	*BDL(**DL 0.2mg/l)	mg/l	0,2	
	Cyanide as CN	APHA (22 rd Edition)2012, 4500 CN ⁻ D	*BDL(**DL 0.02 mg/l)	mig/I	0.05	No Relaxation
2,	Magnesium as Mg	APHA (22nd Edition)2012, 3500 Mg B	8.36	nig/[30	100
3	Fotal Dissolved Solids	APHA (22 nd Edition)2012, 2540 C	288.0	mg/l	500	
4	Sulphate as SO ₄	APHA (22 ⁻³ Edition)2012, 1500 E	15.9	- "		2000
5. 1	Fluoride as F	APHA (22.3 Edition)2012, 4500-F D		mg/l	200	400
. 1	Nitrate as NO.	IS 3025 (P+34) 2003	0.45	ntg/l	0,1	1.5
. 1	ron as Fe	APHA (22 rd Edition)2012, 3500-Fe B	0.32	ing/l	45	No Relaxation
3.	Muninium as Al		0.24	mg/l	0.3	No relaxation
	Boron	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.03 mg/l)	mg/l	0.03	11.2
		APHA (22 rd Edition)2012, 4500B C	*BDL(**DL 0.1 mg/l)	mg/L	0.5	1
	otal Chromium as Cr	APHA (22 rd Edition)2012, 3111 B	*BDL (**DL 0.03 mg/l)	Ing/I	OPENI	Melavation

MEN (Checked By)



IOTE: a)The results listed refer only to the tested samples & applicable parameters
b) Total liabilities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Page 1 of 2



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122001 (Haryana)

Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MOEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample	No.1	VEL/KWPC1/W/02	Report No:	VEL/W/1903/3000		
				Manager L	Limits of IS:10500-2012	
S. No	Parameter	Test-Method	Result	Unit	Requirement (Acceptable) Limit	Permissible limit in the Absence of Alternate Source
21.	Phenolic Compounds	APHA (22 nd Edition)2012, 5530 C	*BDL(**DL 0.001 mg/l)	ing/L	0.001	0.002
22.	Anionic Detergents as MBAS	APHA (22 nd Edition)2012, 5540 C	*BDL(**DL 0.02 mg/l)	mg/l	0.2	1.0
23.	Zinc as Zn	APHA (22nd Edition)2012, 3111 B	*BDL(**DL 0.03 mg/l	mg/l	5	15
24_	Copper as Cu	APHA (22 nd Edition)2012, 3111 B	* BDL(**DL 0.03 mg/l)	mg/l	0.05	1,5
25	Manganese us Mn	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.06 mmg/l)	mg/l	0,1	0,3
26.	Cadmium as Cd	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.06 mg/l)	nig/l	0 003	No Relaxation
27,	Lead as Pb	APHA (22nd Edition)2012_3111 B	*BDL(**DL 0.13mg/l)	ing/l	0.01	No Relaxation
28.	Selenium as Se	APHA (22 nd Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mg/l	0.01	No Relaxation
29.	Arsenic as As	APHA (22 nd Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mg/l	0.01	0.05
30.	Mercury as Hg	APHA (22 nd Edition)2012, 3112 B	*BDL (**DL 0.001 mg/l)	mg/l	0.001	No Relaxation
31_	Total Coliform	1S 1622,1981(Reaffirmed 2003)	Absent	MPN/100m	Shall not be de 100 ml	
2.	E. Coli	IS 1622,1981(Reaffirmed 2003)	Absent	MPN/100ml	Shall not be de 100 ml	tectable in any

Note: - *BDL-Belów Detection Limit, **DL- Detection Limit

Sinsh (Checked By)

NOTE: a)The results listed refer only to the tested samples & applicable parameters
b) Total liabilities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample Number:

Sample Description:

Sample Collected by:

Parameter Required:

Sample Location:

Preservation:

Name & Address of the Party:

VEL/KWPCL/W/03

GROUND WATER SAMPLE Village Kathli

Refrigerated As per IS 10500-2012

Sampling and Analysis Protocol:

M/s Korba West Power Company Limited Village Chlote Bhandur, Post office Bade Blandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chlottisgarh)

Vurdan EnviroLab Representative

IS-10500-2012, APHA 22nd Edition 2012

Report No.: Format No.:

VEL/W/1903/30003 5.10 F-01

Party Reference No.: Reporting Date:

NIL. 10/04/2019

Period of Analysis: Receipt Date: Sampling Date:

01-09/04/2019 30/03/2019 28/03/2019

Sampling Quantity: Sampling Type:

2.0 Ltr Grab

	Maria Company			2012	Limits of IS:10500 -2012	
S. No	Parameter	Test-Method	Result	Unit	Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1	pH (at 25 °C)	APHA (22 rd Edition)2012, 4500-H* B	7.04	(14	6.5 to 8.5	No Relaxation
2	Colour	APHA (22 nd Edition)2012, 2120 B	*BDL (**DL 5Hazen)	Hazen	5	15
3.	Turbidity	APHA (22 ⁿ³ Edition)2012, 2130 B	*BDL (**DL 0. 1 NTU)	NIU	1	3
4,	Odour	APHA (22 nd Edition)2012, 2150 B	Agreeable	177	Agreeable	Agreeable
5,	Tuste	APHA (22 nd Edition)2012, 2160 B	Agreeable		Agrecable	Agreeable
6.	Total Hardness as CaCO3	APHA (22 rd Edition)2012, 2340 C	398.6	mg/l	200	600
7	Calcium as Ca	APHA (22 nd Edition)2012, 3500 Ca B	101,4	mg/I	75	200
8	Alkalinity as CaCO ₃	APHA (22 rd Edition)2012, 2320 B	315.0	mg/l	200	600
9	Chloride as Cl	APHA (22 ⁶⁴ Edition)2012, 4500-Cl B	79.5	mg/I	250	1000
10	Residual free Chlorine	APHA 22nd Edition, 1500 CI-13	*HDL(**DL (),2mg/l)	mg/l	0,2	1000
11.	Cyanide as CN	APITA (22 rd Edition)2012, 4500 CN: D	*BDL(**DL 0.02 mg/l)	mg/l	0.05	No Relaxation
12.	Magnesium as Mg	APHA (22nd Edition)2012, 3500 Mg B	35.38	mg/l	30	100
3.	Total Dissolved Solids	APHA (22 nd Edition)2012, 2540 C	512.0	mg/L	500	2000
4	Sulphate as SO ₄	APHA (22nd Edition)2012, 4500 E	56.9	mg/l	200	400
5.]	Fluoride as F	APHA (22 rd Edition)2012, 1500-F D	0,60	mg/l	1:0	15
6. :	Nitrate as NO,	IS 3025 (P-34) 2003	3.21	mg/l	45	No Relaxation
9/2 I	Iron as Le	APHA (22 ^{ed} Edition)2012, 3500-Fe B	0.28	me/l	0.3	No relaxation
2 2	Muminium as Al	APHA (22 nd Edition)2012, 3111 B	*BDL(**D1, 0.03 mg/l)	mg/I	0.03	
9. I	Boron	APHA (22 nd Edition)2012, 4500B C	*BDL(**DL 0.1 mg/l)	mg/l	0.03	0,2
0. 1	Total Chromium as Cr	APHA (22 Edition)2012, 3111 B	*BDL(**DL 0.03 mg/l)	mg/l	BOX NV	Refrestion

Tested By)

(Checked By)

NOTE: a)The results listed refer only to the tested samples & applicable parameters b) Total liabilities of our lab will be restricted to the invoice amount only c) The sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Page 1 of 2



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana)
Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)
MOEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample	Sample No.: VEL/KWPCL/W/0.3		Report No:		VEL/W/1903/3000	
-111			AND REAL PROPERTY.		Limits of 15	S:10500-2012
S. No	Parameter	Test-Method	Result	Unit	Requirement (Acceptable) Limit	Permissible limit in the Absence of Alternate Source
21.	Phenolic Compounds	APHA (22nd Edition)2012, 5530 C	*BDL(**DL 0.001 mg/l)	mg/l	0.001	0.002
22.	Anionic Detergents as MBAS	APHA (22 nd Edition)2012, 5540 C	*BDL(**DL 0.02 mg/l)	nig/l	0 2	1.0
23.	Zinc as Zn	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.03 mg/l	mg/l	5	15
24.	Copper as Cu	APHA (22 nd Edition)2012, 3111 B	* BDL(**DL 0.03 mg/l)	mg/l	0.05	1.5
25.	Manganese as Mn	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.06 mmg/l)	mg/l	0.1	0.3
26,	Cadmium as Cd	APHA (22 nd Edition)2012, 3111 B	*BD1.(**D1. 0.06 mg/l)	mg/l	0.003	No Relaxation
27	Lead as Pb	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.13mg/l)	mg/I	0.01	No Relaxation
28.	Selenium as Se	APHA (22 nd Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mg/l	0.01	No Relaxation
29.	Arsenic as As	APHA (22 nd Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mg/l	0.01	0.05
30	Mercury as Hg	APHA (22 ^{na} Edition)2012, 3112 B	*BDL (**DL 0.001 mg/l)	mg/l	0.001	No Relaxation
S1	Total Coliform	IS 1622.1981(Realffirmed 2003)	Absent	MPN/100m3	Shall not be de	
32.	E. Coli	IS 1622,1981(Reaffirmed 2003)	Absent	MPN/100ml	Shall not be de	tectable in any

Note: - *BDL-Below Detection Limit, ***DL- Detection Limit #These parameter are not covered in our NABL scope.

Page 2 of 2

NOTE: a) The results listed refer only to the tested samples & applicable parameters

1) Total liabilities of our lab will be restricted to the invoice amount only

2) The sample will be destroyed after retending time unless otherwise specified

3) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 ISO 14001 OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

Sample Description: Sample Location:

Sample Collected by: Preservation:

Parameter Required: Sampling and Analysis Protocol: VEL/KWPCL/AV/04

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Ralgarh - 496100 (Chhattisgarh) GROUND WATER SAMPLE Village Chhote Bhandar

Vardan EnviroLab Representative Refrigerated

As per 1S 10500-2012

IS-10500-2012, APHA 22nd Edition 2012

Report No.:

Format No.: Party Reference No.:

Reporting Date: Period of Analysis: Receipt Date:

Sampling Date: Sampling Quantity: Sampling Type:

VEL/W/1903/30004

5.10 F-01 NIL 10/04/2019

01-09/04/2019 30/03/2019

28/03/2019 2.0 Ltr Genb

				Company of	Limits of 15:10500 -2012	
S. No.	Parameter	Test-Method	Result	Unit	Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25 °C)	APHA (22 nd Edition)2012, 4500-11 ¹ B	7,38	-	6.5 to 8.5	No Relaxation
2.	Colour	APHA (22 rd Edition)2012, 2120 B	*BDL (**DL 5Hazen)	Hazen	5	15
3	Turbidity	APHA (22nd Edition)2012, 2130 B	*BDL (**DL 0, 1 NTU)	NTU		5
4	Odour	APHA (22 rd Edition)2012, 2150 B	Agreeable	1-0	Agreeable	Agreeable
5.	Taste	APHA (22nd Edition)2012, 2160 B	Agrecable	794	Agreeable	Agreeable
6.	Total Hardness as CaCO3	APHA (22 th Edition)2012, 2340 C	299.5	mg/I	200	600
7	Calcium as Cu	APHA (22 nd Edition)2012, 3500 Ca B	95.7	mg/l	75	200
В.	Alkalinity as CaCO ₃	APHA (22 nd Edition)2012, 2320 B	211.0	mg/f	200	600
).	Chloride as Cl	APHA (22 rd Edition)2012, 4500-CL B	68,4	ing/l	250	1000
10:	Residual free Chlorine	APHA 22nd Edition, 4500 CI- B	*BDL(**DL 0.2mg/l)	mg/l	0.2	1
I.	Cynnide as CN	APHA (22 nd Edition)2012, 4500 CN ⁻ D	*BDL(**DL 0.02 mg/l)	mg/l	0.05	No Relaxation
	Magnesium as Mg	APHA (22 nd Edition)2012, 3500 Mg B	14.76	mg/l	30	100
3.	Total Dissolved Solids	APHA (22nd Edition)2012, 2540 C	391.0	mg/l	500	2000
Sec.	Sulphate as SO ₄	APHA (22 nd Edition)2012, 4500 E	45.2	mg/l	200	400
37	Fluoride as F	APHA (22 nd Edition)2012, 4500-F D	0.37	mg/l	1,0	1.5
6.	Nitrate as NO ₃	IS 3025 (P-34) 2003	3.89	mg/I	45	No Relaxation
7. 1	Iron us Fe	APHA (22 rd lidition)2012, 3500-fe B	0.22	figm	0.3	No relaxation
31 /	Muninium as Al	APHA (22nd Edition)2012, 3111 B	*BDL(**DL 0.03 mg/l)	tng/I	0.03	0.2
). I	Boron	APHA (22*3 Edition)2012, 4500B C	*BDL(**DL 0.1 mg/l)	nig/I	0.5	1
1 1	Total Chromium as Cr	APHA (22 ^{ed} Edition)2012, 3111 B	*BDL(**D1_0.03 mg/l)	ing/I	0.05	No Relaxation

Sinsh (Checked By)

NOTE: a) The results listed refer only to the tested samples & applicable parameters
b) Total habilities of our lab with be restricted to the invoice amount only
c) The sample will be destroyed after retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSA5 18001

Test Report

Sample	Sample No.: VEL/KWPCL/W/04		Report No:		VEL/W/1903/3000-		
				-Circ	Limits of IS:10500-2012		
S. No	Parameter	Test-Method	Result	Unit	Requirement (Acceptable) Limit	Permissible limit in the Absence of Alternate Source	
21.	Phenolic Compounds	APHA (22 nd Edition)2012, 5530 C	*BDL(**DL 0.001 mg/l)	mg/I	0.001	0.002	
22.	Anionic Detergents as MBAS	APHA (22 nd Edition)2012, 5540 C	*BDL(**DI, 0.02 mg/l)	mg/l	0 2	1.0	
23.	Zinc as Zn	APHA (22nd Edition)2012, 3111 B	*BDL(**DL 0.03 mg/l	mg/l	5	15	
24.	Copper as Cu	APHA (22 nd Edition)2012, 3111 B	* BDL(**DL 0.03 mg/l)	mg/l	0.05	1.3	
25	Manganese as Mn	APHA (22nd Edition)2012, 3111 B	*BDL(**DL 0.06 mmg/l)	mg/l	0.1	0.3	
26	Cadmium as Cd	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.06 mg/l)	mg/l	0.003	No Relaxation	
7.	Lead as Ph	APHA (22nd Edition)2012, 3111 B	*BDL(**DL 0.13mg/l)	mg/L	0.003		
8.	Selenium as Se	APIIA (22 rd Edition)2012, 3114 II			7/2101	No Relaxation	
9.	Arsenic as As		*BDL(**DL 0.01 mg/l)	mg/l	0.01	No Relasation	
		APHA (22 rd Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	tng/l	0.01	0.05	
0.	Mercury as Hg	APHA (22 nd Edition)2012, 3112 B	*BDL (**DL 0.001 mg/l)	mg/l	0.001	No Relaxation	
I. 2.	Total Coliform	IS 1622,1981(Renffirmed 2003)	Absent	MPN/100ml	Shall not be de	tectable in any	
۷.	E. Coli	IS 1622.1981(Reaffirmed 2003)	Absent	MPN/100m1	Shall not be der	rectable in any	

Note: - *BDL-Belów Detection Limit, **DL- Detection Limit #These parameter are not covered in our NABL scope.

(Checked By)

NOTE: all he results listed refer only to the tested samples & applicable parameters
b) fotal habitities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Page 2 of 2



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

Sample Description: Sample Location: Sample Collected by: Preservation: Parameter Required: Sampling and Analysis Protocol: VEL/KWPCL/W/05

M/s Korba West Power Company Silva West Fower Company Limited Village Chhote Bhandar, Post office Bade Hhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh) GROUND WATER SAMPLE

Village Bade Bhandar Vardan EnviroLab Representative Refrigerated

As per IS 10500-2012 IS-10500-2012,APHA 22nd Edition 2012

Report No.:

Format No.: Party Reference No.: Reporting Date:

Period of Analysis: Receipt Date: Sampling Date: Sampling Quantity: Sampling Type:

VEL/W/1903/30005 5.10 F-01

10/04/2019 01-09/04/2019

30/03/2019 28/03/2019 2.0 Ltr Grab

	Purumeter		Regult	Unit	Limits of IS: 10500 -2012	
S. No.		Test-Method			Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1,	pH (at 25 °C)	APHA (22nd Edition)2012, 4500-II1 B	7.29		6.5 to 8.5	No Relaxation
2	Colour	APHA (22nd Edition)2012, 2120 B	*BDL (**DL 511azen)	Hazen	5	15
32	Turbidity	APLIA (22 ^{thl} Edition)2012, 2130 B	*BDL (**DL 0. 1 N [U)	NTU	9	5
4.	Odour	APIJA (22 rd Edition)2012, 2150 B	Agreeable		Agreeable	Agreeable
5.	Taste	APHA (22nd Edition)2012, 2160 B	Agreeable		Agrecable	Agreeable
6	Total Hardness as CaCO3	APHA (22nd Edition)2012, 2340 C	301.4	mg/l	200	600
7	Calcium as Ca	APHA (22nd Edition)2012, 3500 Ca B	76.5	mg/l	75	200
8.	Alkalinity as CaCO,	APHA (22 nd Edition)2012, 2320 B	284.0	mg/l	200	
)	Chloride as Cl	APHA (22 nd Edition)2012, 4500-Cl ⁻ B	65.2	mg/l	250	600
10.	Residual free Chlorine	APHA 22 nd Edition, 4500 CI- B	*BDL(**DL 0.2mg/l)	7571-05	0.2	1000
	Cyanide as CN	APITA (22 ¹¹ Edition)2012, 4500 CN' D	*BDL(**DL 0.02 mg/l)	mg/l		
2.	Magnesium as Mg	APHA (22 nd Edition)2012, 3500 Mg B	26.86	mg/l	0.05	No Relaxation
	Total Dissolved Solids	APHA (22 ^{ed} Edition)2012, 2540 C		mg/l	30	100
	Sulphate as SO ₄	APHA (22 nd Edition)2012, 4500 E	454.0	mg/l	500	2000
	Fluoride as F		32.5	mg/l	200	-100
		APIJA (22nd Edition)2012, 4500-1-D	0.37	mg/l	0.1	L_5
-	Nitrate as NO ₃	IS 3025 (P-34) 2003	5.46	mg/l	45	No Relayation
	ron as Fe	APHA (22 ^{cl} Edition)2012, 3500-Fe B	0.24	mg/l	0.3	No relaxation
	Muminium as Al	APHA (22 rd Edition)?012, 3111 B	*BDL(**D1, 0.03 mg/l)	mg/I	0.03	0.2
	Boron	APHA (22 rd Edition)2012, 4500t3 C	*BDL(**DL 0.1 mg/l)	mg/l	0,5	1
). 1	Total Chromium as Cr	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.03 mg/l)	mg/l	0.05	No Relaxation

ested By)

Checked By)

NOTE: a)The results listed refer only to the tested samples & applicable parameters b) fatal liabilities of our lab will be restricted to the invoice amount only c) the sample will be destroyed after retention thm unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Page 1 of 2



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sampl	Sample No.: VEL/KWPCL/W/05		Report No:		VEL/W/1903/30005	
		in all lassing tracks and feet	THE RESERVE DATE:		Limits of 15:10500-2012	
S. No		Test-Method	Result	Unit	Requirement (Acceptable) Limit	Permissible limit in the Absence of Alternate
21.	Phenolic Compounds	APHA (22 nd Edition)2012, 5530 C	*BDL(**DL 0.001 mg/l)	mg/l	0.001	0.002
22	Anionic Detergents as MBAS	APHA (22 nd Edition)2012, 5540 C	*BDI.(**DL 0.02 mg/l)	mg/}	0.2	1.0
23.	Zinc as 2n	APHA (22 nd Edition)2012, 3111 B	*BDL(**D1, 0.03 mg/l	mg/I	5	15
24.	Copper as Cu	APHA (22 nd Edition)2012, 3111 B	* BDL(**DL 0.03 mg/t)	mg/l	0.05	1,5
25	Manganese as Mn	APHA (22 nd Edition)2012, 3111 B	*BDL(**D1. 0.06 mmg/l)	Ing/I	0.1	0.3
26:	Cadmium as Cd	APHA (22 nd Edition)2012, 3111 B	*BDL(**1)1. 0.06 mg/l)	mg/t	0.003	
27	Lead as Ph	APHA (22 nd Edition)2012, 3111 B	*BDL(**Dt, 0.13mg/t)			No Relaxation
28	Selenium as Se	APHA (22** Edition)2012, 3114 B		mg/l	0,01	No Relaxation
9.			*BDL(**DL 0.01 mg/l)	mg/I	0.01	No Relaxation
	Arsenic as As	APHA (22 nd Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mg/l	0.01	0.05
0	Mercury as Hg	ΔΡΠΑ (22 nd Edition)2012, 3112 B	*BDL (**DL 0.001 mg/l)	mg/l	0.001	No Relaxation
1.	Total Coliform	IS 1622,1981(Reaffirmed 2003)	Absent	MPN/100m!	Shall not be de	teetable in any
2,	E. Coli	IS 1622,1981(Reaffirmed 2003)	Absent	MPN/100ml	Shall not be det	tectable in any

Note: - *BDL-Below Detection Limit. **DL- Detection Limit #These parameter are not covered in our NABL scope.

(Tested By)

insh (Checked By)

NOTE: a)The results listed refer only to the tested samples & applicable parameters b) Total habilities of our lab will be restricted to the invoice amount only c) The sample will be destroyed after retendon them unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

4.4 Surface water Quality Analysis




Figure. No. 6. Plan Showing Surface Water Quality Monitoring Location Map

Location Code: - 1. Mad- Mand Nadi River (Up Stream)

2. Mad- Mand Nadi River (Down Stream)



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/W/02

M/s Korba West Power Company Limited Village ChhoteBhandar, Post office Bude Bhandar, Tehsil Pussore, Dist.-Raigarli -496100

(Chhattisgarh)

Sample Description: Sample Location: Sample Collected by:

SURFACE WATER SAMPLE Mand River (Up Stream) VardanEnviroLab Representative

Refrigerated

Parameter Required:

Preservation:

Sampling and Analysis Protocol:

As per IS 10500-2012 IS-10500-2012, APHA 22nd Edition 2012 Report No.:

VEL/W/1903/30002

Format No.: 5.10 F-01 Party Reference No.:

NIL

Reporting Date:

10/04/2019

Period of Analysis: Receipt Date:

01-09/04/2019 30/03/2019

Sampling Date: Sampling Quantity:

28/03/2019 2.0 Ltr

Sampling Type:

Grab

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	APHA (22 nd Edition)2012, 4500-H* B	7.21	
2.	Colour	APHA (22 nd Edition)2012, 2120 B	3.0	Hazer
3.	Turbidity	APHA (22 nd Edition)2012, 2130 B	4,0	NTU
4	Chloride as Cl	APHA 22nd Edition, 4500-CI-B	25.6	mel
5.	Total Hardness as CaCO ₃	APHA (22 nd Edition)2012, 2340 C	66.5	mgl
6.	Calcium as Ca	APHA (22 nd Edition)2012, 3500 Ca B	18.2	mg/l
7	Alkalinity as CuCO ₃	APHA (22 nd Edition)2012, 2320 B	68.0	me
8.	BOD (3 Days at 27 "C)	IS 3025,P-44,1999 (Reaffirmed 2003)	11.0	mgd
9	COD	APHA 22nd Edition 2012, 5220 B	34.0	Legnt
10	Dissolved Oxygen	APHA 22nd Edition 2012, 4500	8.0	med
11	Residual free Chlorine	APHA 22 nd Edition, 4500 CI- B	BDL(DL 0.2mg/l)	mg l
12.	Cyanide as CN	APHA (22 ⁿ³ Edition)2012, 4500 CN ⁺ D	*BDL(**DL 0.02 mg/l)	mgd
13.	Magnesium as Mg	APHA (22 nd Edition)2012, 3500 Mg B	5.12	mgd
14.	Total Dissolved Solids	APHA (22 nd Edition)2012, 2540 C	26.0	med
15.	Sulpháte as SO ₁	APHA (22 nd Edition)2012, 4500 E	19.0	mgil
16	Fluoride as F	APHA (22 nd Edition)2012, 4500-F D	i).24	mgil
17.	Nitrate as NO ₃	IS 3025 (P-34) 2003	5.26	nige!
18.	Iron as Fe	APHA (22 nd Edition)2012, 3500-Fe B	0.18	mg/l
19.	Chromium as Cr 6*	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.0)	mgil

NOTE: a)The results listed refer only to the tested samples & applicable parameters
b) Total habilities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample N	Sample No. VPL/KWPCL/W/02		Report No.: VE	L/M/1903/30002
S. No	Parameter	Test-Method	Result	Unit
20	Phenolic Compounds	APHA (22nd Edition)2012, 5530 C	*BDL(**DL 0.001 mg/l)	ngd
21,	Anionic Detergents as MBAS	APHA (22 nd Edition)2012, 55:10 C	*BDL(**DL 0.62 mg/l)	mg/J
22.	Zinc as Zn	APIIA (22 nd Edition)2012, 3111 B	0.16	mg/l
23	Oil & Grease	APHA 22nd Edition, 5220 E	* BDL(**DL 0.2 mg/l)	mg/l
24.	Copper as Cu	APHA (22 nd Edition)2012, 3111 B	* BDL(**DL 0.03 mg/l)	mg/I
25.	Manganese as Mn	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.06 mmg/l)	mg/l
26.	Cadmium as Cd	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.06 mg/l)	mg/l
27	Lead as Pb	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL-0.13mg/l)	figm
28	Sclenium as Se	APHA (22nd Edition)2012, 3)14 B	*BDL(**DL 0.01 mg/l)	mg/I
29	Arsenic as As	APHA (22 nd Edition)2012_3114 B	*BDL(**DL 0.01 mg/l)	ing I
30	Mercury as Hg	APHA (22 nd Edition)2012, 3112 B	*BDL (**DL 0.031 mg/l)	mg/l
1.	Aluminium as Al	APHA (22 ^{nJ} Edition)2012, 3111 B	*BDL(**D1, 0.03 mg/l)	.mg/t
2	Boron	APHA (22 nd Edition)2012, 4500B C	*BDL(**DL 0.1 mg/l)	mg/l

Note: - *BDL-Below Detection Limit, **DL- Detection Limit

-msh (Checked By)

Page 2 of 2

NOTE: a)The results listed refer only to the tested samples & applicable parameters
b) Total liabilities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retendon time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OH5AS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/W/01

M/s Korba West Power Company Limited Village ChhoteBhandar, Post office Bade Bhandar, Tchsil Pussore, Dist.-Raigarh 496100 (Chhattisgarh)

VEL/W/1903/30001 Report No.: 5.10 F-01 Format No.: Party Reference No.:

Sample Description: Sample Location: Sample Collected by: SURFACE WATER SAMPLE Mand River (Down Stream) VardanEnviroLab Representative Reporting Date: Period of Analysis: Receipt Date: Sampling Date: Sampling Quantity:

NIL 10/04/2019 01-09/04/2019 30/03/2019 28/03/2019

Preservation: Parameter Required: Sampling and Analysis Protocol:

Refrigerated

As per IS 10500-2012 IS-10500-2012,APHA 22nd Edition 2012

Sampling Type:

2.0 Ltr Grab

	The second second	V		
S. No.	Parameter	Test-Method	Pesult	Unit
		7 7		
1	pH (at 25 °C)	APHA (22 nd Edition)2012, 4500-11' B	7.19	
2_	Colour	APHA (22 nd Edition)2012 2120 [3	3.0	Hazen
3	Turbidity	APHA (22" Edition)2012, 2130 B	3.0	NIT
4.	Chloride as Cl	APHA 22nd Edition, 4500-Cl- B	29.8	mgd
5,5	Total Hardness as CaCO ₃	APHA (22 nd Edition)2012, 2340 C	99.6	mgd
რ.	Calcium as Ca	APHA (22 nd Edition)2012, 3500 Ca B	20,4	mga
7	Alkalinity as CaCO ₃	APHA (22nd Edition)2012, 2320 B	94.5	mg/i
3.,	BOD (3 Days at 27 °C)	IS 3025,P-44,1999 (Reallitmed 2003)	;15.0	mgil
4	COD	APHA 22nd Edition 2012, 5220 B	36.2	mgil
10.	Dissolved Oxygen	APHA 22nd Edition 2012, 4500	9.0	mg/l
H.	Residual free Chlorine	APHA 22 nd Edition, 4500 CI- B	BDL(DL 0.2mg/l)	ing/l
12.	Cyanide as CN	APHA (22 rd Edition)2012, 4500 CN ⁻ D	*BDL(**DL (0.02 mg/l)	mgil
13.	Mugnesium as Mg	APHA (22 nd Edition)2012, 3500 Mg B	11.83	llig/III
14.	Total Dissolved Solids	APHA (22 nd Edition)2012, 2540 C	163.0	mg-l
1.5	Sulphậte as SO ₄	APHA (22nd Edition)2012, 4500 E	22.3	mg/1
16	Fluoride as F	APHA (22 nd Edition)2012, 1500-F D	0.25	hym
17_	Nitrate as NO ₃	IS 3025 (P-34) 2003	6.59	mg I
8.	Iron as Fe	APHA (22 nd Edition)2012, 3500-Fe B	0.22	my I
9.	Chromium as Cr ^b	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL.0.03 mg/l)	mgl







NOTE: a) The results listed refer only to the tested samples & applicable parameters b) Total habitions of our lab will be restricted to the invoice amount only:

() The sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122001 (Haryana)
Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)
MOEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 ISO 14001 OHSAS 18001

Test Report

Sample No :		ole No : VEL/KWPCL/W/01		VEL/W/1903/30001	
S. No	Parameter	Test-Method	Result	Unit	
20.	Phenolic Compounds	APHA (22 nd Edition)2012, 5530 C	*BDL(**DL 0.001 mg/l)	mg/l	
21.	Anionic Detergents as MBAS	APHA (22 rd Edition)2012, 5540 C	*BDL(**DL, 0,02 mg/l)	mg/l	
22,	Zine as Zn	APHA (22 nd Edition)2012, 3111 B	0.18	ngd	
23.	Oil & Grease	APHA 22nd Edition, 5220 E	* BDL(**DL 0.2 mg/l)	mgl	
24.	Copper as Cu	APHA (22nd Edition)2012, 3111 B	* BDL(**DL 0.03 mg/l)	nig/L	
25.	Manganese as Ma	APHA (22nd Edition)2012, 3111 B	*BDL(**DL 0.06 mmg/l)	mgd	
26.	Cadmium as Cd	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL (l.(-6 mg/l)	mgd	
27	Lead as Pb	APHA (22nd Edition)2012, 3111 B	*BDL(**D1. 0.13mg/l)	my/l	
28.	Selenium as Se	APHA (22 ^{nJ} Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mg/l	
29.	Arsenic as As	APHA (22nd Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mg/I	
30.	Mercury as Hg	APHA (22nd Edition)2012, 3112 B	*BDL (**DL 0.001 mg/l)	mg/L	
31.	Aluminium as Al	APHA (22 ⁶³ Edition)2012, 3111 B	*BDL(**DL.0.03 mg/l)	mg f	
32.	Beren	APHA (22nd Edition)2012, 4500B C	*BDL(**DL 0.1 mg/l)	mg/l	

Note: - *BDL-Below Detection Limit, **DL- Detection Limit

(Tested By)

(Checked By)

NOTE: a)The results listed refer only to the tested samples & applicable parameters
b) Total liabilities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retendon time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

3rd Quarterly Environmental Monitoring Report




Figure. No. 7. Plan Showing Surface Water Quality Monitoring Location Map

Location Code: -

1 Mahanadi River Up Stream

2 Mahanadi River down Stream



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Purty:

VEL/KWPCL/W/04

Sample Description: SURFACE WATER SAMPLE Sample Location: Mahanadi (Up Stream) Sample Collected by:

Preservation: Parameter Required:

Sampling and Analysis Protocol:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Hade Bhandur, Tehsil Pussore, Dist.-Raigurh -496100 (Chhattisgarh)

VardanEnviroLab Representative Refrigerated

As per IS 10500-2012

IS-10500-2012,APHA 22nd Edition 2012

Report No.:

VEL/W/1903/30004 5.10 F-01

Format No.: Party Reference No.: Reporting Date: Period of Analysis:

10/04/2019 01-09/04/2019

Receipt Date: Sampling Date: Sampling Quantity: Sampling Type:

30/03/2019 28/03/2019 2.0 Ltr

Grab

, S. No.	Parameter	Test-Method	E esult	Unit
L .	pH (at 25 °C)	APHA (22 nd Edition)2012, 4500-11 ⁷ B	7,09	***
2.	Colour	APHA (22 nd Edition)2012, 2120 B	4.0	Hazer
3,	Turbidity	APHA (22 nd Edition)2012, 2130 B	5.0	VIII
4.	Chloride as Cl	APHA 22nd Edition, 4500-Cl- B	26.8	mgil
5	Total Hardness as CaCO ₃	APHA (22 nd Edition)2012, 2340 C	\$7.6	mg/l
6	Culcium as Ca	APHA (22 nd Edition)2012, 3500 Ca B	22.5	mg/l
7.	Alkalinity as CaCO ₃	APHA (22 nd Edition)2012, 2320 B	105.0	01021
8.	BOD (3 Days at 27 °C)	IS 3025,P-44,1999 (Reaffirmed 2003)	112.3	mgd
9.	COD	APHA 22nd Edition 2012, 5220 B	28.9	mg/l
10	Dissolved Oxygen	APHA 22nd Edition 2012, 4500	8.0	titgil
1.1.	Residual free Chlorine	APIIA 22nd Edition, 4500 Cl- B	BDL(DL 0.2mg/l)	ing/
12	Cyanide as CN	APHA (22 nd Edition)2012, 4500 CN D	*BDL(**DL 0.02 mg/l)	mg/I
13.	Magnesium as Mg	APHA (22 nd Edition)2012, 3500 Mg B	7.64	mg/l
14	Total Dissolved Solids	APHA (22nd Edition)2012, 2540 C	162.0	mg/l
5	Sulphate as SO ₄	APHA (22nd Edition)2012, 4500 E	19.2	Tgor
6.	Fluoride as F	APHA (22 nd Edition)2012, 4500-F ¹ 1)	0.26	mg1
7	Nitrate as NO ₃	IS 3025 (P-34) 2003	[8.0	mg/f
8.	Iron as Fe	APHA (22 nd Edition)2012, 3500-Fe B	0.25	ingd
9,	Chromium as Cr 61	APHA (22 rd Edition)2012, 3111.1)	*BDL(**DL 0.02may)/ IP	s mg-l



rinsl (Checked By)

NOTE: a)The results listed refer only to the tested samples & applicable parameters b) Total liabilities of our lab will be restricted to the invoice amount only c) The sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample No.: VEL/KWPCL/IV/04		Report No.;	VEL/W/1903/3000-	
S. No	Parameter	Test-Method	Result	Unit
20.	Phenolic Compounds	APHA (22° Edition)2012, 5530 C	*BDL(**DL 0.001 mg/l)	me/l
21,	Anionic Detergents as MBAS	APHA (22 nd Edition)2012, 5540 C	*BDL(**DL 0.(2 mg/l)	mg/l
22.	Zinc as Zu	APHA (22 nd Edition)2012, 3111 B	0.22	mg/l
23.	Oil & Greuse	APIIA 22nd Edition, 5220 E	* BDL(**DL 0.2 mg/l)	mg/l
24.	Copper as Cu	APHA (22 nd Edition)2012, 3111 B	* BDL(**DL 0.03 nig/l)	mg/l
25.	Manganese as Mn	APHA (22 nd Edition)2012, 3111 B	*BDL(**D1, 0.06 mmg/l)	mg/l
26	Cadmium as Cd	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.06 mg/l)	mg/l
27.	Lead as Pb	APHA (22nd Edition)2012, 3111 B	*BDL(**DL 0.13mg/l)	mg/l
8.	Selenium as Se	APHA (22 nd Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mg/l
9.	Arsenic as As	APHA (22 nd Edition)2012, 3114 B	*BDL(**DL 0.(1 mg/l)	mg/i
0_	Mercury as Hg	APHA (22 nd Edition)2012, 3112 B	*BDL (**DL 0.001 mg/l)	mg/l
t,	Aluminium as Al	APHA (22 rd Edition)2012; 3111 B	*BDL(**DL.0,£3 mg/f)	mg/L
2.	Boron	APHA (22 nd Edition)2012, 4500B C	*BDL(**DL 0.1 mg/l)	mg/l

Note: - *BDL-Below Detection Limit, **DL- Detection Limit

insh (Checked By)

Page 2 of 2

NOTE: a)The results listed refer only to the tested samples & applicable parameters
b) Total liabilities of our lab will be restricted to the invoice amount only
c) The sample will be distroyed after retention the unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

Sample Description: Sample Location: Sample Collected by: Preservation: l'arameter Required:

Sampling and Analysis Protocol:

VEL/KWPCL/W/03

M/s Korba West Power Company Limited Village ChhoteBhandar, Post office Bade Bhandar, Tehsll Pussore, Dist.-Raigarh -496100 (Chhattisgarh) SURFACE WATER SAMPLE

Mahanadi (Down Stream) VardanEnviroLab Representative Refrigerated

As per IS 10500-2012 IS-10500-2012, APHA 22nd Edition 2012 Report No.: Format No.:

Party Reference No .: Reporting Date:

Period of Analysis: Receipt Date: Sampling Date: Sampling Quantity: Sampling Type:

VEL/W/1903/30003

5.10 F-01 NIL. 10/04/2019

01-09/04/2019 30/03/2019 28/03/2019 2.0 Ltr Grab

S. No.	Parameter	Test-Method	Result	Unit
de:	pH (nt 25 °C)	APHA (22 nd Edition)2012, 4500-H1 B	7.14	Det
2.	Colour	APHA (22 nd Edition)2012, 2120 B	4.0	Hazer
3	Turbidity	APHA (22nd Edition)2012, 2130 B	3.0	NTU
L	Chloride as CI	APHA 22nd Edition, 4500-Cl- B	35.1	mg/l
5	Total Hardness as CaCO3	APHA (22nd Edition)2012, 2340 C	98.7	mg !
6	Calcium as Ca	APHA (22 nd Edition)2012, 3500 Ca B	28.4	inge/1
7.	Alkalinity as CaCO3	APHA (22 nd Edition)2012, 2320 B	145,0	mg/l
8.	BOD (3 Days at 27 °C)	IS 3025,P-44,1999 (Reaffirmed 2003)	11.7	Egun
9,	COD	APHA 22nd Edition 2012, 5220 B	32.4	mg/l
10.	Dissolved Oxygen	APHA 22nd Edition 2012, 4500	9.0	mg/l
H:	Residual free Chlorine	APIIA 22nd Edition, 4500 Cl- B	BDL(DL 0.2mg/l)	mg/l
12.	Cyanide as CN	APHA (22 nd Edition)2012, 4500 CN ⁺ D	*BDL(**DL 0.02 mg/l)	ling!
13.	Magnesium as Mg	APHA (22 rd Edition)2012, 3500 Mg B	6,76	112
14,	Total Dissolved Solids	APHA (22nd Edition)2012, 2540 C	214.0	med
15	Sulphate as SO ₄	APHA (22 nd Edition)2012, 4500 E	26,9	mg/L
16.	Fluoride as F	APHA (22 nd Edition)2012, 4500-F D	0.28	mg/l
7	Nitrate as NO ₃	IS 3025 (P-34) 2003	10.0	mgd
8.	Iron as Fe	APHA (22 nd Edition)2012, 3500-Fe B	0.27	mg-1
9	Chromium as Cr 6*	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.03 and 18 a	012.1





NOTE: a)The results listed refer only to the tested samples & applicable parameters
b) Total (tablities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retention time unless often wise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram · 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122001 (Haryana)
Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)
MOEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample No.:		VEL/KWPCL/W/03	Report No.: - VEL/W/1903/300	
S. No	Parameter	Test-Method	Result	Unit
20.	Phenolic Compounds	APHA (22 nd Edition)2012, 5530 C	*BDL(**DL 0.001 mg/l)	mg/l
21.	Anionic Detergents as MBAS	APHA (22 nd Edition)2012, 5540 C	*BDL(**DL 0.02 mg/l)	mg/l
22	Zinc as Zn	APIIA (22 nd Edition)2012, 3111 B	0.34	mg/l
23.	Oil & Grease	APHA 22nd Edition, 5220 E	* BDL(**DL-0.2 mg/l)	mg l
24.	Copper as Cu	APHA (22nd Edition)2012, 3111 B	* BDL(**DL 0.13 mg/t)	med
25.	Manganese as Mn	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.06 mmg/l)	ing/l
26	Cadmium as Cd	APHA (22 nd Edition)2012, 3111 B	*BDL(**DL 0.66 mg/l)	mg/l
27.	Lead as Pb	APHA (22nd Edition)2012, 3111 B	*BDL(**DL 0.13mg/l)	mg/)
28	Selenium us Se	APHA (22 ⁶³ Edition)2012, 3114 B	*BDL(**DL 0.C1 mg/l)	mgd
9.	Arsenic as As	APHA (22°J Edition)2012, 3114 B	*BDL(**DL 0.01 mg/l)	mg/l
0.,	Mercury as Hg	APHA (22 nd Edition)2012, 3112 B	*BD1. (**D1. 0.001 mg/l)	mg/l
1	Aluminium as Al	APHA (22nd Edition)2012, 3111 B	*BDL(**DL 0.03 mg/l)	ing/l
2,	Roron	APHA (22 nd Edition)2012, 4500B C	*BDL(**DL 0.1 mg/l)	mg l

Note: - *BDL-Below Detection Limit, **DL- Detection Limit

(Checked By)

Page 2 of 2

NOTE: a) The results listed refer only to the tested samples & applicable parameters
b) Total liabilities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

4.5 Soil Quality Analysis



Figure No. 8. Plan Showing Soil Sample Monitoring Location Map

Location Code: -

- S1- PalsadaVillage
- S2- Kthali Village
- S3- Chote Bhandar Village
- S4- Bade Bhandar Village
- S5- Nursery



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001|ISO 14001|OHSAS 18001

Test Report

Sample Number:

Sample Description:

Sample Collected by:

Sample Location:

Packing Status:

Name & Address of the Party:

VEL/KWPCL/S/01

SOIL SAMPLE

Village-_Palsada

M/s Korba West Power Company Limited Village Chhote Dhandar, Pust office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

Party Reference No.: Reporting Date:

Report No.:

VEL/S/1903/30001

5.10 F-01 NIL 10/04/2019

Period of Analysis: Receipt Date:

01-09/04/2019 30/03/2019

Vardan EnviroLab Team Sampling Date: Sampling Quantity:

27/03/2019 2.0 Kg Composite

Parameter Required: Sampling and Analysis Protocol:

Temp Sealed As per Work Order

IS 2720, USEPA 3050B & USDA

Sampling Type:

S. No.	Parameter	Test-Method	Result	Unit
L	pll (at 25 °C)	IS: 2720 (P-26,RA2011)	7,38	**
2	Conductivity	IS-14767-2000 Reaffirmed 2006	0.375	mSten
3.	Soil Texture	IS . 2720 (P-4, RA (995)	Silty Loam	
4.	Color	USDA Method, 1968	Yellowish Red	-
5	Water holding capacity	USDA Method, 1968	28.5	Ψ/υ
6.	Bulk density	USDA Method, 1968	1.38	gm/ce
7.	Chloride as Cl	USDA Method, 1968	81.6	mg/kg
8.	Calcium as Ca	USDA Method, 1968	112.6	ing/kg
9.	Sodium as Na	USDA Method, 1968	474.2	mg/kg
10.	Potassium as K	USDA Method, 1968	105.6	kg/hee
Пи	Organic Matter	IS:2720 (P-22, RA2009)	0.65	9,6
12.	Magnesium as Mg	USDA Method, 1968	88.9	mg/kg
13.	Available Nitrogen as N	IS:14684, RA2006	214.0	kg./hec
14.	Available Phosphorus	USDA Method, 1968	21.7	kg/hee
15.	Zine (as Zn)	USEPA 3050B	17.2	mg/kg
16.	Manganese (as Mu)	USEPA 3050B	154.0	mg kg
7.	Lead (as Pb)	USEPA 3050H	4,0	mg kg
8.	Cadmium (as Cd)	USEPA 3050B	0.70	marka
9,	Chromium (as Cr)	USEPA 3050B	1.0	mg/kg

USEPA 3050B



Copper (as Cu)





NOTE: n)The results listed refer only to the tested samples & applicable parameters
b) fotal flabilities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed affor retention time unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of liw

Tel: 0124-4291036, 8588859161, 9971684812 | E-mall: lab@vardanenvironet.com | www.vardan.co.in

mg-kg



MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPGL/S/02

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post

office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh) SOIL SAMPLE

Sample Description: Sample Location:

Village-_Kathli

Sample Collected by: Packing Status:

Vardan EnviroLab Team Temp Scaled

Parameter Required: Sampling and Analysis Protocol:

As per Work Order IS 2720, USEPA 3050B & USDA Report No.:

VEL/S/1903/30002

Format No.: Party Reference No.:

5.10 F-01 NIL

Reporting Date: Period of Analysis: 10/04/2019 01-09/04/2019

Receipt Date: Sampling Date: Sampling Quantity: 30/03/2019 27/03/2019 2.0 Kg

Sampling Type:

Composite

S. No.	Parameter	Test-Method	Result	Unl
1.	pH (at 25 °C)	IS: 2720 (P-26,RA2011)	7.75	74
2.	Conductivity	IS:14767-2000 Reaffirmed 2006	0.348	niS/ci
3.	Soil Texture	IS: 2720 (P-4, RA1995)	Silty Loam	-
4.	Color	USDA Method, 1968	Yellowish Red	**
5.	Water holding capacity	USDA Method, 1968	29.1	%
6.	Bulk density	USDA Method, 1968	1.30	2 m/c
7.	Chloride as CI	USDA Method, 1968	75.6	me/k
8.	Calcium as Ca	USDA Method, 1968	342.7	mg/k
9	Sodium as Na	USDA Method, 1968	₹74.1	mg/k
10,	Potassium as K	USDA Method, 1968	148.5	kg/he
П.	Organic Matter	IS:2720 (P-22, RA2009)	0.84	96
12.	Magnesium as Mg	USDA Method, 1968	79.2	mg/k
13.	Available Nitrogen as N	IS:14684, RA2006	285.0	kg/hc
14.	Available Phosphorus	USDA Method, 1968	35.1	kg/he
15.	Zinc (as Zn)	USEPA 3050B	15.2	mg/k
16.	Manganese (as Mn)	USEPA 3050B	162.0	ingk
17,	Lend (as Pb)	USEPA 3050B	3.25	mg k
8.	Cadmium (as Cd)	USEPA 3050B	0.65	mg/k
9_	Chromium (as Cr)	USEPA 3050B	1,4	mg/ki
20.	Copper (as Cu)	USEPA 3050B	14.8	mg-ki





Page 1 of 1

NOTE: a) The results listed refer only to the tested samples & applicable parameters
b) Total liabilities of our lab will be restricted to the invoice amount only
c) The sample will be destroyed after retention thing unless otherwise specified
d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Project Name: Korba West Power Company Ltd.,

Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

3rd Quarterly Environmental Monitoring Report



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/S/03

M/s Korba West Power Company Limited Village Chhote Bhandar, Post

office Bade Bhandar, Tchsll Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

SOIL SAMPLE

Sample Location:

Sample Collected by: Packing Status:

Sample Description:

Parameter Required:

Sampling and Analysis Protocol:

Village-Chhote Bhandar Vardan EnviroLab Team

Temp Sealed As per Work Order

IS 2720, USEPA 3050B & USDA

Report No.:

Format No.: Party Reference No.:

Reporting Date: Period of Analysis:

Receipt Date: Sampling Date:

Sampling Quantity: Sampling Type:

VEL/ S/1903/30003

5.10 F-01 NIL

10/04/2019 01-09/04/2019

30/03/2019 27/03/2019 2.0 Kg Composite

S. No.	Parameter	Test-Method	Result	Unit
Is:	pH (at 25 °C)	IS: 2720 (P-26,RA2011)	7.64	-
2.	Conductivity	IS:14767-2000 Reaffirmed 2006	0.335	mS/cr
3.	Soil Texture	IS: 2720 (P-4, RA1995)	Silty Loam	
4.	Color	USDA Method, 1968	Yellowish Red	
5	Water holding capacity	USDA Method, 1968	28.5	9.6
6.	Bulk density	USDA Method, 1968	1.38	gm/cc
7	Chloride as Cl	USDA Method, 1968	58.6	mg/ki
8.	Calcium as Ca	USDA Method, 1968	325.5	mg/ks
9.	Sodium as Na	USDA Method, 1968	(65.2	mg/ki
10.	Potassium as K	USDA Method, 1968	114.0	kg/hec
fiz:	Organic Matter	IS:2720 (P-22_RA2009)	0.65	200
12.	Magnesium as Mg	USDA Method, 1968	79.4	mg/kg
13.	Available Nitrogen as N	IS:14684, RA2006	271.0	kg./her
14.	Available Phosphorus	USDA Method, 1968	22.3	ke /hec
15,	Zinc (as Zn)	USEPA 3050B	16.2	mg/kg
16.	Manganese (as Mn)	USEPA 3050B	154.1	mg/kg
17.	Lead (as Pb)	USEPA 3050B	4.0	mg/kg
18.	Cadmium (as Cd)	USEPA 3050B	0.71	mg/kg
19.	Chromium (as Cr)	USEPA 3050B	1.0	mg/kg
20.	Copper (as Cu)	USEPA 3050B	16.0	mu/ku

(Checked By)

NOTE: a)The results listed refer only to the tested samples & applicable parameters b) Total liabilities of our lab will be restricted to the invoice amount only c) The sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/S/04

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tchsil Pussore,

Dist.-Raigarh -496100 (Chhattisgarh) SOIL SAMPLE

Sample Description: Sample Location: Sample Collected by:

Village-Bade Bhandar Vardan EnviroLab Team

Packing Status: Parameter Required:

Temp Sealed As per Work Order

Sampling and Analysis Protocol:

IS 2720, USEPA 3050B & USDA

Report No.:

VEL/ S/1903/30004 Format No.:

5.10 F-01 Party Reference No.: NIL

Reporting Date: Period of Analysis:

10/04/2019 01-09/04/2019

Receipt Date: Sampling Date: 30/03/2019 27/03/2019 2.0 Kg

Sampling Quantity: Sampling Type:

Composite

S. No. Parameter 1. plf (at 25 °C)		1 est-Method		Unit	
		IS: 2720 (P-26.RA2011)	7.60	-	
2.	Conductivity	IS:14767-2000 Reaffirmed 2006	0.343	mS/cn	
3.	Soil Texture	IS: 2720 (P-4, RA1995)	Silty Loam	-	
4	Color	USDA Method, 1968	Yellowish Red		
5.	Water holding capacity	USDA Method, 1968	31.6	196	
6.	Bulk density	USDA Method, 1968	1.30	gm/ce	
7	Chloride as Cl	USDA Method, 1968	52.3	mg/kg	
8. Calcium as Ca 9. Sodium as Na 10. Potassium as K 11. Organic Matter 12. Magnesium as Mg		USDA Method, 1968	451.2	mg/kg	
		USDA Method, 1968	65.7	mg/kg	
		USDA Method, 1968	152,0	kg/hec.	
		IS-2720 (P-22, RA2009)	0.87	%	
		USDA Method, 1968	95.6	mg/kg	
13	Avnilable Nitrogen as N	IS:14684, RA2006	324.0	kg/hee	
14.	Available Phosphorus	USDA Mahod, 1968	30.5	kg/hee.	
15.	Zinc (as Zn)	USUPA 3050B	11.6	mg/kg	
16.	Manganese (as Mn)	USEPA 3050B	130.8	mg/kg	
7,	and (as Bh)		2.5	mg·kg	
8.	Cadmium (as Cd)			mg/kg	
9.	Chromium (as Cr)	USEPA 3050B	1.0	merke	
0.	Copper (as Cu)	USEPA 3050B	16.0	mg/kg	

Finsh (Checked By)



Laboratory: Samaspur, Sector-51, Opp. Amilty School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party:

VEL/KWPCL/S/05

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

SOIL SAMPLE

Sample Description: Sample Location:

Packing Status:

Nursery

Sample Collected by:

Vardan EnviroLab Team Temp Scaled

Parameter Required: Sampling and Analysis Protocol:

As per Work Order

IS 2720, USEPA 3050B & USDA

Report No.:

VEL/S/1903/30005

Formut No.: Party Reference No.:

5.10 F-01 NIL. 10/04/2019

Reporting Date: Period of Analysis: Receipt Date:

01-09/04/2019 30/03/2019 27/03/2019

Sampling Date: Sampling Quantity: Sampling Type:

2.0 Kg Composite

S. No.		Test-Method	Result	Unit
1.	pH (at 25 °C)	IS: 2720 (P-26,RA2011)	7.76	-
2,	Conductivity	IS:14767-2000 Reaffirmed 2006	0.334	mS/en
3	Soll Texture	IS 2720 (P-4, RA 1995)	Silty Loam	
4.	Color	USDA Method, 1968	Yellowish Red	
Ŝ.	Water holding capacity	USDA Method, 1968	26.1	9%
6	Bulk density	USDA Method, 1968	1,34	gm/m
7.	Chloride as CI	USDA Method, 1968	70.1	mg/ks
8.	Calcium as Ca	USDA Method, 1968	259.3	mg/kg
)	Sodium as Na	USDA Method, 1968	70.1	mg/kg
10.	Potassium as K	USDA Method, 1968	132.5	kg/hec
1,	Organic Matter	IS:2720 (P-22, RA2009)	0.60	9%
Magnesium as Mg Available Nitrogen as N		USDA Method, 1968	69.2	mg/kg
		IS:14684, RA2006	254.0	kg/hec
4.	Available Phosphorus	USDA Method, 1968	124.1	kg,/hee
5	Zine (as Zn)	USEPA 3050B	15.3	mg/kg
6.	Manganese (as Mn)	USEPA 3050B	148,0	mg/kg
7.	Lead (as Pb)	USEPA 3050B	3,5	me kg
8.	Cadmium (as Cd) USEPA 3050B		0.57	mg kg
9.	Chromium (as Cr)	USEPA 3050B	2.89	mg kg
D: 1	Copper (as Cu)	USEPA 3050B	13.1	mg kg

Page 1 of 1

c) The sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Project Name: Korba West Power Company Ltd., Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

3rd Quarterly Environmental Monitoring Report

4.6 Effluent Sample Analysis Report

Locations

- 1. STP Outlet
- 2. ETP Outlet



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana) MoEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

Name & Address of the Party;

VEL/KWPCL/WW/01

Dist.-Raigarh -496100 (Chhattisgarh)

STP Outlet

Sample Description: Sample Location:

Sample Collected by:

Preservation: Parameter Required:

Analysis Protocol:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore,

WASTE WATER SAMPLE

Vardan Envirolab Team Refrigerated

As per work order APHA 22nd Edition 2012 Report No.:

Format No.:

Party Reference No.:

Reporting Date: Period of Analysis:

Receipt Date: Sampling Date:

Sampling Quantity:

VEL/WW/1903/30001

5.10 F-01 NIL

10/04/2019 01-09/04/2019

30/03/2019 28/03/2019

2.0 Ltr

					*Standards		
S. No.	Parameter	Test-Method	Result	Unit	In-Land Surface Water	Public Sewers	Land for Irrigation
L	pH (at 25 °C)	APHA 22nd Edition 2012, 4500-H+ B	7.24	mg/l	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0
2.	BOD (3 Days at 27 °C)	IS 3025,P-44,1999 (Reaffirmed 2003)	24.1	mg/l	30	350	100
3	COD	APHA 22nd Edition 2012, 5220 B	125.0	mg/l	250	***	100
4	Total Suspended Solids	APHA 22nd Edition 2012, 2540 D	26.9	mg/l	100	600	200
5.	Oil and Grease	APHA 22nd Edition 2012,5520 B	0.7	mg/l	10	20	10

(Tested By)

(Checked By)

Page 1 of 1



Laboratory: Samaspur, Sector-51, Opp. Amity School, Gurugram - 122001 (Haryana) Corp. Off: Plot No. 82A, Sector - 5, IMT Manesar, Gurugram - 122051 (Haryana) Regd. Office: D-142, Sushant Lok - III, Sector - 57, Gurugram - 122003 (Haryana)

MOEF & CC Recognized | HSPCB & RSPCB Approved | ISO 9001 | ISO 14001 | OHSAS 18001

Test Report

Sample Number:

VEL/KWPCL/WW/02

Report No.:

VEL/WW/1903/30002

Name & Address of the Party:

M/s Korba West Power Company Limited Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

Format No.:

5.10 F-01 NIL

Party Reference No.: Reporting Date:

10/04/2019

Sample Description: Sample Location:

WASTE WATER SAMPLE ETP Outlet

01-09/04/2019 Period of Analysis:

Vardan Envirolab Team

30/03/2019 28/03/2019

Sample Collected by: Preservation:

Refrigerated

Sampling Date: Sampling Quantity:

Receipt Date:

2.0 Ltr

Parameter Required: **Analysis Protocol:**

As per work order APHA 22nd Edition 2012

					*Standards		
S. No.	Parameter	Test-Method Ro		Unit	In-Land Surface Whter	Public Sewers	Land for Irrigation
1.	pH (at 25 °C)	APHA 22nd Edition 2012, 4500-H+ B	7.63	mg/l	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0
	BOD (3 Days at 27 °C)	IS 3025,P-44,1999 (Reaffirmed 2003)	23.0	mg/l	30	350	100
	COD	APHA 22nd Edition 2012, 5220 B	96.2	mg/l	250	25	**
	Total Suspended Solids	APHA 22nd Edition 2012, 2540 D	22 1	mu/l	100	600	200
	Oil and Grease	APHA 22nd Edition 2012,5520 B	1.0	mg/l	10	20	10

(Checked By)

Page 1 of 1

NOTE: a) The results fisted refer only to the tested samples & applicable parameters b) Total liabilities of our fall will be restricted to the invoice amount only c) The sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Project Name: Korba West Power Company Ltd., Village Chhote Bhandar, Post office Bade Bhandar, Tehsil Pussore, Dist.-Raigarh -496100 (Chhattisgarh)

3rd Quarterly Environmental Monitoring Report

Chapter - 5.0 CONCLUSION

KWPCL authorities have been taken successful steps in controlling environmental pollution in and around the project. This fact is clear from analytical results of different environmental parameters. A brief conclusion is as follows.

Sr.	Environmental	Conclusion		
No.	Parameters			
5.1	Air Environment	After analysis of the samples from five different locations it is observed that both the individuals and average concentra tions of air pollutants in respect of SO ₂ , NO ₂ , PM ₁₀ , PM _{2.5} , CO and Mercury are well within the prescribed limits of NAAQM standards. People of township and of surrounding villages do not have any problems regarding the air quality and have no grievances because of Thermal Power Plant activities.		
5.2	Water Environment	The analytical result of the samples from the ground water of villages, surface water from river, and domestic & industrial effluent after treatment shows that the concentrations of different water parameters are well within prescribed limits and will not cause any adverse impact on human health and on surrounding area. People of surrounding areas express satisfaction about the water quality of that area.		
5.3	Noise Environment	The observations taken at four village location during day and night time shows that the noise level are well within prescribed limits of CPCB. Hence there is no possibility of any adverse effect of noise generated due to Thermal Power Plant activities on peoples of surrounding areas.		

All the above details show that Thermal Power Plant of KWPCL is not causing any adverse impact on the human health and ecological balance.







Plantation on 33% land of 487 acres	163 acres
Density of plantation	2500 plants/Hectare
Area required perplant	4.0 SQM
Total No. of plantation completed	1,99,448 No's
2011-12	30,000
2012-13	20,571
2013-14	37,139
2014-15	43,107
2015-16	40,278
2016-17	17,517
2017-18	7,348
2018-19	3,450
Survival rate maintained	>20%





26th September 2018

Ref. No: KWPCL/EMD/Sept./9

To,

The Member Secretary,
Chhattisgarh Environment Conservation Board,
Paryavas Bhavan, Sector - 19
Naya Raipur (C.G.)

Sub..: Submission of Environmental Statement Report (Form-V) for 600 MW (1×600 MW) Coal Based Thermal Power Plant at Village - Chhote Bhandar, PO- Bade Bhandar, Tehsil- Pussore, Distt.-Raigarh, Chhattisgarh by M/s. Korba West Power Company Ltd.

Ref.: MoEF Environment Clearance Letter No.: J-13012/57/2008-IA.II (T) dated 20th May, 2010.

Dear Sir,

This has reference to the above referred subject and clause no. xvi in General Conditions of Environment Clearance Letter above cited issued by MoEF & CC, New Delhi. We are hereby submitting Environment Statement Report (Form-V) for the period of April'2017- March'2018.

The unit is under major breakdown since 22rd May 2017.

Thanking you,

Your's faithfully, For M/s. Korba West Power Company Ltd.:

[Smruti Ranjan Nayak]
Director

Encl.: As above

CC: The Regional Officer; Chhattisgarh Environment Conservation Board, TV Tower Road, Raigarh 100 m

l'orba l'est Power | o | pany Li | ited

SM U40102WP (996PLG008177)

Allags Chirole Strandar, P. I. Made Shantar, Takval Postoria, Politica Mayor, 174, 177, Throndbysin, 1945

ENVIRONMENTAL STATEMENT REPORT

(Year 2017-18)

600 (1×600) MW THERMAL POWER PLANT

At

CHHOTE BHANDAR VILLAGE, PUSSORE TEHSIL RAIGARH DISTRICT CHHATTISGARH

Submitted to:

Chhattisgarh Environment Conservation
Board Raipur (C.G.)

Submitted By:

Environment Management Department

Korba West Power Company Limited

Bade & Chhote Bhandar Village, Pussore Tehsil Raigarh District, Chhattisgarh

1 X 600 MW (600 MW) Coal Based Thermal Power Plant	Environme
At Village – Chhote Bhandar, PO-Bade Bhandar, Tehsil-Pussore, Distt. – Raigarh,	
Chhattisgarh	

Environmental Statement Report, 2017-18

ENVIRONMENTAL STATEMENT FORM-V

(See rule 14)

Environmental Statement for the financial year ending with 31st March, 2018 as per condition stipulated under clause no. xvi of General Conditions in Environmental Clearance granted by Ministry of Environment & Forest vide letter no. J 13012/57/2008-IA.II (T) dated 20th May, 2010.

PART- A

i.	Name and address of the owner/occupier of the	Mr. Smruti Ranjan Nayak	
	industry Operation or Under process.	Director	
		Vill – Chhote Bhandar, РО – Bade	
		Bhandar, Tehsil – Pussore, Distt –	
		Raigarh, Chhattisgarh	
		496100	
ii.	Industry category Primary-(STC Code) Secondary	Red Category	
	(STC Code)		
iii.	Production category – Unites	1 x 600 MW (600 MW)	
iv.	Year of establishment	1 st April 2014	
	Data of the last environmental statement or heritted	th Controller	
V	Date of the last environmental statement submitted,	25 th September, 2017	

PART-B

Water and raw Material Consumption:-

ŀ	Water consumption in m³/day	m³/day
В	Process	203-5
ь	Cooling	25479.2

1 X 600 MW (600 MW) Coal Based Thermal Power Plant At Village – Chhote Bhandar, PO-Bade Bhandar, Tehsil-Pussore, Distt. – Raigarh, Chhattisgarh		Environmental Statement Report, 2017-18	
С	Domestic	99.7	
	Total	25773.4	

S. No.	Name of the	Process water consum	ption per unit of products
	Products	During the previous financial year	During the current financial year
1.	Electricity	2.26 M3/MW	2.35 M3/ MW

ii. Raw material consumption

Name of the Raw materials	Name of the Products		iter consumption it of products
		During the previous financial year	During the current financial year
Coal	Electricity	0.74 MT/ MW	0.76 MT/ MW
LDO	Electricity	0.00052 KL/ MW	0.00009 KL/ MW

PART-C

Pollution discharged to environment/unit of output

(Parameter as specified in the consent issued)

Pollutants	Quantity of Pollutants	Concentration of Pollutants	Percentage	of variation
	discharged (mass/day)	discharged (mass/volume)	from pr	escribed
			standards w	ith reasons.
(a) Air	*Unit is not in operation s	since 22 nd May'2017, hence any	Within	Prescribed
	MoEF & CC/ NABL accredit	ed Lab monitoring could not be	Standards.	
(b) Water	Enclosed as Annexure-1	Enclosed as Annexure-1		

1 X 600 MW (600 MW) Coal Based Thermal Power Plant	Environmental Statement	Report,
At Village – Chhote Bhandar, PO-Bade Bhandar, Tehsil-Pussore, Distt. – Raigarh,	2017-18	
Chhattisgarh		

PART - D

HAZARDOUS WASTES

As specified under Hazardous Wastes (Management & Handling Rules, 1989)

S.	Hazardous Wastes	Total O	Total Quantity (Kg)	
No.		During the previous financial year	During the current financial year	
a.	From Process	9.640	18.12	
b.	From Pollution Control Facilities	Nil	Nil	

PART-E

SOLID WASTES

5.	Solid Wastes	Total Qua	ntity (Kg)
No.		During the previous financial year	During the current financial year
а	From Process (Ash)	824440 MT	173102 MT
b.	From Pollution Control Facility	Nil	Nil
c.	Quantity recycled or reutilized within the unit.	Nil	Nil
	Sold	Nil	Nil
	Disposal (Utilized in brick making, reclamation of soil, constructions etc)	308006 MT	253013 MT

Remark: Surplus quantity has been used from ash stored in ash dyke

PART-F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1 X 600 MW (600 MW) Coal Based Thermal Power Plant

At Village - Chhote Bhandar, PO- Bade Bhandar, Tehsil-Pussore, Distt. - Raigarh, Chhattisgarh

Environmental Statement Report, 2017-18

Used Oil (Category 5.1) Storage at Site: The waste/used oil being generated at site is being stored in MS drums within Hazardous Waste Storage Shed. The waste is sold to registered recyclers/ reprocessor.

- 2) Non Hazardous Solid Waste:
 - a) Bottom Ash
 - b) Fly Ash

Disposal Practices: The waste generated is been provided to nearby brick manufactures, in house brick plant, land filling and approaches in possible utilization avenues like infrastructure, highways, nearby mines are in progress.

PART - G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost production.

- 1) Installation of ETP for the treatment of Industrial Effluent.
- 2) Installation of o5 Nos. of STP's for treatment of Domestic Effluent.
- 3) Installation of Hydro bins for ash water recovery system has been installed.
- 4) Construction of Pits within plant premises for process water recycling and reuse within plant and also to attain zero discharge.
- 5) Regular monitoring of ambient air quality, ground & surface water, noise level quality have been carried out to evaluate the quality of environment in and around the plant premises.
- 6) Installation of ESP with efficiency of 99.938% is installed.
- 7) Installation of Bag Filters, Dry fog dust suppression systems are installed throughout coal handling chain.



Additional measures/ investment proposal for environmental protection including abatement of pollution.

- 1) Harnessing of Solar Power within premises.
- 2) Installation of Variable Frequency Drivers in Motors and Fans to optimize electrical energy.
- 3) Changing CFL to LED's for optimizing electrical energy.

PART-I

Any other Particulars for improving the quality of the environment

- 1) Water sprinkling in dust prone areas in and around plant premises.
- 2) Plantation of 7386 in FY 17-18, saplings has been carried in and around plant premises plant for green belt development. Local plant species has been preferred for the plantation having following characteristics
 - > Fast growing with thick canopy cover
 - > Adequate height with longer duration of foliage
 - Perennial and evergreen
- 3) Integrated housekeeping management is undertaken at top priority to maintain neat, clean and safe working environment in the plant area.

3 R. Norcyck

WATER QUALITY PARAMETERS

	Oil & Grease	Suspe	Suspended Solid		COD		BOD	Flow	Temp
	10 mg/l	100 mg/l	920.0 Kg/Day	250 mg/l	2300.0 Kg/Day	30.0 mg/l	276.0 Kg/Day	9200 Cum/Day	
	0.1	145	8.2	93.5	30.5	13.5	4 4	25.50	28.6
	0.1	13.2	6.6	90.0	45.7	12.5	64	500.8	20.02
	0.1	13.5	3,5	85.3	15.2	10.0	000	268.4	27.0
	1 0	13.3	2.3	91.3	15.6	11.6	o o	169.7	27.0
	0.1	13.3	47	91.8	15.0	14.0	23	136.2	26.5
1	0.1	17.7	2.1	2.06	14.5	15.3	2.4	113.3	27.0
	10	21.6	3.4	112.7	26.2	27.3	6.6	153.4	25.5
	0,2	22.8	3.9	96.4	14.9	23.2	3.4	103.9	24.5
	0.1	22.3	4.3	88.0	26.1	21.5	6.2	189.8	24.5
	1.0	20.4	3.9	86.5	12.9	17.5	2.6	179.6	24.0
	0,1	21.7	33	82.0	19.1	22.0	5.2	159.6	24.8
	0.1	16.6	2.8	87.0	21.4	12.0	2.9	170.3	25.0
	0.1	13.2	2.1	82.0	12.9	10.0	9.7	103.9	24.0
	0.2	22.8	8.2	112.7	45.7	27.3	6.6	556.8	28.5
	0.1	17.6	4.1	91.3	21.4	16.7	3.9	225.9	26.1

Remarks, Plant was not in operation since 22nd May 2017.