

Power

Ref: APL/APML/EMD/MOEF/EC/292/05/24

Date: 24/05/2024

To.

Additional Principal Chief Conservator of Forest Ministry of Environment, Forest & Climate Change Integrated Regional Office, Nagpur Ground Floor, East Wing, New Secretariat Building, Civil Line, Nagpur-440001 (MH).

Sub: Six Monthly Compliance Status report on Environmental Clearance of Residential Complex for Tiroda Thermal Power Plant, Gondia District, Maharashtra.

Ref: Env. Clearance Letter No.- SEAC-2212/CR-93/TC-2, dated-30.09.2014.

Dear Sir.

With reference to above subject, please find enclosed herewith Six-Monthly Environmental Clearance (EC) compliance status report of Residential complex along with environmental monitoring results and Greenbelt development etc. for the period of October'2023 to March'2024 in soft (e-mail).

This is for your kind information & record please.

Thanking you

Yours faithfully, for Adani Power Limited, Tiroda

(R N Shukla)

Head Env. & Forest

Encl: As above

CC:

Member Secretary Central Pollution control Board

Parivesh Bhavan, East Arjun Nagar New Delhi- 110 032.

Member Secretary, Maharashtra Pollution Control Board Kalpataru Point, 2nd – 4th floor, **Mumbai**.

State Level Environment Impact Assessment Authority (SEIAA), Maharashtra

Mumbai, Maharashtra

The Regional Officer, Maharashtra Pollution Control Board Regional Office, 5th Floor Udyog Bhawan, Civil Lines, Nagpur, MH

Adani Power Ltd Adani Corporate House Shantigram, S G Highway Ahmedabad 382 421 Gujarat, India

Tel +91 79 2555 4444 Fax +91 79 2555 7177 www.adanipower.com

CIN: L40100GJ1996PLC030533

SIX MONTHLY COMPLIANCE REPORT OF ENVIRONMENTAL CLEARANCE (EC)

For

Residential Complex
of
Tiroda Thermal Power Plant

At

Village Berdipar, Tirora, District Gondia Maharashtra

Submitted to:

Integrated Regional Office, Nagpur
Ministry of Environment, Forest & Climate Change,
Central Pollution Control Board, New Delhi &
Maharashtra Pollution Control Board, Mumbai &
Regional Office, Nagpur



Submitted By:

Environment Management Department

Adani Power Limited

Plot NO: A -1, Tirora Growth Centre MIDC, Tirora, Gondia – 441911 (M.H)

Period: October'2023 - March'2024

CONTENT

SL. No	Title	Annexures				
1	Compliance Status of Environment Clearances (EC)					
	List of Annexures					
2	Environmental Monitoring Report From October'2023 - March'2024 • Ambient Air Quality Report • Noise Level Monitoring Report	Annexure - I				
	 Sewage Water Analysis Report Water Quality Monitoring Report DG Stack Monitoring Report 					
3	Green Belt/Plantation Details	Annexure - II				
4	Online Monitoring Facility installation at STP	Annexure - III				
5	Environment Statement	Annexure - IV				
6	Waste Processing Facilities (OWC, PRM, SWY) Annexure					
7	Training & Awareness for Source Segregation of waste	Annexure - VI				
8	Roof Top Rainwater Harvesting System	Annexure - VII				

Compliance Status on Environmental Clearance

for Residential Complex of Tiroda Thermal Power Plant at

Village Berdipar, Taluka Tiroda, District Gondia, Maharashtra

Letter No. SEAC-2212/CR-93/TC-2, dated 30.09.2014 and Transferred EC dated 04.09.2023.

SI. No	EC Conditions	Compliances Status
0	This environmental clearance is issued subject to	Complied,
(i)	land use verification. Local authority/ planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. Judgments/orders issued by Hon'ble High Court, Hon'ble NGT, Hon'ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in above para may be reported to the environmental department. This environmental clearance issued with respect to environmental consideration, and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.	As per approved plan by Town and country planning, residential complex is constructed & established & verified by local authority.
(ii)	This environmental clearance is issued subject to obtaining NOC from forestry & Wildlife angle including clearance from standing committee of National Board for Wildlife as if applicable & this environment clearance does not necessarily implies that Forestry & Wild Life clearance granted to the project which will be considered separately on merit.	No forest land acquired & involved for residential complex.
(iii)	PP has to abide by the conditions stipulated by SEAC & SEIAA. It is noted that the total waste generation @ 0.5 kg/day for maximum population of 2012 is 1006 kg/day. It is also noted the agreement made for collection, transportation, treatment and disposal of Biomedical waste dated 7th Feb 2014. Note on CSR activity is noted and SEIAA stipulates the condition of setting up school up to 10th standard near township.	Compliance Assured. In the reporting period, average daily domestic waste generation is 197 kilograms. All waste is sorted into biodegradable and non-biodegradable categories. Biodegradable waste is processed using an organic waste converter to produce compost, which is then used for green belt and horticulture development. Enclosed as Annexure – V. Non-biodegradable waste is being recycled/reused through recyclers. During the year 31.965 MT of non-biodegradable waste is recycled/reused through local recyclers.
(iv)	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with the survey	FSI/FAR norms have been complied.

(v)	number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure that zoning permissibility for the proposed project as per the approved development plan of the area. "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at site.	Complied Consent to Establish has already been obtained from Maharashtra Pollution Control Board under Air and Water Act vide consent order No. BO/RO-HQ/EIC-NG-1186-14/CE/CC-5096 dated 02.05.2015.
(vi)	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.	Complied.
(vii)	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.	Complied Sewage treatment plant established and is operational with online monitoring facility of COD, BOD & TSS. Treated water being reused in green belt development. Enclosed as Annexure – I and II. Source segregation of domestic waste Into Bio-degradable & non-biodegradable is carried out. Various awareness sessions conducted at township for housewives, housemaids and waste handling staffs. Separate dust bins for each household provided for source segregation of domestic waste. Enclosed as Annexure – V & VI Green belt has been developed in 07.05 ha area. Enclosed as Annexure – II. All relevant certificates obtained from appropriate authority.
(viii)	Provision shall be made for housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.	Complied.
(ix)	Adequate drinking water and sanitary facilities should be provided for construction workers at site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	Complied.
(x)	The solid waste generated should be properly collected and segregated, dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.	Complied Solid waste yard developed for segregation and storage of organic & in-organic materials

		and disposal is being done as per MSW rules & guidelines.
		Source segregation of domestic waste Into
		Bio-degradable & non-biodegradable is
		carried out. Various awareness sessions
		conducted at township for housewives,
		housemaids and waste handling staffs.
		Separate dust bins for each household
		provided for source segregation of domestic
		waste. Enclosed as Annexure – V & VI .
	Wet garbage should be treated by Organic Waste	Being Complied
	Converter and treated waste (manure) should be	Kitchen waste is being disposed-off through
	utilized in existing premises for gardening. And no	Organic waste convertor machine which
(xi)	wet garbage will be disposed outside the premises.	converts organic waste into manure. Manure
	Local authority should ensure this.	is being utilized in green belt/horticulture
		development. Enclosed as Annexure - V
	Arrangement shall be made that wastewater and	Complied
	storm water do not get mixed.	Domestic wastewater is being conveyed
		through closed pipelines to STP for
(xii)		treatment and being reutilized within the
		premises. Separate storm water drains are
		established.
	All the topsoil excavated during construction	Complied.
(xiii)	activities should be stored for use in horticulture /	Complica.
()	landscape development within the project site.	
	Additional soil for leveling of proposed site shall be	Complied.
(xiv)	generated within the site (to the extent possible) so	
(////	that natural drainage system of the area is	
	protected and improved. Green Belt Development shall be carried out	Complied
	considering CPCB guidelines including selection of	Thick plantation by selecting indigenous
	plant species and in consultation with the local	species carried out as per CPCB guidelines
	DFO/Agriculture Dept.	and in consultation with the local
		DFO/Agriculture Dept. We are maintaining
		more than 33% green belt development,
(xv)		especially all around the periphery of the
		residential complex and on the roadsides,
		preferably with local species, to provide
		protection against particulate matter and
		noise. The open space inside the township is
		landscaped and covered with green
		vegetation is Enclosed as Annexure - II
	Disposal of muck during construction phase should	Complied.
/ss	not create any adverse effect on the neighboring	
(xvi)	communities and he discount taking assesses	
(XVI)	communities and be disposed taking necessary precautions for general safety and health aspects	

	of people, only in approved sites with the approval	
	of competent authority.	
(xvii)	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Complied. We are using River water for drinking and domestic uses. No ground water is required at residential Complex.
(xviii)	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourse and the dumpsites for such material must be secured so that they should not leach into ground water.	Complied.
(xix)	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of Maharashtra Pollution Control Board.	Complied.
(xx)	The diesel generator sets to be used during construction phase should be low sulfur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.	DG set Provided. DG sets are proposed to be used only in case of blackout. The chances are very remote as the power supply is from the regular station transformer of APL. Blackouts can happen only in case of grid failure and transmission line failure.
(xxi)	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.	Noted. The minimum diesel for DG set operation is being stored in HDPE drums at an isolated area.
(xxii)	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during nonpeak hours.	Complied All the vehicles used for construction materials supply were in good condition and PUC certificate ensured and other applicable norms maintained.
(xxiii)	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.	Complied. Ambient Air quality and Noise level is being monitored regularly. DG stack monitoring is also being done periodically. Monitoring report is Enclosed as Annexure – I
(xxiv)	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27 th August, 2003. (The above condition applicable only if the project site is located within the 100Km of Thermal Power Stations).	Complied, We used fly ash bricks/blocks in our construction activities. We have also installed Fly Brick/paver blocks making units at Power Plant to meet our requirements
(xxv)	Ready mixed concrete must be used in building construction.	Complied.
(xxvi)	The approval of competent authority shall be obtained for structural safety of the buildings due	Complied.

	to any possible earthquake, adequacy of firefighting	All required NOCs, Consents & permission
	equipment's etc. as per National Building Code including measures from lighting.	already obtained & are available
(xxvii)	Storm water control and its re-use as per CGWB and BIS standards for various applications.	Complied Separate storm water drainage system is already provided and facility for rainwater harvesting is being developed to maximum re-use of rainwater.
(xxviii)	Water demand during construction should be reduced by use of pre-mixed concrete curing agents and other best practiced referred.	Complied.
(xxix)	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	Ground water level & quality are being monitored Regularly. Rainwater harvesting practice is already adopted, Rooftop harvesting structures established. Around 3144m³ rainwater harvested during April'2023 – March'2024 through rooftop rainwater harvesting. Detail is Enclosed as Annexure – VII.
(xxx)	The installation of Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharged in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.	Domestic wastewater treated suitably in STP and being used in green belt development. Regular maintenance is being carried out to mitigate odour or any nuisance. We regularly monitor and analyze STP treated water and submit monthly monitoring report to SRO, MPCB Bhandara. Enclosed as Annexure – I.
(xxxi)	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.	Noted. STP is already operational and Solid waste Management practices are in place. Separate dust bins (Biodegradable and Non- biodegradable) have been provided to each Flat & Block as a source segregation practice and being disposed of as per MSW guidelines.
(xxxii)	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.	Not required. Water is being sourced from Power Plant (APL) to cater requirement of township residents.
(xxxiii)	Separation of gray and black water should be done by use of dual plumbing line for separation of gray and black water.	A dual plumbing line is provided for separation of gray and black water.
(xxxiv)	Fixtures for showers, toilets flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.	Complied.

	Use of glass maybe reduced up to 40% to reduce	Complied.
	the electricity consumption and load on air	Compiled.
(xxxv)	conditioning. If necessary, use high quality double	
	glass with special reflective coating in windows.	
	Roof should meet prescriptive requirement as per	Complied.
	Energy Conservation Building Code by using	Complied.
(xxxvi)	appropriate thermal insulation material to fulfill	
	requirement.	
	Energy conservation measures like installation of	Energy conservation practices adopted.
	CFLs/TFLs for the lighting the areas outside the	CFLs/TFLs lights are being used. On expiry of
	building should be integral part of the project	
	design and should be in place before project design	its product life, the same is being disposed
	and should be properly collected and disposed	through authorized collection centers as per
,	off/sent for recycling as per the prevailing	the guidelines of E-Waste Notification, Solar
(xxxvii)	guidelines/rules of the regulatory authority to avoid	Street lights are also installed at township.
	mercury contamination. Use solar street lights,	
	common solar water heaters system. Project	
	proponent should install, after checking feasibility,	
	solar plus hybrid non-conventional energy source as	
	a source of energy.	
	Diesel power generating sets proposed as source of	Complied.
	backup power for elevators and common area	The height of DG set stack is more than 6.5
	illumination during operation phase should be of	meter from roof top. Low Sulphur fuel is
	enclosed type and conform to rules made under	being used.
(xxxviii)	Environment (Protection) Act, 1986/ the height of	
	stack of DG sets should be equal to height needed	
	for the combined capacity of all proposed DG sets. Use low Sulphur diesel. The location of the DG sets	
	may be decided with in consultation with	
	Maharashtra Pollution Control Board.	
	Noise should be controlled to ensure that it does	Being complied.
	not exceed the prescribed standards. During night-	Noise monitoring report is enclosed as
(xxxix)	time the noise levels measured at the boundary of	Annexure – I.
	the building shall be restricted to the permissible	Alliexore - I.
	levels to comply with the prevalent regulations.	
	Traffic congestion near the entry and exit points	Parking was completely internalized, and
	from the roads adjoining the proposed project site	no public space utilized. Care taken to ensure
(xI)	must be avoided. Parking should be fully	that there was no traffic congestion at the
	internalized, and no public space should be utilized.	entry and exit points.
	Opaque wall should meet prescriptive requirement	Complied.
	as per Energy Conservation Building Code, which is	Complicati
,	proposed to be mandatory for all air-conditioned	
(xli)	spaces while it is aspirational for non-air-	
	conditioned spaces by use of appropriate thermal	
	insulation material to fulfill requirement	
	The building should have adequate distance	Adequate distance between two buildings is
(:X	between them to allow movement of fresh air and	maintained to allow movement of fresh air,
(xlii)	passage of natural light, air and ventilation.	passes of natural light, air and ventilation.
	Regular supervision of the above and other	No disturbance observed in surroundings due
(xliii)	measures for monitoring should be in place all	to construction of residential complex.
		to construction of residential complex.

	through the construction phase, so as to avoid	During construction period regular
	disturbance to the surroundings.	supervision done.
(xliv)	Under the provision of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environment clearance.	Complied No construction was started before obtaining Environmental Clearance. "Consent to Establish" & Consent to Operate obtained from Maharashtra Pollution Control Board.
(xIv)	Six monthly monitoring reports should be submitted to the Regional Office MoEF, Bhopal with copy to this department and MPCB.	Being complied. The last Six-monthly report for the period of April'2023 to September'2023 was submitted to MoEF&CC/CPCB/MPCB vide letter no. APL/Tiroda/EMD/MoEF/EC/223/11/23 dated 24.11.20 23.
(xlvi)	A complete set of all the documents submitted to Department should be forwarded to Local authority and MPCB.	Complied.
(xlvii)	In case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.	Noted & agreed.
(xlviii)	A separate environment management cell with qualifies staff shall be set up for implementation of the stipulated environmental safeguards.	Complied We have already established the Environment Management Department headed by GM and supported by Env. Manager, Chemist & Horticulturist at Tiroda TPP.
(xlix)	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise break-up. This cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to MPCB & this department.	A separate fund has already been allocated and is being utilized for Environmental Protection measures.
(1)	The project management shall advertise at least in two local newspaper widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in .	Complied.
(li)	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.	Being Complied Six monthly compliance reports are regularly submitted to MoEF&CC, CPCB & MPCB.

(lii)	A copy of the clearance letter shall be sent by proponent to concerned Municipal Corporation and the local NGO, if any, from whom suggestion/representations, if any, were received while processing the proposal. The clearance letter shall also be put on website of the Company by the proponent.	Complied.
(liii)	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update same periodically, It shall simultaneously be sent to Regional Office of MoEF, the respective Zonal Office of CPCB and SPCB. The criteria pollutant levels namely SPM, RSPM, SO ₂ , NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at convenient location near main gate of the company in the public domain.	Being Complied. We are regularly monitored Ambient Air Quality and submitted monthly monitoring report to SRO, MPCB and enclosed as Annexure – I.
(liv)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by email) to respective Regional Office of MoEF, the respective zonal office of CPCB and the SPCB.	Being Complied Six monthly reports on the status of compliance of the stipulated EC conditions along with monitoring reports are being submitted to MoEF&CC, CPCB & MPCB. The last Six-monthly report for the period of April'2023 to September'2023 was submitted to MoEF&CC/CPCB/MPCB vide letter no. APL/Tiroda/EMD/MoEF/EC/223/11/23 dated 24.11.2023.
(Iv)	The environmental statement for each financial year ending 31st March in Form-V as in mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions shall be sent to the respective Regional Offices of MoEF by email.	Environment Statement for FY 2022 – 23 filed online to MPCB portal dated 29.09.2023 is enclosed as Annexure – IV



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Annexure I

Format No: APL/ENV-LB/7.8/F01

URL No: TC5193230000001010F

Date:31.10.2023

1	ssued To:	APL,Plot No.	A -1, Tirora G	Frowth Centre, I	MIDC – Tirora, D	ist. Gondia – 44	1 911
Sample Particulars :		Ambient Air Quality (Township)					× v
Sample Collected by :		Environmen	t Dept. APL				
				Test Report			
			Analysis				
Station	Sampling Location	Sampling Date	Starting & Completed	PM 10	PM 2.5	502	NOx
	Location	Date	Date :	µg/m3	µg/m3	µg/m3	µg/m3
AAQ 1	Near Quarter 'A' Block (1-12)		14 10 2023	22.9	13.7	6.0	9.4
AAQ 2	Near Quarter 'M' Block (145-156)	13.10.2023	23 14.10.2023	28.0	18.3	4.0	13.2
				100	60	80	80

Note: Tested results are well within the permissible limits of National Ambient Air Quality Monitoring Stanadard (NAAQMS)

- 1. The report is referring only to the tested sample and for applicable parameter.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

*** End of the Report***

Authorized Signatory (Technical Manager)



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL No: TC5193230000001007F

Date: 31.10.2023

Issued To:	APL,Plot No. A -1, Tirora Growth Centre	, MIDC - Tirora, Dist. Gondia - 4	441 911		
Sample Collection & Analysis Starting Date	18.10.2023	Analysis Completed Date	21.10.2023		
Quantity received	3 Lit /Sample	Sampled by	Environment Dept. APL		

TEST REPORT

	TEST REPORT					
Sr	Parameter	I Unit I	Test Methods	MPCB Standards	Results	
no	(NABL SCOPE)				Town ship STP	
1	pH Value		APHA-24th -4500-H+B Electrometric Method	6.5-9.0	8.2	
2	TSS	mg/I	APHA-24th - 2540 D	20	15.0	
3	COD	mg/I	APHA-24th Ed 2023- 5220B Open Reflux Method	50	40.8	
4	BOD at 27°C for 3 days	mg/l	IS: 3025 (P-44)-1993 R- 1999 Ad.1 BOD 3-days at 27 °C	10	8.0	
#5	Ammonium Nitrogen (NH4N)	mg / I	APHA-24th Ed 2017- 4500 - NH3 F Phenate Method	5	4.1	
#6	N - Total	mg/l	APHA-24th Ed 2017- 4500 - N B Kjeldahl Method	10	5.8	
#7	Fecal Coliform	(mpn/100 ml)	APHA-24th Ed 2023- 9221:1 Total Coliform Detection Method	100	21	

Note: Tested results are well within the permissible limits of MPCB.

- 1. The report is referring only to the tested sample and for applicable parameter,
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

End of the Report

Page **1** Of **1**

Authorized Signatory

Technical Manager



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URLTC5193230000001009F

Issued To:

Sample Particulars :
Sample Collected by :
Date of Sampling:

C	Date: 31.10.2023	
APL,Plot No. A -1, Tirora Growth Co MIDC – Tirora, Dist. Gondia – 441		
Ambient Noise Level (Township)		r .
Environment Dept. APL		
13.10.2023		

Test Report

		lest Report	
s. No	Locations	Day Time in dB (A)	Night Time in dB (A)
3. 140	Locations	(6.00 a.m. to 10.00 p.m.)	(10.00 p.m. to 06.00 a.m.)
1	Near Bachelor Hostel	39.9	29.9
2	Near Main gate	42.1	37.9
3	Near officer Club	36.5	28.1
4	Near Health Center	37.2	28.2
5	Near Cricket Ground	42.3	32.5
СРСВ	Standards (Residential Area)	55	45

Note: Tested results are well within the permissible limits of MPCB / CPCB.

- 1. The report is referring only to the tested sample and for applicable parameter.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

*** End Of the Report***

Page 1 of 1

(Technical Manager)



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL No :TC5193230000001110F

Date: 30.11.2023

Issued To: APL,Plot No. A -1, Tirora G			Frowth Centre,	MIDC – Tirora, D	ist. Gondia – 44	1 911	
Samp	le Particulars :	Ambient Air	Quality (To	wnship)			
Sample	e Collected by :	Environmen	t Dept. APL				
		56	3	Test Report	0		
	G00 1000 00711 00000		Analysis		Para	meters	1.00
Station	Sampling Location	Sampling Date	Starting & Completed	PM 10	PM 2.5	S02	NOx
			Date :	µg/m3	µg/m3	µg/m3	µg/m3
AAQ 1	Near Quarter 'A' Block (1-12)	10 11 2023	11 11 2027	31.7	27.9	5.8	9.0
AAQ 2	Near Quarter 'M' Block (145-156)	10.11.2023 11.11.2023	11.11.2023	33,1	23.8	3.9	12.6
				100	60	80	80

Note: Tested results are well within the permissible limits of National Ambient Air Quality Monitoring Stanadard (NAAQMS)

- 1. The report is referring only to the tested sample and for applicable parameter.
- 2. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

*** End of the Report***

Authorized Signatory (Technical Manager)



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL No:TC5193230000001210F

Date:30.12.2023

Ī	ssued To:	APL,Plot No	. A -1, Tirora (Growth Centre,	MIDC – Tirora, I	Dist. Gondia – 44	ļ1 911
Samp	le Particulars :	Ambient Air	r Quality (To	wnship)			
Sample	e Collected by :	Environmen	it Dept. APL				
				Test Report	r.		
	6	G !!	Analysis		Para	meters	
Station	Sampling Location	Sampling Date	Starting & Completed	PM 10	PM 2.5	S02	NOx
			Date :	µg/m3	µg/m3	µg/m3	µg/m3
AAQ 1	Near Quarter 'A' Block (1-12)	0.12.2027	2023 8.12.2023	34.0	11.9	6.4	14.7
AAQ 2	Near Quarter 'M' Block (145-156)	8.12.2023 8.13		39,1	8.9	8.9	15.3
				100	60	80	80

Note: Tested results are well within the permissible limits of National Ambient Air Quality Monitoring Stanadard (NAAQMS)

- 1. The report is referring only to the tested sample and for applicable parameter.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

*** End of the Report***

Authorized Signatory (Technical Manager)



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL: TC126962400000011F

Date:31.01.2024

Issued To: APL,Plot No. A -1, Tirora			Growth Centre,	MIDC – Tirora, I	Dist. Gondia – 44	1 911	
Sampl	le Particulars :	Ambient Air	Quality (To	wnship)			
Sample	Collected by :	Environmen	t Dept. APL				
				Test Report			
			Analysis		Para	meters	
Station	Sampling Location	Sampling Date	Starting & Completed	PM 10	PM 2.5	502	NOx
	20001011		Date :	µg/m3	µg/m3	µg/m3	µg/m3
AAQ 1	Near Quarter 'A' Block (1-12)	5.01.2024	.2024 5.01.2024 -	29.5	13.8	7.9	12.2
AAQ 2	Near Quarter 'M' Block (145-156)	5.01.2024		29.1	11.9	7.1	13.8
				100	60	80	80

Note: Tested results are well within the permissible limits of National Ambient Air Quality Monitoring Stanadard (NAAQMS)

- 1. The report is referring only to the tested sample and for applicable parameter.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

*** End of the Report***

Authorized Signatory (Technical Manager)



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL: TC1269624000000210F

Date:29.02.2024

Issued To: APL,PI		APL,Plot No.	APL,Plot No. A -1, Tirora Growth Centre, MIDC – Tirora, Dist. Gondia – 441 911				
Sampl	e Particulars :	Ambient Air	Quality (To	wnship)			
Sample	Collected by :	Environmen	t Dept. APL		-		2,00,2
				Test Report			
			Analysis		Para	meters	
Station	Sampling Location	Sampling Date	Starting & Completed	PM 10	PM 2.5	S02	NOx
	200001011	2012	Date :	µg/m3	µg/m3	µg/m3	µg/m3
AAQ 1	Near Quarter 'A' Block (1-12)	9,02,2024	10.02.2024	34.3	21.7	8.8	12.2
AAQ 2	Near Quarter 'M' Block (145-156)	9.02.2024		28.1	19.5	8.1	13.2
				100	60	80	80

Note: Tested results are well within the permissible limits of National Ambient Air Quality Monitoring Stanadard (NAAQMS)

- 1. The report is referring only to the tested sample and for applicable parameter.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

*** End of the Report***

Authorized Signatory (Technical Manager)



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL: TC1269624000003010F

Date:30.03.2024

Issued To: APL,Plot No. A -1, Tirora G			Growth Centre,	MIDC – Tirora, [Dist. Gondia – 44	1 911	
Sampl	le Particulars :	Ambient Air	Quality (To	wnship)			
Sample	e Collected by :	Environmen	t Dept. APL				
		•		Test Report			***************************************
			Analysis		Para	meters	
Station	Sampling Location	Sampling Date	Starting & Completed	PM 10	PM 2.5	S02	NOx
	Location	Date	Date :	µg/m3	µg/m3	µg/m3	µg/m3
AAQ 1	Near Quarter 'A' Block (1-12)	12.07.2024	03.2024 12.03.2024 -	32.3	20.6	8.5	13.2
AAQ 2	Near Quarter 'M' Block (145-156)	12.03.2024		29.1	21.5	9.3	12,3
				100	60	80	80

Note:

Tested results are well within the permissible limits of National Ambient Air Quality Monitoring Stanadard (NAAQMS)

- 1. The report is referring only to the tested sample and for applicable parameter.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

*** End of the Report***

Authorized Signatory (Technical Manager)



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URLTC5193230000001209F

Issued To:

Sample Particulars:

	Date: 30.12.2023
APL,Plot No. A -1, Tirora Grov MIDC – Tirora, Dist. Gondia –	
Ambient Noise Level (Townsl	nip)

Sample Collected by: Environment Dept. APL

Date of Sampling: 08.12.2023

Tes			

		TO INCOME NO INTERPRET PROPERTY AND				
S. No	Locations	Day Time in dB (A)				
5. No	Locations	(6.00 a.m. to 10.00 p.m.)	(10.00 p.m. to 06.00 a.m.)			
1 Near Bachelor Hostel		45.1	36.1			
2	Near Main gate	51.1	42.0			
3	Near officer Club	37.3	31,5			
4	Near Health Center	38.6	31.2			
5	Near Cricket Ground	47.1	40.1			
CPCB Standards (Residential Area) 55 45						

Note: Tested results are well within the permissible limits of MPCB / CPCB.

- 1. The report is referring only to the tested sample and for applicable parameter.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

*** End Of the Report***

Authorized Signatory (Technical Manager)



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL: TC1269624000000010	=	Date: 31.01.2024
Issued To: APL,Plot No. A -1, Tirora Grow MIDC – Tirora, Dist. Gondia –		
Sample Particulars :	Ambient Noise Level (Township	o)
Sample Collected by :	Environment Dept. APL	
Date of Sampling:	8.01.2024	

Test Report

		rest keport	
S. No	Locations	Day Time in dB (A)	
5. 140	Locations	(6.00 a.m. to 10.00 p.m.)	(10.00 p.m. to 06.00 a.m.)
1 Near Bachelor Hostel		44.7	35.2
2	Near Main gate	50.8	43.1
3	Near officer Club	36.9	32.7
4	Near Health Center	39.5	32.8
5	Near Cricket Ground	48.2	41.9
СР	CB Standards (Residential Area)	55	45

Note: Tested results are well within the permissible limits of MPCB / CPCB.

- 1. The report is referring only to the tested sample and for applicable parameter.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

*** End Of the Report***

Authorized Signatory (Technical Manager)



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL: TC1269624000000209F

Date: 29.02.2024 h Centre,

Issued To:	APL,Plot No. A -1, Tirora Growth Centre, MIDC – Tirora, Dist. Gondia – 441 911	10 00 100 100 100 100 100 100 100 100 1	
Sample Particulars :	Ambient Noise Level (Township)		
Sample Collected by :	Environment Dept. APL		
Date of Sampling:	9.02.2024		

Test Report

	rest report							
S. No	Locations	Day Time in dB (A)						
	Locations	(6.00 a.m. to 10.00 p.m.)	(10.00 p.m. to 06.00 a.m.)					
1	Near Bachelor Hostel	38.9	34,2					
2	Near Main gate	49.7	41.2					
3	Near officer Club	36.2	31.5					
4	Near Health Center	38.2	30.8					
5	Near Cricket Ground	44.0	39.9					
СР	CPCB Standards (Residential Area) 55 45							

Note: Tested results are well within the permissible limits of MPCB / CPCB.

- 1. The report is referring only to the tested sample and for applicable parameter.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

*** End Of the Report***

Authorized Signatory (Technical Manager)



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL: TC1269624000000309F

Issued To:

Sample Particulars:

<i>/</i>	Date: 30,03,2024
APL,Plot No. A -1, Tirora Growth MIDC – Tirora, Dist. Gondia – 44	5 - of the part of
Ambient Noise Level (Township)	

Environment Dept. APL Sample Collected by: Date of Sampling: 12.03.2024

Test Report

		Test Report					
C No	Locations	Day Time in dB (A)	Night Time in dB (A)				
S. No	Locations	(6.00 a.m. to 10.00 p.m.)	(10.00 p.m. to 06.00 a.m.)				
1	Near Bachelor Hostel	38.9	34.2				
2	Near Main gate	49.7	41.2				
3	Near officer Club	36.2	31.5				
4	Near Health Center	38.2	30.8				
5	Near Cricket Ground	44.0	39.9				
СР	CPCB Standards (Residential Area) 55 45						

Note: Tested results are well within the permissible limits of MPCB / CPCB.

- 1. The report is referring only to the tested sample and for applicable parameter.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

*** End Of the Report***

Authorized Signatory (Technical Manager)



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL No: TC5193230000001107F

Date: 30.11.2023

Issued To:	APL,Plot No. A -1, Tirora Growth Centre, MIDC – Tirora, Dist. Gondia – 441 911						
Sample Collection & Analysis Starting Date	08.11.2023 Analysis Completed Date 11.11.2023						
Quantity received	3 Lit /Sample Sampled by Environment Dept. APL						
sample Particulars : Treated Waste Water							
ocation of sample : Township STP Out Let							

TEST REPORT

_					
Sr no	Parameter (NABL SCOPE)	Unit	Test Methods	MPCB Standards	Results
3.5.5	(Town ship STP
1	pH Value		APHA-24th -4500-H+B Electrometric Method	6.5-9.0	8.37
2	TSS	mg/l	APHA-24th - 2540 D	20	15.5
3	COD	mg/I	APHA-24th Ed 2023- 5220B Open Reflux Method	50	29.4
4	BOD at 27°C for 3 days	mg/I	IS: 3025 (P-44)-1993 R- 1999 Ad.1 BOD 3-days at 27 °C	10	6.0
#5	Ammonium Nitrogen (NH4N)	mg / I	APHA-24th Ed 2017- 4500 - NH3 F Phenate Method	5	2.0
#6	N - Total	mg/l	APHA-24th Ed 2017- 4500 - N B Kjeldahl Method	10	5.2
#7	Fecal Coliform	(mpn/100 ml)	APHA-24th Ed 2023- 9221:1 Total Coliform Detection Method	100	13.0

Note: Tested results are well within the permissible limits of MPCB.

- 1. The report is referring only to the tested sample and for applicable parameter.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

End of the Report

Page 1 Of 1

Authorized Signatory

Technical Manager



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL No: TC5193230000001207F

Date: 30.12.2023

Issued To:	APL,Plot No. A -1, Tirora Growth Centre, MIDC - Tirora, Dist. Gondia - 441 911					
Sample Collection & Analysis Starting Date	20.12.2023 Analysis Completed Date 23.12.2023					
Quantity received	3 Lit /Sample Sampled by Environment Dept. APL					
Sample Particulars : Treated Waste Water						
Location of sample : Township STP Out Let						

TEST REPORT

Sr	Parameter (MARI SOORS)	Unit	Test Methods	MPCB Standards	Results
no	(NABL SCOPE)	9 (000,000)			Town ship STP
1	pH Value		APHA-24th -4500-H+B Electrometric Method	6.5-9.0	8.90
2	TSS	mg/l	APHA-24th - 2540 D	20	18.0
3	COD	mg / I	APHA-24th Ed 2023- 5220B Open Reflux Method	50	38.0
4	BOD at 27°C for 3 days	mg/I	IS 3025 : Part 44 : 2023	10	8.0
#5	Ammonium Nitrogen (NH4N)	mg / I	APHA-24th Ed 2017- 4500 - NH3 F Phenate Method	5	4.1
#6	N - Total	mg/l	APHA-24th Ed 2017- 4500 - N B Kjeldahl Method	10	5.2
#7	Fecal Coliform	(mpn/100 ml)	APHA-24th Ed 2023- 9221:1 Total Coliform Detection Method	100	7.0

Note: Tested results are well within the permissible limits of MPCB.

- 1. The report is referring only to the tested sample and for applicable parameter.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

Technical Manager

End of the Report



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL: TC1269624000000007F

Date: 31.01.2024

Issued To:	APL,Plot No. A -1, Tirora Growth Centre, MIDC – Tirora, Dist, Gondia – 441 911					
Sample Collection & Analysis Starting Date	24.1.2024 Analysis Completed Date 27.1.2024					
Quantity received	3 Lit /Sample Sampled by Environment Dept. APL					
Sample Particulars : Treated Waste Water						
Location of sample : Township STP Out Let						

TEST REPORT

Sr	Parameter	Unit	Test Methods	MPCB Standards	Results
no	(NABL SCOPE)		,	02 01000.05	Town ship STP
1	pH Value		APHA-24th -4500-H+B Electrometric Method	6.5-9.0	8.03
2	TSS	mg/l	APHA-24th - 2540 D	20	18.3
3	COD	mg/l	APHA-24th Ed 2023- 5220B Open Reflux Method	50	42.3
4	BOD at 27°C for 3 days	mg / I	IS: 3025 (P-44)-1993 R- 1999 Ad.1 BOD 3-days at 27 °C	10	7.5
#5	Ammonium Nitrogen (NH4N)	mg / I	APHA-24th Ed 2017- 4500 - NH3 F Phenate Method	5	2.7
#6	N - Total	mg/l	APHA-24th Ed 2017- 4500 - N B Kjeldahl Method	10	4.8
#7	Fecal Coliform	(mpn/100 ml)	APHA-24th Ed 2023- 9221:1 Total Coliform Detection Method	100	12.0

Note: Tested results are well within the permissible limits of MPCB.

- 1. The report is referring only to the tested sample and for applicable parameter.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager

Authorized Signatory Technical Manager

End of the Report



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL: TC1269624000000207F

Date: 29.02.2024

APL,Plot No. A -1, Tirora Growth Centre, MIDC – Tirora, Dist. Gondia – 441 911						
21.02.2024	Analysis Completed Date	21.02.2024				
3 Lit /Sample	Sampled by	Environment Dept. APL				
Sample Particulars : Treated Waste Water Location of sample : Township STP Out Let						
	21.02.2024 3 Lit /Sample 3 Waste Water	21.02.2024 Analysis Completed Date 3 Lit /Sample Sampled by				

TEST REPORT

	TEST KEI OKT				
Sr no	Parameter (NARL SCORE)	Unit	Test Methods	MPCB Standards	Results
110	(NABL SCOPE)				Town ship STP
1	pH Value		APHA-24th -4500-H+B Electrometric Method	6.5-9.0	8.70
2	TSS	mg/I	ΛΡΗΛ-24th - 2540 D	20	17.0
3	COD	mg/l	APHA-24th Ed 2023- 5220B Open Reflux Method	50	39.0
4	BOD at 27 ⁰ C for 3 days	mg / I	IS: 3025 (P-44)-1993 R- 1999 Ad.1 BOD 3-days at 27 °C	10	7.0
#5	Ammonium Nitrogen (NH4N)	mg / I	APHA-24th Ed 2017- 4500 - NH3 F Phenate Method	5	2.0
#6	N - Total	mg/l	APHA-24th Ed 2017- 4500 - N B Kjeldahl Method	10	5.2
#7	Fecal Coliform	(mpn/100 ml)	APHA-24th Ed 2023- 9221:1 Total Coliform Detection Method	100	13.0

Note: Tested results are well within the permissible limits of MPCB.

- 1. The report is referring only to the tested sample and for applicable parameter.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager Authorized Signatory Technical Manager

End of the Report



ADANI POWER LIMITED

(5x660 MW Thermal Power Plant, Tiroda)

Format No: APL/ENV-LB/7.8/F01

URL: TC1269624000000307F

Date: 30.03.2024

Issued To:	APL,Plot No. A -1, Tirora Growth Cer	ntre, MIDC – Tirora, Dist. Gondia – 4	41 911
Sample Collection & Analysis Starting Date	30.03.2024	Analysis Completed Date	30.03,2024
Quantity received	3 Lit /Sample	Sampled by	Environment Dept. APL

Location of sample : Township STP Out Let

TEST REPORT

	TEST KET OKT						
Sr	Parameter	Unit	Test Methods	MPCB Standards	Results		
no	(NABL SCOPE)	9,000		100000 00000000000000000000000000000000	Town ship STP		
1	pH Value		APHA-24th -4500-H+B Electrometric Method	6.5-9.0	7.50		
2	TSS	mg / I	APHA-24th - 2540 D	20	16.0		
3	COD	mg/l	APHA-24th Ed 2023- 5220B Open Reflux Method	50	42.0		
4	BOD at 27°C for 3 days	mg / I	IS: 3025 (P-44)-1993 R- 1999 Ad.1 BOD 3-days at 27 °C	10	6.0		
#5	Ammonium Nitrogen (NH4N)	mg / I	APHA-24th Ed 2017- 4500 - NH3 F Phenate Method	5	3.0		
#6	N - Total	mg/l	APHA-24th Ed 2017- 4500 - N B Kjeldahl Method	10	7.2		
#7	Fecal Coliform	(mpn/100 ml)	APHA-24th Ed 2023- 9221:1 Total Coliform Detection Method	100	9.0		

Note: Tested results are well within the permissible limits of MPCB.

- 1. The report is referring only to the tested sample and for applicable parameter.
- 2. The sample will be destroyed after retention time unless otherwise specified specially.
- 3. This report is not to be reproducing wholly or in part, and can't be used as evidence in court of law.

Verified By DY. Technical Manager Authorized Signatory Technical Manager

End of the Report



(NABET, NABL Accredited and MoEFCC Approved)
CIN No-U28900MH1995PTC093129 | GST No-27AAACE6597R1ZP

B-1003, Enviro House, 10th Flr, Western Edge II, W.E. Highway, Borivali (E), Mumbai-400066

Page 1 of 2

EAEPL/DW/2023-24/170/1

Date: 29.03.2024

ISSUED TO:

M/s. ADANI POWER LTD.,

Tirora, Growth Center,

MIDC, Gondia - 441 911.

Your Ref

: As per Work Order 5700324724

Date

: 26.04.2023

Sample Particulars : Drinking water

Location of sample : Pump House at Town Ship

Sample Collection Date

: 20.03.2024

Analysis Starting Date

21.03.2024

Quantity received

: 2 ltr

Sampled by

EAEPL Representative

TEST RESULTS

Sr. No.	Test Parameters	Unit	Method	As per IS (Drinking W		
				Acceptable Limit	Permissible Limit	Results
1	Apparent Colour	Hazen units	IS: 3025 (Part 4)-2021	5	15	0.1
2	Odour	-	IS: 3025 (Part 5)-2018	Agreeable	Agreeable	Agreeable
3	Taste		IS: 3025 (Part 8)-1984	Agreeable	Agreeable	Agreeable
4	Turbidity NTU	NTU	IS: 3025 (Part 10)-2023	1	5	0.1
5	Total Dissolved Solid	mg/l	IS 3025 (Part 16) 1984 Reaffirmed 2017	500	2000	160
6	Electrical Conductivity	μS/cm	=	1.45.25	-	258
7	Total Alkalinity	mg/1	IS 3025 (Part 23) 2023	200	600	132
8	pH Value at 25°C		IS: 3025 (Part 11)-2022	6.5 to 8.5	No relaxation	7.82
9	Total Hardness (CaCO ₃)	mg/l	IS: 3025 (Part 21)-2009 Reaffirmed 2019	200	600	104
10	Calcium (as Ca)	mg/1	IS : 3025 (Part 40)-1991 Reaffirmed 2019	75	200	32.0
11	Magnesium (as Mg)	mg/l	IS: 3025 (Part 46)-1994	30	100	5.8
12	Copper as(Cu)	mg/l	IS: 3025 (Part II)-2019	0.05	1.5	< 0.01
13	Iron (as Fe)	mg/l	IS: 3025 (Part II) 2019	0.3	No relaxation	0.071
14	Manganese as (Mn)	mg/l	IS: 3025 (Part II) 2019	0.1	0.3	< 0.01
15	Chlorides (as Cl)	mg/l	IS : 3025 (Part 32)-1988 Reaffirmed 2019	250	1000	11.3
16	Sulphate (as SO ₄)	mg/1	IS: 3025 (Part 24)sec-1:2022	200	400	9.7
17	Nitrates (as NO ₃)	mg/l	APHA 4500 B (24 th Edition)	45	No relaxation	2.10
18	Fluoride (as F)	mg/1	APHA 4500 F, D (24th Edition)	1.0	1.5	0.37

For ENVIRO ANALYSTS & ENGINEERS PVT. LTD.

Authorized Signatory



(NABET, NABL Accredited and MoEFCC Approved)
CIN No-U28900MH1995PTC093129 | GST No-27AAACE6597R1ZP

B-1003,Enviro House,10th Flr, Western Edge II, W.E. Highway, Borivali (E), Mumbai-400066

ENV/SE/APML/2023-24/170/8

Date: 29.03.2024

Name of Industry & Address:

M/s ADANI POWER LIMITED

Plot no. - A1, Tirora Growth Center, MIDC, Tirora,

Dist.: Gondia, Maharashtra – 441 911. India

Stack Emission Monitoring Report

(At Town ship)

				The same of the sa
SL. NO.	PARAMETERS	Unit	EPA Standards for DG Set	Results
			(Engine Rating > 0.8 MW)	D.G. Set
1	Date of Sampling		-	20.03.2024
2	D.G. Capacity	KVA	-	200
3	Height of Stack	m	-	6.5
4	Shape of stack		-	Round
5	Diameter of Stack	m	-	0.13
6	Temp. of exit gas	°C	_	124
7	Velocity of exit gas	m/sec	-	10.13
8	Flow of exit gas at STP	m³/hr	_	483.80
9	Flow of exit gas at NTP	Nm³/hr	_	345.0
10	SPM	mg/Nm³	50	31.3
11	SO ₂	mg/Nm³	-	178.8
12	NOx	mg/Nm³	1335	107.9
13	CO	mg/Nm ³		71.6
14	NMHC (or C)		150	
	NMHC (as C)	mg/Nm ³	100	34

For Enviro Analysts & Engineers Pvt. Ltd.

Authorized Signatory

Tel: 022-28541647 / 48 / 49 / 67 / 68 | E-mail: info@eaepl.com | Web: www.eaepl.com Mumbai (HO) | Nagpur | Pune | Nashik | Tarapur | Mira Road (Lab) | Thane



CIN No-U28900MH1995PTC093129 | GST No-27AAACE6597R1ZP

B-1003, Enviro House, 10th Flr, Western Edge II, W.E. Highway, Borivali (E), Mumbai-400066

Page 1 of 2

EAEPL/DW/2023-24/170/11

Date: 29.03.2024

ISSUED TO:

M/s. ADANI POWER LTD.,

Tirora, Growth Center,

MIDC, Gondia - 441 911.

Your Ref

: As per Work Order 5700324724

Date

: 26.04.2023

:

Sample Particulars: Drinking Water

Location of sample:

Bachelor Hostel at Township

Sample Collection Date

: 20.03.2024

Analysis Starting Date

21.03.2024

Quantity received

: 2 ltr

Sampled by

EAEPL Representative

TEST RESULTS

			TEST RESULTS	The second secon		
Sr. No.	Test Parameters	Unit	Method	As per IS: 10500: 2012 (Drinking Water - Specification)		
				Acceptable Limit	Permissible Limit	Results
1	Apparent Colour	Hazen units	IS: 3025 (Part 4)-2021	5	15	0.1
2	Odour		IS: 3025 (Part 5)-2018	Agreeable	Agreeable	Agreeable
3	Taste	-	IS: 3025 (Part 8)-1984	Agreeable	Agreeable	Agreeable
4	Turbidity NTU	NTU	IS: 3025 (Part 10)-2023	1	5	0.1
5	Total Dissolved Solid	mg/l	IS 3025 (Part 16) 1984 Reaffirmed 2017	500	2000	94
6	Electrical Conductivity	μS/cm	-		_	152
7	Total Alkalinity	mg/l	IS 3025 (Part 23) 2023	200	600	86
8	pH Value at 25°C		IS: 3025 (Part 11)-2022	6.5 to 8.5	No relaxation	7.62
9	Total Hardness (CaCO ₃)	mg/l	IS: 3025 (Part 21)-2009 Reaffirmed 2019	200	600	76
10	Calcium (as Ca)	mg/1	IS: 3025 (Part 40)-1991 Reaffirmed 2019	75	200	22.8
11	Magnesium (as Mg)	mg/l	IS: 3025 (Part 46)-1994	30	100	4.6
12	Copper as(Cu)	mg/l	IS: 3025 (Part II)-2019	0.05	1.5	< 0.01
13	Iron (as Fe)	mg/1	IS: 3025 (Part II) 2019	0.3	No relaxation	0.058
14	Manganese as (Mn)	mg/l	IS: 3025 (Part II) 2019	0.1	0.3	< 0.01
15	Chlorides (as Cl)	mg/l	IS : 3025 (Part 32)-1988 Reaffirmed 2019	250	1000	9.2
16	Sulphate (as SO ₄)	mg/l	IS: 3025 (Part 24)sec-1:2022	200	400	5.7
17	Nitrates (as NO ₃)	mg/1	APHA 4500 B (24th Edition)	45	No relaxation	< 2.00
18	Fluoride (as F)	mg/l	APHA 4500 F, D (24 th Edition)	1.0	1.5	0.27

For ENVIRO ANALYSTS & ENGINEERS PVT. LTD.

Authorized Signatory

(NABET, NABL Accredited and MoEFCC Approved) CIN No-U28900MH1995PTC093129 | GST No-27AAACE6597R1ZP

B-1003,Enviro House,10th Ffr, Western Edge II, W.E. Highway, Borivali (E), Mumbai-400066

Page 2 of 2

EAEPL/DW/2023-24/170/11

Date: 29.03.2024

ISSUED TO:

M/s. ADANI POWER LTD.,

Tirora, Growth Center, MIDC, Gondia - 441 911.

Your Ref

: As per Work Order 5700324724

Date

: 26.04.2023

:

Sample Particulars: Drinking Water

Location of sample:

Bachelor Hostel at Township

Sample Collection Date

: 20.03.2024

Analysis Starting Date

21.03.2024

Quantity received

: 2 ltr

Sampled by

EAEPL Representative

TEST RESULTS

Sr. No.	Test Parameters	Unit	Method	As per IS : (Drinking Wate	Results	
140.				Acceptable Limit	Permissible Limit	Results
19	Phenolic Compounds	mg/l	IS: 3025 (Part 43)-2019	0.001	0.002	BDL
20	Mercury as (Hg)	mg/l	IS: 3025 (Part II) 2019	0.001	No relaxation	< 0.0005
21	Cadmium as (Cd)	mg/l	IS: 3025 (Part II) 2019	0.003	No relaxation	< 0.001
22	Selenium as (Se)	mg/l	IS: 3025 (Part II) 2019	0.01	No relaxation	< 0.001
23	Arsenic as (As)	mg/l	IS: 3025 (Part II) 2019	0.01	0.05	BDL
24	Cyanide as (CN)	mg/l	IS: 3025 (Part II) 2019	0.05	No relaxation	< 0.005
25	Lead as (Pb)	mg/1	IS: 3025 (Part II) 2019	0.01	No relaxation	< 0.001
26	Zinc as (Zn)	mg/l	IS: 3025 (Part II) 2019	5	15	0.010
27	Total Chromium as (Cr)	mg/l	IS :3025(Part 52)-2019	0.05	No relaxation	< 0.03
28	Mineral Oil	mg/l	IS: 3025 (Part 39)-2021	0.05	No relaxation	< 0.01
29	Residual Chlorine	mg/l	IS: 3025 (Part 26)-2021	0.2	1.0	0.20
30	Total Coliform	MPN/100 ml	IS: 15185-2016 Reaffirmed 2021	Absent	Absent	Absent
31	E.Coli	Nos./100 ml	IS: 15185-2016 Reaffirmed 2021	Absent	Absent	Absent

Note: 1 Results relate to tested sample only. 2. Test report should not be reproduced partially.

REMARKS: Sample was tested for above mentioned parameters only. As per IS: 10500: 2012, Analysis result indicating that sample quality is suitable for drinking purpose.

For ENVIRO ANALYSTS & ENGINEERS PVT. LTD.

Authorized Signatory









NABET Accredited & MoEF (Govt. of India) approved CIN No.: U28900MH1995PTC093129

H. O.: B-1003, Enviro House, 10th Floor, Western Edge II, Western Express Highway, Borivali (E), Mumbai - 400 066. • Tel.: +91 22 2854 1647 / 48 / 49 / 67 / 68 • E-mail: info@eaepl.com • Website: www.eaepl.com

Page 1 of 2

Date: 10.01.2024

EAEPL/DW/2023-24/128/5

ISSUED TO:

M/s. ADANI POWER LTD.,

Tirora, Growth Center,

MIDC, Gondia - 441 911.

Your Ref

: As per Work Order 5700324724

Date

: 26.04.2023

•

Sample Particulars: Drinking Water Location of sample: Hospital at Town Ship

Sample Collection Date

: 29.12.2023

Analysis Starting Date

30.12.2023

Quantity received

: 2 ltr

Sampled by

EAEPL Representative

TEST RESULTS

			TEST RESULTS			
Sr. No.	Test Parameters	Unit	Method	(Drinking Wate	As per IS: 10500: 2012 (Drinking Water - Specification)	
1	Apparent Colour	Hazen units	IO . 2025 (D.) 40 2021	Acceptable Limit		
		riazen units	IS: 3025 (Part 4)-2021	5	15	0.1
2	Odour	-	IS: 3025 (Part 5)-2018	Agreeable	Agreeable	Agreeable
3	Taste	=	IS: 3025 (Part 8)-1984	Agreeable	Agreeable	Agreeable
4	Turbidity NTU	NTU	IS: 3025 (Part 10)-2023	1	5	0.1
5	Total Dissolved Solid	mg / 1	IS 3025 (Part 16) 1984 Reaffirmed 2017	500	2000	112
6	Electrical Conductivity	μS/cm	-	-	-	182
7	Total Alkalinity	mg/l	IS 3025 (Part 23) 2023	200	600	110
- 8	pH Value at 25°C	-	IS: 3025 (Part 11)-2022	6.5 to 8.5	No relaxation	7.70
9	Total Hardness (CaCO ₃)	mg / 1	IS: 3025 (Part 21)-2009 Reaffirmed 2019	200	600	90
10	Calcium (as Ca)	mg/l	IS: 3025 (Part 40)-1991 Reaffirmed 2019	75	200	28.5
11	Magnesium (as Mg)	mg/l	IS: 3025 (Part 46)-1994	30	100	4.55
12	Copper as(Cu)	mg / l	IS: 3025 (Part II)-2019	0.05	1.5	< 0.01
13	Iron (as Fe)	mg / 1	IS: 3025 (Part II) 2019	0.3	No relaxation	0.061
14	Manganese as (Mn)	mg / 1	IS: 3025 (Part II) 2019	0.1	0.3	< 0.01
15	Chlorides (as Cl)	mg/l	IS: 3025 (Part 32)-1988 Reaffirmed 2019	250	1000	9.3
16	Sulphate (as SO ₄)	mg / l	IS: 3025 (Part 24)sec-1:2022	200	400	7.5
17	Nitrates (as NO ₃)	mg / l	APHA 4500 B (24 th Edition)	45	No relaxation	< 2.0
18	Fluoride (as F)	mg/l	APHA 4500 F, D (24 th Edition)	1.0	1.5	0.25

For ENVIRO ANALYSTS & ENGINEERS PVT. LTD.

Authorized Signatory

Nagpur Branch: Shiv Kunj, Bunglow No. 65, Old Verma Layout, Ambazari, Nagpur - 440 010. Tel.: 0712 - 2241 835,

Telefax: 0712 - 2241 836

Pune Branch: Flat No. 11, Tarankit Co. Op. Hsg. Soc. Ltd., City S. No. 209, B/1, Sadashiv Peth, L. B. S. Road, Nr. Dnyanal Mangal Hall, Pune - 411 030.

Tel.: 020-2432 4444

Lab:

Row House No. 2, Shalom Garden, Opp. Kanakia College, 100 Feet Kanakia Road, Mira Road (East), Thane - 401 107. Tel.: 022-2811 6442

Workshop: Plot No. E - 122. MIDC Tarapur, Boisar, Dist. - Thane - 401 506.











NABET Accredited & MoEF (Govt. of India) approved CIN No.: U28900MH1995PTC093129

H. O.: B-1003, Enviro House, 10th Floor, Western Edge II, Western Express Highway, Borivali (E), Mumbai - 400 066. • Tel.: +91 22 2854 1647 / 48 / 49 / 67 / 68 • E-mail: info@eaepl.com • Website: www.eaepl.com

Page 2 of 2

EAEPL/DW/2023-24/128/5

Date: 10.01.2024

ISSUED TO:

M/s. ADANI POWER LTD.,

Tirora, Growth Center,

MIDC, Gondia - 441 911.

Your Ref

: As per Work Order 5700324724

Date

: 26.04.2023

Sample Particulars: Drinking Water Location of sample: Hospital at Town Ship

Sample Collection Date

: 29.12.2023

Analysis Starting Date

30.12.2023

Quantity received

: 2 ltr

Sampled by

EAEPL Representative

TEST RESULTS

Sr.	Test Parameters	Unit	Method	As per IS: 1 (Drinking Water		Results
No.				Acceptable Limit	Permissible Limit	Results
19	Phenolic Compounds	mg / l	IS: 3025 (Part 43)-2019	0.001	0.002	BDL
20	Mercury as (Hg)	mg / 1	IS: 3025 (Part II) 2019	0.001	No relaxation	< 0.0005
21	Cadmium as (Cd)	mg / l	IS: 3025 (Part II) 2019	0.003	No relaxation	< 0.001
22	Selenium as (Se)	mg/l	IS: 3025 (Part II) 2019	0.01	No relaxation	< 0.001
23	Arsenic as (As)	mg / 1	IS: 3025 (Part II) 2019	0.01	0.05	BDL
24	Cyanide as (CN)	mg / 1	IS: 3025 (Part II) 2019	0.05	No relaxation	< 0.005
25	Lead as (Pb)	mg / 1	IS: 3025 (Part II) 2019	0.01	No relaxation	< 0.001
26	Zinc as (Zn)	mg/l	IS: 3025 (Part II) 2019	5	15	0.011
27	Total Chromium as (Cr)	mg / 1	IS :3025(Part 52)-2019	0.05	No relaxation	< 0.03
28	Mineral Oil	mg / 1	IS: 3025 (Part 39)-2021	0.05	No relaxation	< 0.01
29	Residual Chlorine	mg/l	IS: 3025 (Part 26)-2021	0.2	1.0	0.20
30	Total Coliform	MPN/100 ml	IS: 15185-2016 Reaffirmed 2021	Absent	Absent	Absent
31	E.Coli	Nos./100 ml	IS: 15185-2016 Reaffirmed 2021	Absent	Absent	Absent

Note:1 Results relate to tested sample only. 2. Test report should not be reproduced partially.

REMARKS: Sample was tested for above mentioned parameters only. As per IS: 10500: 2012, Analysis result indicating that sample quality is suitable for drinking purpose.

For ENVIRO ANALYSTS & ENGINEERS PVT. LTD.

Authorized Signato

Nagpur Branch: Shiv Kunj, Bunglow No. 65, Old Verma Layout, Ambazari, Nagpur - 440 010.

Tel.: 0712 - 2241 835, Telefax: 0712 - 2241 836 Pune Branch: Flat No. 11, Tarankit Co. Op. Hsg. Soc. Ltd., City S. No. 209, B/1, Sadashiv Peth, L. B. S. Road, Nr. Dnyanal Mangal Hall, Pune - 411 030. Tel.: 020-2432 4444

Lab: Row House No. 2, Shalom Garden, Opp. Kanakia College, 100 Feet Kanakia Road, Mira Road (East), Thane - 401 107, Tel.: 022-2811 6442

Workshop: Plot No. E - 122, MIDC Tarapur, Boisar, Dist. - Thane - 401 506.











NABET Accredited & MoEF (Govt. of India) approved CIN No.: U28900MH1995PTC093129

H. O.: B-1003, Enviro House, 10th Floor, Western Edge II, Western Express Highway, Borivali (E), Mumbai - 400 066. • Tel.: +91 22 2854 1647 / 48 / 49 / 67 / 68 • E-mail: info@eaepl.com • Website: www.eaepl.com

Page 1 of 2

Date: 10.01.2024

EAEPL/DW/2023-24/128/2

ISSUED TO:

M/s. ADANI POWER LTD.,

Tirora, Growth Center.

MIDC, Gondia - 441 911.

Your Ref

: As per Work Order 5700324724

Date

: 26.04.2023

Sample Particulars : Drinking water

Location of sample : Pump House at Town Ship

Sample Collection Date

: 29.12.2023

Analysis Starting Date

30.12,2023

Quantity received

: 2 ltr

Sampled by

EAEPL Representative

TEST RESILTS

			IESI RESULIS			
Sr. No.	Test Parameters	Unit	Method	As per IS (Drinking W	S: 10500: 2012 (ater - Specification)	Results
				Acceptable Limit	Permissible Limit	resures
1	Apparent Colour	Hazen units	IS: 3025 (Part 4)-2021	5	15	0.1
2	Odour	-	IS: 3025 (Part 5)-2018	Agreeable	Agreeable	Agreeable
3	Taste	-	IS: 3025 (Part 8)-1984	Agreeable	Agreeable	Agreeable
4	Turbidity NTU	NTU	IS: 3025 (Part 10)-2023	1	5	0.1
5	Total Dissolved Solid	mg/l	IS 3025 (Part 16) 1984 Reaffirmed 2017	500	2000	124
6	Electrical Conductivity	μS/cm	-	-	-	202
7	Total Alkalinity	mg/l	IS 3025 (Part 23) 2023	200	600	120
8	pH Value at 25°C	-	IS: 3025 (Part 11)-2022	6.5 to 8.5	No relaxation	7.75
9	Total Hardness (CaCO ₃)	mg/l	IS: 3025 (Part 21)-2009 Reaffirmed 2019	200	600	95.5
10	Calcium (as Ca)	mg / l	IS : 3025 (Part 40)-1991 Reaffirmed 2019	75	200	29.6
11	Magnesium (as Mg)	mg / l	IS: 3025 (Part 46)-1994	30	100	5.2
12	Copper as(Cu)	mg/l	IS: 3025 (Part II)-2019	0.05	1.5	< 0.01
13	Iron (as Fe)	mg / l	IS: 3025 (Part II) 2019	0.3	No relaxation	0.067
14	Manganese as (Mn)	mg/l	IS: 3025 (Part II) 2019	0.1	0.3	< 0.01
15	Chlorides (as Cl)	mg/l	IS : 3025 (Part 32)-1988 Reaffirmed 2019	250	1000	10.8
16	Sulphate (as SO ₄)	mg / l	IS: 3025 (Part 24)sec-1:2022	200	400	9.1
17	Nitrates (as NO ₃)	mg/l	APHA 4500 B (24 th Edition)	45	No relaxation	2.05
18	Fluoride (as F)	mg / 1	APHA 4500 F, D (24th Edition)	1.0	1.5	0.30

For ENVIRO ANALYSTS & ENGINEERS PVT. LTD.

Authorized Signatory

Nagpur Branch: Shiv Kunj, Bunglow No. 65, Old Verma Layout, Ambazari, Nagpur - 440 010.

Tel.: 0712 - 2241 835, Telefax: 0712 - 2241 836

Pune Branch: Flat No. 11, Tarankit Co. Op. Hsg. Soc. Ltd., City S. No. 209, B/1, Sadashiv Peth. L. B. S. Road, Nr. Dnyanal Mangal Hall, Pune - 411 030. Tel.: 020-2432 4444

Lab: Row House No. 2, Shalom Garden, Opp. Kanakia College,

100 Feet Kanakia Road, Mira Road (East), Thane - 401 107. Tel.: 022-2811 6442

Workshop: Plot No. E - 122, MIDC Tarapur, Boisar, Dist. - Thane - 401 506.











NABET Accredited & MoEF (Govt. of India) approved
CIN No.: U28900MH1995PTC093129

H. O.: B-1003, Enviro House, 10th Floor, Western Edge II, Western Express Highway, Borivali (E), Mumbai - 400 066.

• Tel.: +91 22 2854 1647 / 48 / 49 / 67 / 68 • E-mail: info@eaepl.com • Website: www.eaepl.com

Page 2 of 2

Date: 10.01.2024

EAEPL/DW/2023-24/128/2

ISSUED TO:

M/s. ADANI POWER LTD.,

Tirora, Growth Center,

MIDC, Gondia - 441 911.

Your Ref

: As per Work Order 5700324724

Date

: 26.04.2023

Sample Particulars: Drinking water

Location of sample: Pump House at Town Ship

Sample Collection Date

: 29.12.2023

Analysis Starting Date

30.12.2023

Quantity received

: 2 ltr

Sampled by

EAEPL Representative

TEST RESULTS

Sr.	Test Parameters	Unit	Method	As per IS: 10500: 2012 (Drinking Water - Specification)		
No.		Ont	Method	Acceptable Limit	Permissible Limit	Results
19	Phenolic Compounds	mg / l	IS: 3025 (Part 43)-2019	0.001	0.002	BDL
20	Mercury as (Hg)	mg / l	IS: 3025 (Part II) 2019	0.001	No relaxation	< 0.0005
21	Cadmium as (Cd)	mg / l	IS: 3025 (Part II) 2019	0.003	No relaxation	< 0.001
22	Selenium as (Se)	mg / l	IS: 3025 (Part II) 2019	0.01	No relaxation	< 0.001
23	Arsenic as (As)	mg / 1	IS: 3025 (Part II) 2019	0.01	0.05	BDL
24	Cyanide as (CN)	mg / 1	IS: 3025 (Part II) 2019	0.05	No relaxation	< 0.005
25	Lead as (Pb)	mg / l	IS: 3025 (Part II) 2019	0.01	No relaxation	< 0.001
26	Zinc as (Zn)	mg / l	IS: 3025 (Part II) 2019	5	15	0.011
27	Total Chromium as (Cr)	mg / 1	IS :3025(Part 52)-2019	0.05	No relaxation	< 0.03
28	Mineral Oil	mg / 1	IS: 3025 (Part 39)-2021	0.05	No relaxation	< 0.01
29	Residual Chlorine	mg / l	IS: 3025 (Part 26)-2021	0.2	1.0	0.20
30	Total Coliform	MPN/100 ml	IS: 15185-2016 Reaffirmed 2021	Absent	Absent	Absent
31	E.Coli	Nos./100 ml	IS: 15185-2016 Reaffirmed 2021	Absent	Absent	Absent

Note: 1 Results relate to tested sample only. 2. Test report should not be reproduced partially.

REMARKS: Sample was tested for above mentioned parameters only. As per IS: 10500: 2012, Analysis result indicating that sample quality is suitable for drinking purpose.

For ENVIRO ANALYSTS & ENGINEERS PVT. LTD.

Authorized Signatory

Nagpur Branch: Shiv Kunj, Bunglow No. 65, Old Verma Layout, Ambazari, Nagpur - 440 010. Tel.: 0712 - 2241 835, Telefax: 0712 - 2241 836 Pune Branch:
Flat No. 11,
Tarankit Co. Op. Hsg. Soc. Ltd.,
City S. No. 209, B/1, Sadashiv Peth,
L. B. S. Road, Nr. Dnyanal Mangal Hall,
Pune - 411 030.
Tel.: 020-2432 4444

Lab:
Row House No. 2, Shalom Garden,
Opp. Kanakia College,
100 Feet Kanakia Road,
Mira Road (East), Thane - 401 107.

Tel.: 022-2811 6442

Workshop: Plot No. E - 122, MIDC Tarapur, Boisar, Dist. - Thane - 401 506.



ENVIRO ANALYSTS & ENGINEERS PVT. LTD.

(NABET, NABL Accredited and MoEFCC Approved)
CIN No-U28900MH1995PTC093129 | GST No-27AAACE6597R12P

B-1003,Enviro House,10th Flr, Western Edge II, W.E. Highway, Borivali (E), Mumbai-400066

Page 1 of 2

Date: 29.03.2024

EAEPL/DW/2023-24/170/4

ISSUED TO:

M/s. ADANI POWER LTD.,

Tirora, Growth Center,

MIDC, Gondia – 441 911.

Your Ref

: As per Work Order 5700324724

Date

: 26.04.2023

Sample Particulars: Drinking Water

Location of sample: Occupational Health Center at Town Ship

Sample Collection Date

: 20.03.2024

Analysis Starting Date

21.03.2024

Quantity received

: 2 ltr

Sampled by

EAEPL Representative

TEST RESULTS

Sr. No.	Test Parameters	Unit	Method	As per IS: 10500: 2012 (Drinking Water - Specification		Results
1	A			Acceptable Limit	Permissible Limit	
1	Apparent Colour	Hazen units	IS: 3025 (Part 4)-2021	5	15	0.1
2	Odour	-	IS: 3025 (Part 5)-2018	Agreeable	Agreeable	Agreeable
3	Taste	-	IS: 3025 (Part 8)-1984	Agreeable	Agrecable	Agreeable
4	Turbidity NTU	NTU	IS: 3025 (Part 10)-2023	1	5	0.1
5	Total Dissolved Solid	mg/l	IS 3025 (Part 16) 1984 Reaffirmed 2017	500	2000	98
6	Electrical Conductivity	μS/cm	-	-	-	160
7	Total Alkalinity	mg/l	IS 3025 (Part 23) 2023	200	600	92
8	pH Value at 25°C		IS: 3025 (Part 11)-2022	6.5 to 8.5	No relaxation	7.66
9	Total Hardness (CaCO ₃)	mg/l	IS: 3025 (Part 21)-2009 Reaffirmed 2019	200	600	72
10	Calcium (as Ca)	mg/1	IS: 3025 (Part 40)-1991 Reaffirmed 2019	75	200	22.5
11	Magnesium (as Mg)	mg/l	IS: 3025 (Part 46)-1994	30	100	3.83
12	Copper as(Cu)	mg/l	IS: 3025 (Part II)-2019	0.05	1.5	< 0.01
13	Iron (as Fe)	mg/l	IS: 3025 (Part II) 2019	0.3	No relaxation	0.055
14	Manganese as (Mn)	mg/1	IS: 3025 (Part II) 2019	0.1	0.3	< 0.01
15	Chlorides (as Cl)	mg/l	IS: 3025 (Part 32)-1988 Reaffirmed 2019	250	1000	7.8
16	Sulphate (as SO ₄)	mg/l	IS: 3025 (Part 24)sec-1:2022	200	400	5.0
17	Nitrates (as NO ₃)	mg/l	APHA 4500 B (24 th Edition)	45	No relaxation	< 2.0
18	Fluoride (as F)	mg/l	APHA 4500 F, D (24 th Edition)	1.0	1.5	0.20

For ENVIRO ANALYSTS & ENGINEERS PVT. LTD.

Authorized Signatory

B-1003, Enviro House, 10th Flr, Western Edge II, W.E. Highway, Borivali (E), Mumbai-400066

Page 2 of 2

EAEPL/DW/2023-24/170/4

Date: 29.03.2024

ISSUED TO:

M/s. ADANI POWER LTD.,

Tirora, Growth Center,

MIDC, Gondia - 441 911.

Your Ref

: As per Work Order 5700324724

Date

: 26.04.2023

Sample Particulars: Drinking Water

Location of sample: Occupational Health Center at Town Ship

Sample Collection Date

: 20.03.2024

Analysis Starting Date

21.03.2024

Quantity received

: 2 ltr

Sampled by

EAEPL Representative

TEST RESULTS

Sr. No.	Test Parameters	Unit	Method	As per IS : 10500 : 2012 (Drinking Water - Specification)			
				Acceptable Limit	Permissible Limit	Results	
19	Phenolic Compounds	mg/1	IS: 3025 (Part 43)-2019	0.001	0.002	BDL	
20	Mercury as (Hg)	mg / l	IS: 3025 (Part II) 2019	0.001	No relaxation	< 0.0005	
21	Cadmium as (Cd)	mg/l	IS: 3025 (Part II) 2019	0.003	No relaxation	< 0.001	
22	Selenium as (Se)	mg/1	IS: 3025 (Part II) 2019	0.01	No relaxation	< 0.001	
23	Arsenic as (As)	mg/l	IS: 3025 (Part II) 2019	0.01	0.05	BDL	
24	Cyanide as (CN)	mg/l	IS: 3025 (Part II) 2019	0.05	No relaxation	< 0.005	
25	Lead as (Pb)	mg/1	IS: 3025 (Part II) 2019	0.01	No relaxation	< 0.001	
26	Zinc as (Zn)	mg/l	IS: 3025 (Part II) 2019	5	15	0.010	
27	Total Chromium as (Cr)	mg/l	IS :3025(Part 52)-2019	0.05	No relaxation	< 0.03	
28	Mineral Oil	mg/l	IS: 3025 (Part 39)-2021	0.05	No relaxation	< 0.03	
29	Residual Chlorine	mg/1	IS: 3025 (Part 26)-2021	0.2	1.0	0.20	
30	Total Coliform	MPN/100 ml	IS: 15185-2016 Reaffirmed 2021	Absent	Absent	Absent	
31	E.Coli	Nos./100 ml	IS: 15185-2016 Reaffirmed 2021	Absent	Absent	Absent	

Note: 1 Results relate to tested sample only. 2. Test report should not be reproduced partially.

REMARKS: Sample was tested for above mentioned parameters only. As per IS: 10500 : 2012, Analysis result indicating that sample quality is suitable for drinking purpose.

For ENVIRO ANALYSTS & ENGINEERS PVT. LTD.

Authorized Signatory

GREEN BELT & PLANTATION DETAILS

Total Area Covered till date : 7.05Ha

Total Tree Planted : 16752 Nos.

Tree Planted (FY2023-24) : 9527 Nos.

Total Shrubs Planted : 8461 Sq. Meter

Total Green Carpet : 43794 Sq. Meter

Palm Tree : 371 No.

Species used for Green Belt Development

Common Name	Scientific Name	Common Name	Scientific Name
Jackranda	Jacaranda mimosifolia	Aonla	Emblica officinalis
Spathodea	Spathodea campanulata	Indian bael	Aegle marmelos
Rain Tree	Samanea saman	Guava	Psidium guavajava
Pulchurima	Caesalpinia pulcherrima	Custurd apple	Annona muricata
Cagoda tree	Plumeria alba	Jack fruit	Artocarpus heterophyllus
Jamun	Sizigium cumini	Drum Stic	Moringa oleifera
Curry tree/Sweet Neem	Murraya koenigii	Chikoo	Manilkara zapota
Neem	Azadiracta indica	Lemon	Citrus × limon
Peltaphorum	Peltaphorum	Sitafal	Annona squamosa L.
Tabebuia avellandea	Tabebuia avellandea	Palms	Caryota species
Bakiana	Bauhinia blakiana	Fox Tail Palm	Caryota species
Jasmine or Indian cork tree	Milingtonia hortensis	Travellers Palm	Ravenala madagascariensis
Bottle Brush	Golden melaleuea	Fish Tail Palm	Caryota species
Rosy Trumpet tree	Tabebuia rosea	Royal Palm	Roystonea regia
Pink Trumpet	Tabebuia avellanedai	Nut Palm	Areca catechu
Blackboard tree	Alistonia scholarisis.	Champian Palm	Hypophorbe lagenicaulis
Mango	Mangifera indica	Bismarkia Palm	Bismarckia nobilis
Piple	Ficus religeosa	Coconut	Cocos indica
Wad	Ficus bengalensis	Washingtonia Palm	Washingtonia filifera
Casuarina	Casuarina equisetifolia	Common junipers	Juniperus communis
Sita Ashok	Saraka indica	Twin Flower Cassia	Cassia biflora
Gulmohar	Delonix regia	Karvand	Carissa carandas
Saptparni	Alstonia scholaris	Common junipers	Juniperus communis
Karanj	Millettia pinnata	Acrus	Acrus sapota
Arjun	Terminalia arjuna	Bogunvellia	Bougainvillea spectabilis
Kachhnar	Bauhinia variegata	Starlight	Ficus Starlight
Badam	Prunus Species	Parijatak	Nyctanthes arbortristis L
Bakul	Mimusops elengi	Ratrani	Nyctanthes arbortristis L
Pangara	Erythrina variegata	Golden Bamboo	Phyllostachys aurea
Amaltas	Casia fishtola	Tagar varigated	Tabernaemontana sp.
Bargad	Ficus benghalensis	Alamanda	Allamanda cathartica
Gulmahor	Delonix regia	Twin Flower Cassia	Cassia biflora
Lichi	Litchi chinensis	Saptparni	Alstonia scholaris
Spanish cherry	Mimusopes ellengii	Ficus black	Ficus benjamina
Kagzi lime	Citrus × aurantiifolia	Ficus golden	Ficus Microcarpa

























































Sewage Treatment Plant (Township) (Capacity: 240m³/Day)





Sewage Treatment Plant



Online Monitoring Facility at STP



Ref: APLT/ENV/MPCB/ES/99/23 Date: 29.09.2023

To
The Member Secretary
Maharashtra Pollution Control Board
Kalpataru Point, 2nd – 4th Floor
Opp. Cine Planet Cinema, Near Sion Circle,
Sion (Cest), Mumbai – 400 022

Sub: Submission of Environment Statement 2022-23 for Residential Complex of Adani Power Limited, Berdipar, Gondia, Maharashtra.

Ref: UAN. MPCB-Environment_Statement-0000061408 dated 29.09.2023

Dear Sir.

With reference to above subject, we have submitted an online Environment Statement for Residential Complex of Adam Power Limited, Berdipar, Condia, for the financial year 2022-23. A copy of statement is enclosed for your reference.

We hope you will find the report in order.

Thanking You,

Yours faithfully

(Kanti Biswas) Station Head

Adani Power Limited, Tiroda

Encl.: As Above

Copy for kind information to: -

1) The Regional Officer, MPCB RO office, Nagpur.

2) The Sub Regional Officer, MPCB SRO office, Bhandara

Adani Power Ltd Plot A-1, Tirora Growth Centre MIDC Area, Tirora Gondia 441 911 Maharashtra, India CIN: L40100GJ1996PLC030533 Tel +917198 25 3961 Fax +91 7198 25 3971 www.adanipower.com



Maharashtra Pollution Control Board महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2023

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000061408

Submitted Date

29-09-2023

PART A

Company Information

Company Name

Residential complex for Tiroda thermal power plant of

Adani Power Limited.

Application UAN number

plot A 1, Tirora Growth centre, MIDC Area, Tirora,

Gondia

Plot no

Kachewani, Berdipar

Capital Investment (In lakhs) 13850.00

Pincode

Telephone Number

8875088555

Region

SRO-Bhandara

Last Environmental statement submitted online

Consent Valid Upto

2025-03-31

Secondary (STC Code)

Industry Category Primary (STC Code) &

MPCB-CONSENT-0000086203

Taluka Village

Tiroda MIDC Tirora Scale

City S.S.I Gondiya

Person Name Designation

Kanti Biswas Station Head

Fax Number Email

07198253971 Kanti.Biswas@adani.com

Industry Category Industry Type

O21 Building and construction project more than Orange

20,000 sq. m built up area

Consent Number Consent Issue Date

MPCB-CONSENT-0000086203 2020-08-17

Establishment Year Date of last environment statement

submitted

2015 Sep 29 2022 12:00:00:000AM

Product Information

Product Name

Consent Quantity

Actual Quantity

UOM CMD

By-product Information

By Product Name

NA

Consent Quantity

Actual Quantity

UOM

CMD

Part-B (Water & Raw Material Consumption)

Water Consumpti	ion for	Consent Quant	ity in m2/day		tual Quantity	in m2/da	,
Process	on for	0.00	ity in mɔ/day	0.0		/ III m3/day	,
Cooling		0.00		0.0	00		
Domestic		240.00			3.00		
All others		0.00					
Total				0.0			
Total		240.00		23	3.00		
	ation in CMD / MLD	_					
Particulars			sent Quantity		ctual Quantit	_	UOM
Domestic Effluent		192		1	81		CMD
		umption (cubic meter of					
process water pe Name of Products	r unit of product) s (Production)		During the I	Previous	During the	current	иом
			financial Ye		Financial y		
OTHERS			0		0		CMD
		mption of raw material					
per unit of produ Name of Raw Mat			During the Pro	evious	During the	current	иом
Manie of Nan Plat	teriais		financial Year		Financial ye		0011
Not Applicable			0		0		
4) Fuel Consumpt	tion						
Fuel Name		Consent quantity	A	ctual Quan	tity	UOI	1
HSD		67	0.	0420		Ltr/H	łr
Part-C							
Pollution dischar	ged to environment	/unit of output (Parameter a	ns specified in t	the consen	t issued)		
Pollution discharg	Quantity of Pollutants discharged (kL/day)	Concentration of Po discharged(Mg/Lit) PH,Temp,Colour	ollutants	Percentag variation prescribe with reaso	ge of from d standards ons	Standard	Bassas
Pollution dischar [A] Water Pollutants Detail	Quantity of Pollutants discharged	Concentration of Podischarged(Mg/Lit)	ollutants	Percentag variation prescribe	ge of from d standards ons	Standard -	Reason -
Pollution dischar [A] Water Pollutants Detail pH	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Podischarged(Mg/Lit) PH,Temp,Colour Concentration	ollutants	Percentag variation prescribe with reaso %variatio	ge of from d standards ons	Standard - 20	Reason -
Pollution discharge [A] Water Pollutants Detail pH TSS	Quantity of Pollutants discharged (kL/day) Quantity 0	Concentration of Podischarged(Mg/Lit) PH,Temp,Colour Concentration 7.98	ollutants	Percentag variation prescribe with reaso %variation 0	ge of from d standards ons	20	Reason -
Pollution dischar [A] Water Pollutants Detail pH TSS	Quantity of Pollutants discharged (kL/day) Quantity 0	Concentration of Podischarged(Mg/Lit) PH,Temp,Colour Concentration 7.98 15.5	ollutants	Percentag variation prescribe with rease %variation 0	ge of from d standards ons	-	Reason -
Pollution dischar [A] Water Pollutants Detail pH TSS COD BOD AMMONICAL NITRO	Quantity of Pollutants discharged (kL/day) Quantity 0 0	Concentration of Podischarged(Mg/Lit) PH,Temp,Colour Concentration 7.98	ollutants	Percentagy variation prescribes with reason 0 0	ge of from d standards ons	- 20 50	Reason
Pollution dischar [A] Water Pollutants Detail pH TSS COD BOD AMMONICAL NITRO	Quantity of Pollutants discharged (kL/day) Quantity 0 0	Concentration of Podischarged(Mg/Lit) PH,Temp,Colour Concentration 7.98 15.5 33.7	ollutants	Percentagy variation prescribes with reast %variation 0	ge of from d standards ons	20 50 10	Reason
Pollution dischar [A] Water Pollutants Detail pH TSS COD BOD AMMONICAL NITRO (NH-N)	Quantity of Pollutants discharged (kL/day) Quantity 0 0 0	Concentration of Podischarged(Mg/Lit) PH,Temp,Colour Concentration 7.98 15.5 33.7 8.3 2.45	ollutants	Percentagy variation prescribes with reason 0 0 0 0 0	ge of from d standards ons	- 20 50 10 5	Reason
[A] Water Pollutants Detail pH TSS COD BOD AMMONICAL NITRO (NH-N) N-TOTAL FECAL COLIFORM	Quantity of Pollutants discharged (kL/day) Quantity 0 0 0	Concentration of Pidischarged(Mg/Lit) PH,Temp,Colour Concentration 7.98 15.5 33.7 8.3 2.45	ollutants	Percentagy variation prescribes with reast % variation 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ge of from d standards ons	- 20 50 10 5	Reason
Pollution discharge [A] Water Pollutants Detail pH TSS COD BOD AMMONICAL NITRO (NH-N) N-TOTAL	Quantity of Pollutants discharged (kL/day) Quantity 0 0 0 0	Concentration of Pollut discharged (Mg/Lit) PH, Temp, Colour Concentration 7.98 15.5 33.7 8.3 2.45 2.98 11	ollutants Except	Percentagy variation prescribe with reason wariation of the control of the contro	ge of from d standards ons n	- 20 50 10 5	Reason

	0	38.2		0	150	-
Part-D						
HAZARDOUS WA						
1) From Process						
		Ouring Previous Finan	icial year	_	rrent Financial year	UOM
0	0			0		Kg/Annur
2) From Pollutio						
Hazardous Wast 0	e Type Total D 0	Ouring Previous Finan	iciai year	0 Otal During Cu	rrent Financial year	UOM Kg/Annur
Part-E						
SOLID WASTES						
1) From Process						
Non Hazardous	Waste Type To	otal During Previous I	Financial year	Total During	Current Financial year	иом
NA	0			0		Kg/Annur
2) From Pollutio			aviane Figure 2	was Tatal S	ning Compact Financial	11014
Non Hazardous	waste rype	772.65	evious Financial	year lotal bu 627	ring Current Financial year	
STP Sludge		772.03		027		Kg/Annur
3) Quantity Recy	cled or Re-utili	ized within the				
unit						
Waste Type			al During Previo ancial year		al During Current ancial year	иом
0		0	anciai yeai	0	anciai year	Kg/Annur
Part-F						
CII C-I						
		ics(in terms of conce ted for both these ca			ous as well as solid wastes	and
indicate disposa	l practice adop				ous as well as solid wastes	and_
indicate disposa	l practice adop		tegories of was	es.	ous as well as solid wastes	and
indicate disposa 1) Hazardous Wa Type of Hazardo	l practice adop	ted for both these ca	ous Waste UON	es.		and
indicate disposa 1) Hazardous Wa Type of Hazardo NA	l practice adop	ted for both these ca rated Qty of Hazard	ous Waste UON	ces. Concentra		and
indicate disposa 1) Hazardous Wa Type of Hazardo NA 2) Solid Waste	I practice adop aste us Waste Gene	rated Qty of Hazard	lous Waste UON Kg/A	ces. Concentra	ntion of Hazardous Waste	and
indicate disposa 1) Hazardous W. Type of Hazardo NA 2) Solid Waste Type of Solid Wa	I practice adop aste us Waste Gene	rated Qty of Hazard 0 Qty of Solid	lous Waste UON Kg/A	Concentra	ntion of Hazardous Waste	
1) Hazardous W. Type of Hazardo NA 2) Solid Waste Type of Solid Wa Domestic Bio-degr	aste us Waste Gene aste Generated	rated Qty of Hazard 0 Qty of Solid Waste	lous Waste UON Kg/A UOM Cond Kg/Annum Food	Concentra	ntion of Hazardous Waste d Waste orticulture waste used for com	
indicate disposa 1) Hazardous W. Type of Hazardo NA 2) Solid Waste Type of Solid Wa Domestic Bio-degr	aste us Waste Gene aste Generated	rated Qty of Hazard 0 Qty of Solid Waste 8396	lous Waste UON Kg/A UOM Cond Kg/Annum Food	Concentration of Soli & vegetable and h	ntion of Hazardous Waste d Waste orticulture waste used for com	
1) Hazardous W. Type of Hazardo NA 2) Solid Waste Type of Solid Wa Domestic Bio-degra Non Biodegradable Part-G	aste us Waste Gene aste Generated adable waste e waste	rated Qty of Hazard 0 Qty of Solid Waste 8396 68190	lous Waste UON Kg/A UOM Cond Kg/Annum Food Kg/Annum Plast	Concentration of Soli & vegetable and hecs, glass, metals, vegetable.	ntion of Hazardous Waste d Waste orticulture waste used for com	posing
indicate disposa 1) Hazardous W. Type of Hazardo NA 2) Solid Waste Type of Solid Waste Domestic Bio-degr Non Biodegradable Part-G Impact of the po	aste us Waste Gene aste Generated adable waste e waste	rated Qty of Hazard 0 Qty of Solid Waste 8396 68190	lous Waste UON Kg/A UOM Cond Kg/Annum Food Kg/Annum Plast	Concentration of Soli & vegetable and hecs, glass, metals, vegetable.	d Waste orticulture waste used for comwood, paperetc. s and consequently on the common consequently on the	posing ost of

Installed Motion 0 0 0 48987 6.336 sensor switch for lighing of Common area in

Part-H

all Blocks

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement

0

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Environmental Monitoring	Air, Water Noise Monitoring	1.8
Pollution Control Equipment O&M	STP Operational Cost	19
Green Belt Development including Nursary	Sapling plantation & Maintenance of Existing Green Belt	25
Biomedical Waste Management	BMW handling & disposal as per MPCB Guideline	0.635
Waste Management	Domestic waste handling & Disposal	9.84

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Environmental Monitoring	Air, Water Noise Monitoring	2.0
Pollution Control Equipment O&M	Operational Cost	21
Green Belt Development including Nursary	Sapling plantation & Maintenance of Existing Green Belt	28
Biomedical Waste Management	BMW handling & disposal as per MPCB Guideline	0.67
Waste Management	Domestic waste handling & Disposal	11

Part-I

Any other particulars for improving the quality of the environment.

Particulars

NA

Name & Designation

Kanti Biswas, Station Head

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000061408

Submitted On:

29-09-2023


WASTE PROCESSING FACILITIES Organic waste convertor, Paper recycling units & Solid waste yard











Paper Recycling Unit & Products

Awareness on Waste Management







Awareness for Housemaids on Source Segregation of Waste

Groundwater Recharge through Roof Top Rainwater Harvesting at Residential Complex

Sr. No.	Month	Rainfall (mm)	Rainwater Harvesting (m3)
1	April – 2023	50.7	106
2	May – 2023	4	8
3	June – 2023	204.6	426
4	July – 2023	478.8	998
5	August – 2023	267.8	558
6	September – 2023	392.2	818
7	October - 2023	0.6	1.25
8	November - 2023	47.2	98.4
9	December - 2023	18.8	39.2
10	January - 2024	15	31.3
11	February - 2024	25.8	53.8
12	March - 2024	2.8	5.8
	Total	1508.3	3144

Rooftop Rainwater Harvesting at Residential Complex

